Bryan W. Shaw, Ph.D., P.E., Chairman Toby Baker, Commissioner Zak Covar, Commissioner Richard A. Hyde, P.E., Executive Director



### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

July 31, 2014

RECEIVED

Mr. James Gallaher Freedom Fellowship Church 410 Oak Run Point New Braunfels, Texas 78132-3871

AUG 07 2014

COUNTY ENGINEER

Re: Edwards Aquifer, Comal County

NAME OF PROJECT: Freedom Fellowship Church Located at 410 Oak Run Point, New Braunfels, Texas

TYPE OF PLAN: Request for Modification of an approved Water Pollution Abatement Plan (WPAP); 30 Texas Administrative Code (TAC) Chapter 213 Edwards Aquifer

Investigation No. 1173502; Regulated Entity No. RN102745890; Additional ID No. 13-14052802

### Dear Mr. Gallaher:

The Texas Commission on Environmental Quality (TCEQ) has completed its review of the WPAP modification for the above-referenced project submitted to the San Antonio Regional Office by Pawelek & Moy, Inc. on behalf of Freedom Fellowship Church on May 28, 2014. As presented to the TCEQ, the Temporary and Permanent Best Management Practices (BMPs) were selected and construction plans were prepared by a Texas Licensed Professional Engineer to be in general compliance with the requirements of 30 TAC Chapter 213. These planning materials were sealed, signed and dated by a Texas Licensed Professional Engineer. Therefore, based on the engineer's concurrence of compliance, the planning materials for construction of the proposed project and pollution abatement measures are hereby approved subject to applicable state rules and the conditions in this letter. The applicant or a person affected may file with the chief clerk a motion for reconsideration must be filed no later than 23 days after the date of this approval letter. This approval expires two (2) years from the date of this letter unless, prior to the expiration date, more than 10 percent of the construction has commenced on the project or an extension of time has been requested.

### BACKGROUND

The original commercial project was approved by letter dated July 26, 1999, for the construction of two church buildings and associated parking. The total impervious cover was 1.928 acres (39 percent) of the 5 acre site. A technical clarification/site plan update was approved on January 6, 2006 for the addition of a 3,840 square foot expansion to one of the church buildings. A modification to the WPAP was approved on May 1, 2012 that added additional parking areas, access drives, utilities, and a partial sedimentation/filtration basin.

TCEQ Region 13 • 14250 Judson Rd. • San Antonio, Texas 78233-4480 • 210-490-3096 • Pax 210-545-4329

Mr. James Gallaher Page 2 July 31, 2014

### PROJECT DESCRIPTION

The proposed commercial project will have an area of approximately 8.05 acres. It will include the construction of a foundation for a communications tower, access road, and drainage & sidewalk improvements. The impervious cover will be 3.066 acres (38.1 percent). Project wastewater will be disposed of by conveyance to the existing Gruene Road Wastewater Treatment Center owned by New Braunfels Utilities.

### PERMANENT POLLUTION ABATEMENT MEASURES

To prevent the pollution of stormwater runoff originating on-site or upgradient of the site and potentially flowing across and off the site after construction, Vegetative Filter Strip (VFS), designed using the TCEQ technical guidance document, <u>Complying with the Edwards Aquifer Rules: Technical Guidance on Best</u> <u>Management Practices (2005)</u>, will be constructed to treat stormwater runoff as well as the existing enhanced extended detention basin, vegetative filter strips, and partial sedimentation/filtration basin. The required total suspended solids (TSS) treatment for this project is 1,022 pounds of TSS generated from the 3.066 acres of impervious cover. The approved measures meet the required 80 percent removal of the increased load in TSS caused by the project.

The individual treatment measures will consist of three new VFS, one existing partial sedimentation/filtration basin, and two existing VFSs. The VFS will be at least 15 feet wide (in the direction of flow), and will extend along the entire length of the contributing area with no gullies, rills or obstructions that will concentrate flow. The VFS will have a uniform slope of less than 20 percent, and will maintain a vegetated cover of at least 80 percent.

The existing concrete lined partial sedimentation/filtration basin is designed to capture the first 3.33 inches of stormwater runoff from 0.316 acres of impervious cover. The total capture volume is 3,594 cubic feet (3,481 cubic feet required). The filter area is 375 square feet (290 square feet required) with ASTM C-33 compliant sand media that measures 18 inches thick and has an underdrain piping system covered with a minimum two inch gravel layer.

The existing enhanced extended detention basin and the 0.70 acre vegetative filter strip will treat stormwater runoff from 1.927 acres of impervious cover (sized to treat 1.928 acres).

The total TSS treatment provided is 1,022 pounds (1,022 pounds required).

### GEOLOGY

According to the geologic assessment included with the application the site site over the Leached and Collapsed Member of the Edwards Person Limestone. One non-sensitive feature (fault) was identified in the original report. The San Antonio Regional Office did not conduct a site assessment.

### SPECIAL CONDITIONS

- I. This modification is subject to all Special and Standard Conditions listed in the WPAP approval letters dated July 26, 1999, January 6, 2006, and May 1, 2012.
- II. All permanent pollution abatement measures shall be operational prior to occupancy of the facility.

RECEIVED

AUG 07 2014

Mr. James Gallaher Page 3 July 31, 2014

# COUNTY ENGINEER

III. All sediment and/or media removed from the water quality basin during maintenance activities shall be properly disposed of according to 30 TAC 330 or 30 TAC 335, as applicable.

### STANDARD CONDITIONS

- 1. Pursuant to Chapter 7 Subchapter C of the Texas Water Code, any violations of the requirements in 30 TAC Chapter 213 may result in administrative penalties.
- 2. The holder of the approved Edwards Aquifer protection plan must comply with all provisions of 30 TAC Chapter 213 and all best management practices and measures contained in the approved plan. Additional and separate approvals, permits, registrations and/or authorizations from other TCEQ Programs (i.e., Stormwater, Water Rights, UIC) can be required depending on the specifics of the plan.
- 3. In addition to the rules of the Commission, the applicant may also be required to comply with state and local ordinances and regulations providing for the protection of water quality.

### Prior to Commencement of Construction:

- 4. Within 60 days of receiving written approval of an Edwards Aquifer Protection Plan, the applicant must submit to the San Antonio Regional Office, proof of recordation of notice in the county deed records, with the volume and page number(s) of the county deed records of the county in which the property is located. A description of the property boundaries shall be included in the deed recordation in the county deed records. A suggested form (Deed Recordation Affidavit, TCEQ-0625) that you may use to deed record the approved WPAP is enclosed.
- 5. All contractors conducting regulated activities at the referenced project location shall be provided a copy of this notice of approval. At least one complete copy of the approved WPAP and this notice of approval shall be maintained at the project location until all regulated activities are completed.
- 6. Modification to the activities described in the referenced WPAP application following the date of approval may require the submittal of a plan to modify this approval, including the payment of appropriate fees and all information necessary for its review and approval prior to initiating construction of the modifications.
- 7. The applicant must provide written notification of intent to commence construction, replacement, or rehabilitation of the referenced project. Notification must be submitted to the San Antonio Regional Office no later than 48 hours prior to commencement of the regulated activity. Written notification must include the date on which the regulated activity will commence, the name of the approved plan and program ID number for the regulated activity, and the name of the prime contractor with the name and telephone number of the contact person. The executive director will use the notification to determine if the approved plan is eligible for an extension.
- 8. Temporary erosion and sedimentation (E&S) controls, i.e., silt fences, rock berms, stabilized construction entrances, or other controls described in the approved WPAP, must be installed prior to construction and maintained during construction. Temporary E&S controls may be removed when vegetation is established and the construction area is stabilized. If a water quality pond is proposed, it shall be used as a sedimentation basin during construction. The TCEQ may monitor stormwater discharges from the site to evaluate the adequacy of temporary E&S control measures. Additional controls may be necessary if excessive solids are being discharged from the site.
- 9. All borings with depths greater than or equal to 20 feet must be plugged with non-shrink grout from the bottom of the hole to within three (3) feet of the surface. The remainder of the hole must be backfilled with cuttings from the boring. All borings less than 20 feet must be backfilled with cuttings from the boring. All borings less than 20 feet must be backfilled with cuttings from the boring. All borings less than 20 feet must be backfilled with cuttings from the boring. All borings less than 20 feet must be backfilled with cuttings from the boring. All borings must be backfilled or plugged within four (4) days of completion of the drilling operation. Voids may be filled with gravel.

Mr. James Gallaher Page 4 July 31, 2014

### During Construction:

- 10. During the course of regulated activities related to this project, the applicant or agent shall comply with all applicable provisions of 30 TAC Chapter 213, Edwards Aquifer. The applicant shall remain responsible for the provisions and conditions of this approval until such responsibility is legally transferred to another person or entity.
- 11. This approval does not authorize the installation of temporary aboveground storage tanks on this project. If the contractor desires to install a temporary aboveground storage tank for use during construction, an application to modify this approval must be submitted and approved prior to installation. The application must include information related to tank location and spill containment. Refer to Standard Condition No. 6, above.
- 12. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, all regulated activities near the feature must be suspended immediately. The applicant or his agent must immediately notify the San Antonio Regional Office of the discovery of the feature. Regulated activities near the feature may not proceed until the executive director has reviewed and approved the methods proposed to protect the feature and the aquifer from potentially adverse impacts to water quality. The plan must be sealed, signed, and dated by a Texas Licensed Professional Engineer.
- 13. No wells exist on site. All water wells, including injection, dewatering, and monitoring wells must be in compliance with the requirements of the Texas Department of Licensing and Regulation under Title 16 TAC Chapter 76 (relating to Water Well Drillers and Pump Installers) and all other locally applicable rules, as appropriate.
- 14. If sediment escapes the construction site, the sediment must be removed at a frequency sufficient to minimize offsite impacts to water quality (e.g., fugitive sediment in street being washed into surface streams or sensitive features by the next rain). Sediment must be removed from sediment traps or sedimentation ponds not later than when design capacity has been reduced by 50 percent. Litter, construction debris, and construction chemicals shall be prevented from becoming stormwater discharge pollutants.
- 15. Intentional discharges of sediment laden water are not allowed. If dewatering becomes necessary, the discharge will be filtered through appropriately selected best management practices. These may include vegetated filter strips, sediment traps, rock berms, silt fence rings, etc.
- 16. The following records shall be maintained and made available to the executive director upon request: the dates when major grading activities occur, the dates when construction activities temporarily or permanently cease on a portion of the site, and the dates when stabilization measures are initiated.
- 17. Stabilization measures shall be initiated as soon as practicable in portions of the site where construction activities have temporarily or permanently ceased, and construction activities will not resume within 21 days. When the initiation of stabilization measures by the 14th day is precluded by weather conditions, stabilization measures shall be initiated as soon as practicable.

### After Completion of Construction:

- 18. A Texas Licensed Professional Engineer must certify in writing that the permanent BMPs or measures were constructed as designed. The certification letter must be submitted to the San Antonio Regional Office within 30 days of site completion.
- 19. The applicant shall be responsible for maintaining the permanent BMPs after construction until such time as the maintenance obligation is either assumed in writing by another entity having ownership or control of the property (such as without limitation, an owner's association, a new property owner or lessee, a district, or municipality) or the ownership of the property is transferred to the entity. The regulated entity shall then be responsible for maintenance until another entity assumes such obligations in writing or

RECEIVED

AUG 07 2014

Mr. James Gallaher Page 5 July 31, 2014

COUNTY ENGINEER

ownership is transferred. A copy of the transfer of responsibility must be filed with the executive director through San Antonio Regional Office within 30 days of the transfer. A copy of the transfer form (TCEQ-10263) is enclosed.

- 20. Upon legal transfer of this property, the new owner(s) is required to comply with all terms of the approved Edwards Aquifer protection plan. If the new owner intends to commence any new regulated activity on the site, a new Edwards Aquifer protection plan that specifically addresses the new activity must be submitted to the executive director. Approval of the plan for the new regulated activity by the executive director is required prior to commencement of the new regulated activity.
- 21. An Edwards Aquifer protection plan approval or extension will expire and no extension will be granted if more than 50 percent of the total construction has not been completed within ten years from the initial approval of a plan. A new Edwards Aquifer protection plan must be submitted to the San Antonio Regional Office with the appropriate fees for review and approval by the executive director prior to commencing any additional regulated activities.
- 22. At project locations where construction is initiated and abandoned, or not completed, the site shall be returned to a condition such that the aquifer is protected from potential contamination.

This action is taken under authority delegated by the Executive Director of the Texas Commission on Environmental Quality. If you have any questions or require additional information, please contact Mr. Alex Grant of the Edwards Aquifer Protection Program of the San Antonio Regional Office at 210-403-4035.

Sincerely,

Lynn Bumguardner, Water Section Manager San Antonio Region Office Texas Commission on Environmental Quality

LB/AG/eg

Enclosure: Deed Recordation Affidavit, Form TCEQ-0625 Change in Responsibility for Maintenance of Permanent BMPs, Form TCEQ-10263

cc: Mr. John J. Moy, Jr., P.E., Pawelek & Moy, Inc. Mr. Garry Ford, Jr., P.E., City of New Braunfels Mr. Tom Hornseth, P.E., Comal County Mr. Roland Ruiz, Edwards Aquifer Authority TCEQ Central Records, Building F, MC 21 Bryan W. Shaw, Ph.D., Chairman Toby Baker, Commissioner Zak Covar, Commissioner Richard A. Hyde, P.E., Executive Director



### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

June 2, 2014

RECEIVED

JUN 09 2014

Mr. Thomas H. Hornseth, P.E. Comal County Engineer 195 David Jonas Drive New Braunfels TX 78132-3710

COUNTY ENGINEER

Re: Edwards Aquifer, Comal County PROJECT NAME: Freedom Fellowship Church, located at 410 Oak Run Point, New Braunfels, Texas

PLAN TYPE: Application for Approval of Water Pollution Abatement Plan (WPAP) 30 Texas Administration Code (TAC) Chapter 213; Edwards Aquifer Protection Program EAPP File No. and Regulated Entity No.: RN102745890 EAPP Additional ID: 13- 14052802

Dear Mr. Hornseth:

The referenced application is being forwarded to you pursuant to the Edwards Aquifer Rules. The Texas Commission on Environmental Quality (TCEQ) is required by 30 TAC Chapter 213 to provide copies of all applications to affected incorporated cities and underground water conservation districts for their comments prior to TCEQ approval.

Please forward your comments to this office by July 2, 2014.

The Texas Commission on Environmental Quality appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact the San Antonio Region Office at (210) 490-3096.

Sincerely

Todd Jones Water Section Work Leader San Antonio Regional Office

TJ/eg

TCEQ Region 13 • 14250 Judson Rd. • San Antonio, Texas 78233-4480 • 210-490-3096 • Fax 210-545-4329



**CIVIL ENGINEERING & CONSULTING SERVICES** 

- RESIDENTIAL DEVELOPMENT
- SITE DEVELOPMENT
- PUBLIC WORKS
- UTILITIES

# *Modification of a Previously Approved Water Pollution Abatement Plan*

# Freedom Fellowship Church

410 Oak Run Point New Braunfels, Texas 78132

TCEQ-R13 MAY 28 2014 SAN ANTONIO



by Pawelek & Moy, Inc. Job No. 1402.01

May 2014

### Modification of a Previously Approved Plan Checklist

- X General Information Form (*TCEQ-0587*) ATTACHMENT A - Road Map ATTACHMENT B - USGS / Edwards Recharge Zone Map ATTACHMENT C - Project Description
- <u>X</u> Geologic Assessment Form (*TCEQ-0585*) ATTACHMENT A - Geologic Assessment Table, *TCEQ-0585-Table* Comments to the Geologic Assessment Table ATTACHMENT B - Soil Profile and Narrative of Soil Units ATTACHMENT C - Stratigraphic Column ATTACHMENT D - Narrative of Site Specific Geology Site Geologic Map(s) Table or list for the position of features' latitude/longitude (if mapped using GPS)
- X Modification of a Previously Approved Plan (TCEQ-0590) ATTACHMENT A - Original Approval Letter and Approved Modification Letters ATTACHMENT B - Narrative of Proposed Modification ATTACHMENT C - Current Site Plan of the Approved Project
- X
   Application Form (appropriate for the modification)

   Aboveground Storage Tank Facility Plan (*TCEQ-0575*)

   Organized Sewage Collection System Plan (*TCEQ-0582*)

   Underground Storage Tank Facility Plan (*TCEQ-0583*)

   Water Pollution Abatement Plan Application Form (*TCEQ-0584*)

   Lift Station / Force Main System Application (*TCEQ-0624*)

X Temporary Stormwater Section (*TCEQ-0602*), if necessary

ATTACHMENT A - Spill Response Actions

ATTACHMENT B - Potential Sources of Contamination

ATTACHMENT C - Sequence of Major Activities

ATTACHMENT D - Temporary Best Management Practices and Measures

ATTACHMENT E - Request to Temporarily Seal a Feature, if sealing a feature

**ATTACHMENT F - Structural Practices** 

ATTACHMENT G - Drainage Area Map

ATTACHMENT H - Temporary Sediment Pond(s) Plans and Calculations

ATTACHMENT I - Inspection and Maintenance for BMPs

ATTACHMENT J - Schedule of Interim and Permanent Soil Stabilization Practices

X Permanent Stormwater Section (*TCEQ-0600*), if necessary

ATTACHMENT A - 20% or Less Impervious Cover Waiver, if project is multi-family residential, a school, or a small business and 20% or less impervious cover is proposed for the site

ATTACHMENT B - BMPs for Upgradient Stormwater

ATTACHMENT C - BMPs for On-site Stormwater

ATTACHMENT D - BMPs for Surface Streams

ATTACHMENT E - Request to Seal Features, if sealing a feature

ATTACHMENT F - Construction Plans

ATTACHMENT G - Inspection, Maintenance, Repair and Retrofit Plan

ATTACHMENT H - Pilot-Scale Field Testing Plan, if BMPs not based on *Complying with the Edwards Aquifer Rules: Technical Guidance for BMPs* 

ATTACHMENT I -Measures for Minimizing Surface Stream Contamination

### Modification of a Previously Approved Plan Checklist (continued)

- X Agent Authorization Form (*TCEQ-0599*), if application submitted by agent
- X Application Fee Form (*TCEQ-0574*)
- X Check Payable to the "Texas Commission on Environmental Quality"
- X Core Data Form (*TCEQ-10400*)

**General Information Form** 

For Regulated Activities on the Edwards Aquifer Recharge and Transition Zones and Relating to 30 TAC §213.4(b) & §213.5(b)(2)(A), (B) Effective June 1, 1999

REGULATED ENTITY NAME:	Freedom Fel	lowship Church	
COUNTY: Comal		STREAM BA	SIN: Blieder's Creek
EDWARDS AQUIFER: X	RECHARGE ZO	NE DNE	
PLAN TYPE:	_WPAP _SCS	AST UST	EXCEPTION
CUSTOMER INFORMATION			
1. Customer (Applicant):			

James Gallaher			
Freedom Fellowship Church			
410 Oak Run Point			
New Braunfels, Texas Zip: 78132-387	1		
(830) 625-1288 FAX: (830) 620	-4642		
	James Gallaher Freedom Fellowship Church 410 Oak Run Point New Braunfels, Texas Zip: 78132-387 (830) 625-1288 FAX: (830)620		

Agent/Representative (If any):

Contact Person:	John J. Moy, Jr.	
Entity:	Pawelek & Moy, Inc.	
Mailing Address:	130 W. Jahn St.	
City, State:	New Braunfels, Texas	Zip: 78130
Telephone:	(830)629-2563	FAX: (830)629-2564

- 2. <u>X</u> This project is inside the city limits of <u>New Braunfels</u>
  - This project is outside the city limits but inside the ETJ (extra-territorial jurisdiction) of
    - This project is not located within any city's limits or ETJ.
- 3. The location of the project site is described below. The description provides sufficient detail and clarity so that the TCEQ's Regional staff can easily locate the project and site boundaries for a field investigation.

Address: 410 Oak Run Point, New Braunfels, Texas Site is approximately 600 feet north of the intersection of State Highway 46 and Oak Run Point, on Oak Run Point.

- 4. <u>X</u> ATTACHMENT A ROAD MAP. A road map showing directions to and the location of the project site is attached at the end of this form.
- 5. <u>X</u> ATTACHMENT B USGS / EDWARDS RECHARGE ZONE MAP. A copy of the official 7 ½ minute USGS Quadrangle Map (Scale: 1" = 2000') of the Edwards Recharge Zone is attached behind this sheet. The map(s) should clearly show:

- Х Project site.
- USGS Quadrangle Name(s).
- $\frac{X}{X}$ Boundaries of the Recharge Zone (and Transition Zone, if applicable).
- Drainage path from the project to the boundary of the Recharge Zone.
- Х Sufficient survey staking is provided on the project to allow TCEQ regional staff to 6. locate the boundaries and alignment of the regulated activities and the geologic or manmade features noted in the Geologic Assessment. The TCEQ must be able to inspect the project site or the application will be returned.
- ATTACHMENT C PROJECT DESCRIPTION. Attached at the end of this form is a 7. Х detailed narrative description of the proposed project.
- 8. Existing project site conditions are noted below:
  - Existing commercial site (8.05 Ac)
  - Existing industrial site
  - Existing residential site
  - Existing paved and/or unpaved roads
  - Undeveloped (Cleared)
  - Undeveloped (Undisturbed/Uncleared)
  - Other:

### PROHIBITED ACTIVITIES

- Х 9. I am aware that the following activities are prohibited on the Recharge Zone and are not proposed for this project:
  - waste disposal wells regulated under 30 TAC Chapter 331 of this title (relating (1)to Underground Injection Control);
  - (2)new feedlot/concentrated animal feeding operations, as defined in 30 TAC §213.3:
  - land disposal of Class I wastes, as defined in 30 TAC §335.1; (3)
  - (4)the use of sewage holding tanks as parts of organized collection systems; and
  - (5)new municipal solid waste landfill facilities required to meet and comply with Type I standards which are defined in §330.41(b), (c), and (d) of this title (relating to Types of Municipal Solid Waste Facilities).
- 10. N/A I am aware that the following activities are prohibited on the Transition Zone and are not proposed for this project:
  - (1)waste disposal wells regulated under 30 TAC Chapter 331 (relating to Underground Injection Control);
  - land disposal of Class I wastes, as defined in 30 TAC §335.1; and (2)
  - (3)new municipal solid waste landfill facilities required to meet and comply with Type I standards which are defined in §330.41 (b), (c), and (d) of this title.

### **ADMINISTRATIVE INFORMATION**

- 11. The fee for the plan(s) is based on:
  - Х For a Water Pollution Abatement Plan and Modifications, the total acreage of the site where regulated activities will occur.
    - For an Organized Sewage Collection System Plans and Modifications, the total linear

footage of all collection system lines.

- \_\_\_\_ For a UST Facility Plan or an AST Facility Plan, the total number of tanks or piping systems.
- \_\_\_\_\_ A request for an exception to any substantive portion of the regulations related to the protection of water quality.
- A request for an extension to a previously approved plan.
- 12. Application fees are due and payable at the time the application is filed. If the correct fee is not submitted, the TCEQ is not required to consider the application until the correct fee is submitted. Both the fee and the Edwards Aquifer Fee Form have been sent to the Commission's:
  - \_\_\_\_\_TCEQ cashier
  - Austin Regional Office (for projects in Hays, Travis, and Williamson Counties)
  - X San Antonio Regional Office (for projects in Bexar, Comal, Kinney, Medina, and Uvalde Counties)
- 13. X Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.
- 14.  $\underline{X}$  No person shall commence any regulated activity until the Edwards Aquifer Protection Plan(s) for the activity has been filed with and approved by the Executive Director.

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **GENERAL INFORMATION FORM** is hereby submitted for TCEQ review. The application was prepared by:

John J. Moy, Jr.

Print Name of Customer/Agent

Signature of Customer Agent

If you have questions on how to fill out this form or about the Edwards Aquifer protection program, please contact us at 210/490-3096 for projects located in the San Antonio Region or 512/339-2929 for projects located in the Austin Region.

Individuals are entitled to request and review their personal information that the agency gathers on its forms. They may also have any errors in their information corrected. To review such information, contact us at 512/239-3282.





# ATTACHMENT B USGS/EDWARDS RECHARGE ZONE MAP



F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\AttachmentB - USGS Cover.docx



### ATTACHMENT "C" PROJECT DESCRIPTION

This 8.05 acre site is located at 410 Oak Run Point in Comal County approximately 600 feet north of the intersection of Oak Run Point and State Highway 46. The current site consists of two abutting platted lots with the first being Lot 1, Block 1 of Oakrun Commercial Reserve (5.00 Acres, per recorded plat), and Lot 1, Block 1 of Oak Run Commercial Reserve, Unit Three (3.239 Acres, per recorded plat). Due to the State Highway 46 improvements, a portion of Lot 1, Block 1 of Oakrun Commercial Reserve, Unit Three was removed from this tract and dedicated to the State, which leaves approximately 3.05 acres in this lot. Therefore, this Modification of an Approved Water Pollution Abatement Plan (WPAP) will consist of 8.05 acres, with the overall tract currently being covered by an existing WPAP per TCEQ approval letter dated May 01, 2012. The project site is located in the Blieder's Creek drainage basin but is not located in a FEMA 100 yr. flood plain according to FEMA FIRM Map 48091C0435F (effective 09/02/2009). The site generally drains from the southwest to northeast to a natural channel located along the eastern property line.

The purpose of this Modification is to permit the proposed impervious cover for a new telecommunication facility and associated access drive to the pad site. This area is located in an area that was labeled on the previous WPAP Modification as an area not to be disturbed and will be treated by a proposed Engineered Vegetative Filter Strip. This modification will also update the proposed impervious cover being treated by the existing Enhanced Extended Detention Basin and Vegetative Filter Strip and update the proposed paving areas to be treated by stand-alone Engineered Vegetative Filter Strips. The existing impervious cover of the 8.05 ac. site is 2.67 ac. (33.17%).

The current approved impervious cover for the site is 2.944 acres (36.6%) per TCEQ letter dated May 01, 2012. The proposed impervious cover for the site with this Modification is 3.066 ac. (38.1%). The additional proposed impervious cover consists of 0.025 ac. of additional concrete sidewalk/drain which will be treated by the existing Enhanced Extended Detention Basin and Vegetative Filter Strip. The proposed impervious cover contributing to this existing BMP is 1.927 acres, which does not exceed the approved 1.928 acres of impervious cover previously approved for this BMP. The remaining additional proposed impervious cover included with this modification is 0.010 ac. which consists of updates to the previously approved paving areas and 0.087 acres of the newly proposed flexible base access drive/telecommunication facility. These impervious cover areas will be treated by proposed Engineered Vegetative Filter Strips downstream of the proposed improvements.

# **GEOLOGIC SITE ASSESSMENT**

## PREPARED BY

# **FROST GEOSCIENCES**

# FOR

# FREEDOM FELLOWSHIP CHURCH

RECEIVED

JUN 09 2014

**COUNTY ENGINEER** 





**Geologic Site Assessment** (WPAP) for Regulated Activities / Development on the Edwards Aquifer Recharge / Transition Zone

# Freedom Fellowship Church State Hwy 46 and Oak Run Point New Braunfels, Texas

FROST GEOSCIENCES CONTROL # FGS-E11230

December 30, 2011

Prepared exclusively for

Freedom Fellowship Church 410 Oak Run Point New Braunfels, Texas 78132



# Geotechnical - Construction Materials Forensics - Environmental

13402 Western Oak · Helotes, Texas 78023 · Phone: (210) 372-1315 · Fax: (210) 372-1318



13402 Western Oak Helotes, Texas 78023 Phone (210) 372-1315 Fax (210) 372-1318 SDVOSB VBE DIBE SBE www.frostgeosciences.com TBPE Firm Registration # F-9227 TBP6 Firm Registration # 50040 December 30, 2011

Freedom Fellowship Church 410 Oak Run Point New Braunfels, Texas 78132

Attn: Mr. James Gallaher

Re: Geologic Site Assessment (WPAP) for Regulated Activities / Development on the Edwards Aquifer Recharge / Transition Zone Freedom Fellowship Church State Hwy 46 and Oak Run Pkwy New Braunfels, Texas

Frost GeoSciences, Inc. Control # FGS-E11230

Dear Sir:

Attached is a copy of the Geologic Assessment Report completed for the above referenced project site as it relates to 30 TAC §213.5(b)(3), effective June 1, 1999. Our investigation was conducted and this report was prepared in general accordance with the "Instructions to Geologists", TCEQ-0585-Instructions (Rev. 10-1-04). The results of our investigation, along with any recommendations for Best Management Practices (BMP's), are provided in the following report.

If you have any questions regarding this report, or if Frost GeoSciences, Inc. may be of additional assistance to you on this project, please feel free to call our office. It has been a pleasure to work with you and we wish to thank you for the opportunity to be of service to you on this project. We look forward to being of continued service.



Sincerely, Frost GeoSciences, Inc.

ONO EASP

Steve Frost, C.P.G., P.G. President, Senior Geologist

Distribution: (1) Freedom Fellowship Church (5) Pawelek & Moy, Inc.

### Table of Contents

GEOLOGIC ASSESSMENT FORM 1
STRATIGRAPHIC COLUMN
GEOLOGIC ASSESSMENT TABLE
LOCATION
METHODOLOGY
RESEARCH & OBSERVATIONS
7.5 Minute Quadrangle Map Review
Recharge/Transition Zone
100-Year Floodplain
Soils
Narrative Description of the Site Geology
BEST MANAGEMENT PRACTICES
DISCLAIMER
REFERENCES

### APPENDIX

A:	Site	Location	Plates
	One	Looungi	* sener

Plate 1:	Site Plan
Plate 2:	Street Map
Plate 3:	USGS Topographic Map
Plate 4:	Official Edwards Aquifer Recharge Zone Map
Plate 5:	FEMA Flood Map
Plate 6:	1973 Aerial Photograph, 1"=500'
Plate 7:	Geologic Map
Plate 8:	2009 Aerial Photograph, 1"=500'
Plate 9:	2009 Aerial Photograph with PRF's, 1"=200'

- B: Site Inspection Photographs
- C: Site Geologic Map

December 30, 2011 Freedom Fellowship Church Table of Contents

Geotechnical . Construction Materials . Forensics . Environmental

<u>Geologic Assessment</u> For Regulated Activities on The Edwards Aquifer Recharge/transition Zones and Relating to 30 TAC §213.5(b)(3), Effective June 1, 1999

REGULATED ENTITY NAME:	Freedom Fello	owship Chur	ch
TYPE OF PROJECT: 🗹 WPAP	AST _SCS	_ UST	
LOCATION OF PROJECT: 🖌 Recharg	ge Zone 🛛 Transit	lion Zone 0	Contributing Zone within the Transition Zone
DDD ICOT IN CODIANTICAL			

PROJECT INFORMATION

- 1, <u>√</u> Geologic or manmade features are described and evaluated using the attached GEOLOGIC ASSESSMENT TABLE.
- Soil cover on the project site is summarized in the table below and uses the SCS Hydrologic Soil Groups\* (*Urban Hydrology for Small Watersheds, Technical Release No. 55, Appendix A,* Soil Conservation Service, 1986). If there is more than one soil type on the project site, show each soil type on the site Geologic Map or a separate soils map.

Soil Units, Infiltration Characteristics & Thickness			
Soil Name Group* Thicknes (feet)			
Rumple-Comfort Association	C/D	1 10 2	

*	Soil	Group	Definitions
(At	brevia	ted)	
A. S	Soils hav	ving a <u>high</u> Ighly wetted	infiltration rate
B. rate	Soils ha when th	ving a <u>mode</u> loroughly we	erate infiltration
C. whe	Soils ha	iving a <u>slow</u> ighly wetted	infiltration rate
D. rate	Soils ha	ving a <u>very</u> toroughly we	slow infiltration

- 3. <u>✓</u> A **STRATIGRAPHIC COLUMN** is attached at the end of this form that shows formations, members, and thicknesses. The outcropping unit should be at the top of the stratigraphic column.
- 4. ✓ A NARRATIVE DESCRIPTION OF SITE SPECIFIC GEOLOGY is attached at the end of this form. The description must include a discussion of the potential for fluid movement to the Edwards Aquifer, stratigraphy, structure, and karst characteristics of the site.
- 5. Appropriate SITE GEOLOGIC MAP(S) are attached:

The Site Geologic Map must be the same scale as the applicant's Site Plan. The minimum scale is 1": 400'

Applicant's Site Plan Scale	1" = _40 _'
Site Geologic Map Scale	1" = 40 '
Site Soils Map Scale (if more than 1 soil type)	1" = 500 '

6. Method of collecting positional data:

TCEQ-0585 (Rev. 10-01-10)

Page 1 of 2 December 30, 2011 Freedom Fellowship Church Page 1

Frost GeoSciences

Geotechnical = Construction Materials = Forensics = Environmental

- Global Positioning System (GPS) technology.
- ¥ ∡ Other method(s). 2009 Aerial Photograph
- The project site is shown and labeled on the Site Geologic Map. 7.  $\checkmark$
- Surface geologic units are shown and labeled on the Site Geologic Map. 8.  $\checkmark$
- 9. Geologic or manmade features were discovered on the project site during the field  $\checkmark$ investigation. They are shown and labeled on the Site Geologic Map and are described in the attached Geologic Assessment Table.
  - Geologic or manmade features were not discovered on the project site during the field investigation.
- 10. The Recharge Zone boundary is shown and labeled, if appropriate.  $\checkmark$
- 11. All known wells (test holes, water, oil, unplugged, capped and/or abandoned, etc.):
  - (#) wells present on the project site and the locations are shown and There are labeled. (Check all of the following that apply.)
    - The wells are not in use and have been properly abandoned.
    - The wells are not in use and will be properly abandoned.
    - The wells are in use and comply with 16 TAC Chapter 76.
  - There are no wells or test holes of any kind known to exist on the project site.  $\checkmark$

### ADMIMISTRATIVE INFORMATION

Submit one (1) original and one (1) copy of the application, plus additional copies as 12  $\checkmark$ needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.

te(s) Geologic Assessment was performed:	November 21, 2011	
	Date(s)	

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aguifer. My signature certifies that I am qualified as a geologist as defined by 30 TAC Chapter 213.

Steve Frost, C.P.G., P.G.	(21(1)) 372-1315
Print Name of Geologist	Telephone
Steve M. Frost Geology License No. 315	(210) 372-1318 Fax
Signature of Geologist	December 30, 2011 Date
Representing: Frost Geosciences, Inc. (Name of Company)	
If you have questions on how to fill out this form or about the Edwards Aquifer p 3096 for projects located in the San Antonio Region or 512/339-2929 for projects i	protection program, please contact us at 210/490 located in the Austin Region.
Individuals are entitled to request and review their personal information that the agency in their information corrected. To review such information, contact us at 512/239-3282.	galhers on its forms. They may also have any error
TCEQ-0585 (Rev. 10-01-10)	Page 2 of 2
	Decemb Freedom Fellows

er 30, 2011 hlp Church Page 2

Frost GeoSciences

Geotechnical . Construction Materials . Forensics . Environmental

# Stratigraphic Column

[Hydrogeologic subdivisions modified from Maclay and Small (1976); groups, formations, and members modified from Rose (1972); lithology modified from Dunham (1962); and porosity type modified from Choquette and Pray (1970). CU, confining unit; AQ, aquifer]

Hydrogeologic subdivtsion		Group, formation, or member			Hydro- logic function	Thickness (feet)	Lithology	Field identification	Cavern development	Porosity/ permeability type									
şno	Upper confining units		Eagle Ford Group Buda Limestone Del Rio Clay			ςυ	30 - 50	Brown, flaggy shale and argillaceous limestone	Thin flagstones; petroliferous	None	Primary porosity lost/ low permeability								
Upper Cretaced						CU	40 - 50	Buff, light gray, dense mudstone	Porcelancous limestone with calcite-filled veins	Minor surface karst	Low porosity/low permeability								
						CU	40 - 50	Blue-green to yellow-brown clay	Fossiliferous; Ilymatogyra arietina	None	None/primary upper confining unit								
	1		Geo Fc	orget	own Lion	Karst AQ; nol karst CU	2 - 20	Reddish-brown, gray to light tan marly limestone	Marker fossil: Waconella wacoensis	None	Low porosity/low permeability								
	11			Ę	Cyclic and marine members, undivided	AQ	80 90	Mudstone to packstone: miliolid grainstone; chert	Thin graded cycles: massive beds to relatively thin beds; crossbeds	Many subsurface: might be associated with earlier karst development	Laterally extensive; both fabric and not fabric/water-yielding								
	111			Person Formatio	Leached and collapsed members, undivided	AQ	70 - 90	Crystalline limestone, mudstone to grainstone: chert; collapsed breecta	Bioturbated iron- stained beds separated by massive limestone beds; stromatolitic limestone	Extensive lateral development, large rooms	Majority not fabric/one of the most permeable								
SUIC	IV	ds aquifer	Group		Regional dense member	ເບ	20 – 24	Dense, argillaceous mudstone	Wispy iron-oxide stains	Very few; only vertical fracture enlargement	Not fabric/low permeability: vertical barrier								
ver Cretace	v	Edwar	Edwards		Grainstone member	ΛQ	50 60	Miliolid grainstone; mudstone to wackestone; chert	White crossbedded grainstone	Few	Not fabric/ recrystallization reduces permeability								
Tow	VI			noilar	Kirschberg evaporite member	Kirschberg evaporite member	Kirschberg evaporite member	Kirschberg evaporite member	Kirschberg evaporite member	Kirschberg evaporite member	Kirschberg evaporite member	Kirschberg evaporite member	Kirschberg evaporite member	AQ	50 - 60	Highly altered crystalline limestone; chalky mudstone; chert	Boxwork voids, with neospar and travertine frame	Probably extensive cave development	Majority fabric/one of the most permeable
	VII			Lainer Form	Dolomitic member	AQ	110 - 130	Mudstone to grainstone; crystalline limestone; chert	Massively bedded light gray, Toucasia abundant	Caves related to structure or bedding planes	Mostly not fabric; some bedding planc- fabric/water-yielding								
	viii			, K	Basal nodular member	Karst AQ; not karst CU	50 60	Shaly, nodular limestone; mudstone and <i>miliolid</i> grainstone	Massive, nodular and mottled, Exogyra texana	Large lateral caves at surface; a few caves near Cibolo Creck	Fabric: stratigraphically controlled/large conduit flow at surface; no permeability in subsurface								
	Low confir uni	Upper men Glen Ros Limeston		ember of the lose one	CU; cvaporite beds AQ	350 - 500	Yellowish tan, thinly bedded limestone and marl	Stair-step topography; alternating limestone and marl	Some surface cave development	Some water production at evaporite beds/relatively impermeable									

Geotechnical • Construction Materials • Forensics • Environmental

December 30, 2011 Freedom Fellowship Church Page 3



G	EOLOGIC A	SSESSMEN	IT TAE	LE	PR	OJE	СТ	NA	ME:	F	reedor	n Fello	wshir	Church				FGS	6-E112	30
		FEATURE CHARACTERISTICS								EVALUATION			PHYSICAL SETTING							
1	2*	3*	2A	2B	3	4		5	5A	6	7	8A	8B	9	10		11		12	
FEATURE	LATITUDE	LONGITUDE	FEATURE TYPE	POINTS	FORMATION	DIMENSIONS (FEET)		TREND (DEGREES)	DOM	DENSITY (NO/FT <sup>2</sup> )	APERTURE (FEET)	INFILL	RELATIVE INFILTRATION RATE	TOTAL	SENSITIVITY		CATCHMENT AREA (ACRES)		TOPOGRAPHY	
						x	Y	Z		10						< 40	<u>&gt; 40</u>	<1.6	<u>&gt;1.6</u>	
S-1	29 <sup>0</sup> 43.283	98° 10.321'	F	20	Кер/Кер			-	N 2 <sup>0</sup>	•			Γ/V	7	27	27		X		Hillside
						1														

### \* DATUM 1983 North American Datum (NAD83)

ZATYPE	ITPE	ZBPOINTS	8A INFILLING	
C	Cave	30	N None, exposed bedrock	
SC	Solution Cavity	20	C Coarse - cobbles, breakdown, sand, gravel	
SF	Solution-enlarged fracture(s)	20	O Loose or soft mud or soil, organics, leaves, sticks, dark colors	
F	Fault	20	F Fines, compacted clay-rich sediment, soil profile, gray or red of	colors
0	Other natural bedrock features	5	V Vegetation. Give details in narrative description	
MB	Manmade feature in bedrock	30	FS Flowstone, cements, cave deposits	
SW	Swallow Hole	30	X Other materials	
SH	Sinkhole	20		
CD	Non-karst closed depression	5	12 TOPOGRAPHY	
Z	Zone, clustered or aligned featu	ires 30	Cliff, Hilltop, Hillside, Drainage, Floodplain, Streambed	
I have read, that docum Signature _	, I understood and I have followed ent and is a true representation of Steve Trop	the Texas Con of the condition	nission on Experimental quality's Instructions to Geologists. The information observed in the field. My signature certifies that I am qualified as a geologist Steve M. Frost Geology	presented here complies with as defined by 30 TAC 213. Sheet <u>1</u> of <u>1</u>
	I - Construction Materials -	Forensics •	TCEO 0585 Ender Rev 10-1-04)	December 30, 20 Freedom Fellowship Churc Page

#### LOCATION

The project site consists of 8.05 acres of land located along and north of State Highway 46 near the northeastern corner of the intersection of State Highway 46 and Oak Run Point in New Braunfels, Texas. An overall view of the area is shown on copies of the site plan, a street map, the USGS Topographic Map, the Official Edwards Aquifer Recharge Zone Map, the Flood Insurance Rate Map (FIRM), a 1973 aerial photograph at a scale of 1"=500', a geologic map, a 2009 aerial photograph at a scale of 1"=500', and a 2009 aerial photograph at a scale of 1"=200', Plates 1 through 9 in Appendix A.

#### METHODOLOGY

The Geologic Assessment was performed by Mr. Steve Frost, C.P.G., President and Senior Geologist with Frost GeoSciences, Inc. Mr. Frost is a Licensed Professional Geoscientist in the State of Texas (License # 315) and is a Certified Professional Geologist with the American Institute of Professional Geologist (Certification # 10176).

Frost GeoSciences, Inc. researched the geology of the area in the immediate vicinity of the project site. The research included, but was not limited to, the Geologic Atlas of Texas, San Antonio Sheet, FIRM maps. Edwards Aquifer Recharge Zone Maps, USGS 7.5 Minute Quadrangle Maps, the Geologic Map of the New Braunfels, Texas 30 X 60 Minute Quadrangle, the USGS Water-Resources Investigations Report 94-4117, and the USDA Soil Survey of Comal & Hays-County, Texas.

After reviewing the available information, a field investigation was performed to identify any geologic or man-made potential recharge features. A transect spacing of approximately 50 feet or less, depending on vegetation thickness, was used to inspect the project site. A 2009 aerial photograph, in conjunction with a hand held Garmin eTrex Summit Global Positioning System with an Estimated Potential Error ranging from 7 to 10 feet, was used to navigate around the property and identify the locations of potential recharge features, as recommended in the "Instructions to Geologists",

TCEQ-0585-Instructions (Rev. 10-1-04). The locations of any potential recharge features noted in the field were identified with blue and white flagging. The flagging is numbered with the same potential recharge feature I.D. # that is used on the Site Geologic Map in Appendix C of this report. The Site Geologic Map indicating the limits of the project site is included in Appendix C. A copy of a 2009 aerial photograph at an approximate scale of 1"=200', indicating the locations of the potential recharge features, is included on Plate 9 in Appendix A. The Geologic Assessment Form (Rev. 10-01-10), Stratigraphic Column and the Geologic Assessment Table have been filled with the appropriate information for this project site and are included on pages 1-4 of this report.

### **RESEARCH & OBSERVATIONS**

### 7.5 Minute Quadrangle Map Review

According to the USGS 7.5 Minute Quadrangle Map. New Braunfels West. Texas Sheet (1988), the elevation of the project site ranges from 820 feet in the northeastern portion of the project site to 840 feet in the western portion of the site. These elevations are calculated above mean sea level (AMSL). Overall, the surface runoff from the project site flows to the cast into Blieders Creek Tributary #6. An overhead utility easement is located through the northern portion of the project site. State Highway 46 is located immediately south of the project site. Oak Run Point is located west of the project site. A copy of the above referenced USGS 7.5 Minute Quadrangle Map indicating the location of the project site, is included in this report on Plate 3 in Appendix A.

### Recharge / Transition Zone

According to the Official Edwards Aquifer Recharge Zone Map, New Braunfels West, Texas Sheet (1996), the project site is located within the Recharge Zone of the Edwards Aquifer. A copy of the Official Edwards Aquifer Recharge Zone Map, New Braunfels West, Texas Sheet (1996), indicating the location of the project site, is included on Plate 4 in Appendix A.

#### 100-Year Floodplain

The Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map for Comal County, Texas, Community Panel Number 48091C0435F (Revised 9/02/09) was reviewed to determine if the project site is located in areas prone to flooding. A review of the abovementioned panel indicates that no portion of the project site is located within the 100 year floodplain. The project site is located within Zone X. According to the panel legend, Zone X represents areas determined to be outside the 0.2% annual chance floodplain. A copy of the Comal County, Texas, FIRM map, indicating the location of the project site, is included in this report on Plate 5 in Appendix A.

#### Soils

According to the United States Department of Agriculture, Soil Conservation Service, Soil Survey of Comal & Hays County, Texas (1982), the project site is located on the Rumple-Comfort Association (RUD). A copy of the 1973 aerial photograph (approximate scale: 1"=500') from the USDA Soil Survey of Comal & Hays County, Texas indicating the location of the project site and the soil types is included on Plate 6 in Appendix Δ.

The Rumple-Comfort Association (RuD) consists of shallow and moderately deep soils on uplands in the Edwards Plateau Land Resource Area. The surface layer of the Rumple Soil is dark reddish brown very cherty clay loam about 10 inches thick. Rounded chert and limestone cobbles and gravel cover about 20 percent of the surface. The subsoil to a depth of 14 inches is dark reddish-brown very cherty clay, and to a depth of 28 inches it is dark reddish-brown extremely stony clay. The underlying material is indurated fractured limestone. The Comfort Soil is dark brown, neutral, extremely stony clay about 7 inches thick. The subsoil to a depth of 12 inches is dark reddish-brown, mildly alkaline, extremely stony clay. The underlying material is indurated fractured limestone. The soil is noncalcareous throughout. The soils in this association are well drained. Surface runoff is medium, but varies due to the occurrence of caves, fracture zones, and sinks. Permeability is moderately slow. Water erosion is a moderate hazard.

> December 30, 2011 Freedom Fellowship Church page 7

### Narrative Description of the Site Geology

The project site consists of 8.05 acres of partially developed land located at 411 Oak Run Point in New Braunfels, Texas. The northern 5 acres of the site is mostly developed with an existing church and associated parking areas. Based on a visual inspection of the ground surface the overall potential for fluid flow from the project site into the Edwards Aquifer appears to be low.

One Potential Recharge Feature was identified during our research of the property and site inspection. The following is a summary of the feature noted during our assessment.

Potential Recharge Feature # S-1 consists of an inferred fault noted on the USGS Geologic Map for Comal County, Texas (WRI 94-4117). This fault was also listed as inferred south of State Highway 46 on the Bureau of Economic Geology, Geologic Map of the New Braunfels, Texas 30 X 60 Minute Quadrangle. No evidence of this fault was noted on the project during the site visit. Frost GeoSciences, Inc., rates the relative infiltration of this feature as low on figure I of the TCEQ-0585-Instructions (Rev. 10-01-04). This feature scores a 27 on the sensitivity scale, column 10 in the Geologic Assessment Table on page 4 of this report. FGS is of the opinion that this is not a sensitive feature.

The northern portion of the project site is covered by an existing church with associated parking areas and open mowed grassy areas with sparse vegetative cover. The southern portion of the project site is covered by a sparse to moderate stand of vegetative cover with isolated areas of dense ash juniper and cactus. The overall vegetative cover on the project site consists of Ashe juniper (*Juniperus ashei*), Live Oak (*Quercus virginiana*) and Texas Persimmon (*Diospyros texana*) with Hackberry (*Cellis sp.*), mesquite, prickly pear cactus, and native grasses. The variations in the vegetative cover across the project site are visible in the 2009 aerial photographs on Plates 8 and 9 in Appendix A and in the site visit photographs included in Appendix B.

According to the USGS 7.5 Minute Quadrangle Map, New Braunfels West, Texas Sheet (1988), the elevation of the project site ranges from 820 to 840 feet. These elevations are calculated above mean sea level (AMSL). According to topographic data obtained from Pawelek & Moy Engineers, the elevations on the project site ranges from 813 feet at the

northeastern portion of the site to 838 feet at the western property boundary. A copy of the site plan, indicating the boundary of the project site and the elevations, is included on Plate I in Appendix A and on the Site Geologic Map in Appendix C of this report.

According to the Bureau of Economic Geology, Geologic Map of the New Braunfels, Texas 30 X 60 Minute Quadrangle (2000), the project site is covered by the Cretaceous Edwards Person Limestone. Based on our site inspection FGS is of the opinion that the project site is located on the Leached and Collapsed Member of the Edwards Person Limestone. According to the USGS WRI 94-4117 Geologic Map of Comal County, Texas, a fault is located through the southeastern tip of the project site. This fault displaces the Leached and Collapsed Member of the Person Limeston to the west against the Cyclic and Marine Member of the Person Limestone to the east. Due to soil cover and vegetative cover in the area, no evidence of this fault was noted on the project site.

The Cyclic and Marine Member of the Cretaceous Edwards Person Limestone consists of mudstone to packstone and miliolid grainstone with chert. The member is characterized by massive beds of limestone to relatively thin beds of limestone with some crossbedding. The Cyclic and Marine Member forms a few caves some that are laterally extensive. Overall thickness ranges from 80 to 90 feet thick.

The Leached and Collapsed Member of the Edwards Person Limestone consists of crystalline limestone, mudstone to grainstone with chert, and collapsed breccia. This member is stromatolitic limestone. The Leached and Collapsed Member is characterized by bioturbated iron stained beds separated by massive limestone beds. This member is typically one of the most permeable and has extensive lateral development with large rooms. Overall thickness ranges from 70 to 90 feet thick.

A copy of the Bureau of Economic Geology, Geologic Map of the New Braunfels, Texas 30 X 60 Minute Quadrangle (2000), indicating the location of the project site, is included on Plate 7a in Appendix A. A copy of the U.S.G.S. WRI 94-4117 Geologic Map of Comal County, Texas, indicating the location of the project site, is included on Plate 7b in Appendix A.

#### **BEST MANAGEMENT PRACTICE (BMP)**

Based on a visual inspection of the ground surface the overall potential for fluid flow from the project site into the Edwards Aquifer appears to be low. The potential always exists to encounter subsurface features that lack a surface expression. Frost GeoSciences, Inc. recommends that construction personnel be informed of the potential to encounter subsurface karst features during excavating activities. Construction personnel should also be informed of the proper protocol to follow in the event that a solution cavity and/or cave is encountered during the excavation and development of the property.

#### DISCLAIMER

This report has been prepared in general accordance with the "Instructions to Geologists", TCEQ-0585-Instructions (Rev. 10-1-04) by a Licensed Texas Professional Geoscientist. All areas of the project site were carefully inspected for features that could contribute to the recharge of the Edwards Aquifer, however, this survey cannot preclude the presence of subsurface karst features that lack surface expression. This report is not intended to be a definitive investigation of all possible geologic or karst features at this site. All conclusions, opinions and recommendations for Best Management Practices (BMP's) in this report are based on information obtained while researching the project and on the site conditions at the time of our field investigation.

This report has been prepared for and may be relied upon by Freedom Fellowship Church and Pawelek & Moy Engineers. This report is based on available known records, a visual inspection of the project site and the work generally accepted for a Geologic Assessment TAC §213.5(b)(3), effective June 1, 1999.

> December 30, 2011 Freedom Feliowship Church page 10

### REFERENCES

- I) USGS 7.5 Minute Quadrangle Map. New Braunfels West, Texas Sheet (1988).
- 2) Official Edwards Aquifer Recharge Zone Map, New Braunfels West, Texas Sheet (1996).
- 3) Stein, W.G. and Ozuna, G.B., 1995, Geologic Framework and Hydrogeologic
   Characteristics of the Edwards Aquifer Recharge Zone, Comal County, Texas.
   U.S. Geological Survey Water Resources Investigations 94-4117.
- Collins, Edward, W., 2000, Geologic Map of the New Braunfels, Texas 30 X 60 Minute Quadrangle.
- Federal Emergency Management Agency (FEMA), Bexar County, Texas and Incorporated Areas, Flood Insurance Rate Map (FIRM), Panel 48091C0435F (9/02/09) FEMA, Washington D.C.
- 7) USDA Soil Conservation Service, Soil Survey of Comal & Hays Counties, Texas (1982).
- TCEQ-0585-Instructions (Rev. 10-1-04). "Instructions to Geologists for Geologic Assessments on the Edwards Aquifer Recharge/Transition Zone".

# Appendix A

Site Location Plates



Geotechnical . Construction Materials . Forensics . Environmental

PLATE NO. 1



Geotechnical • Construction Materials • Forensics • Environmental



PLATE NO. 3



Geotechnical = Construction Materials = Forensics = Environmental

PLATE NO. 4


Geotechnical - Construction Materials - Forensics - Environmental

PLATE NO. 5



Geotechnical = Construction Materials = Forensics = Environmental

PLATE NO. 6



Geotechnical • Construction Materials • Forensics • Environmental

PLATE NO. 7A



Geotechnical = Construction Materials = Forensics = Environmental

PLATE NO. 7B



Geotechnical . Construction Materials . Forensics . Environmental

PLATE NO. 8



Geotechnical = Construction Materials = Forensics = Environmental

PLATE NO. 9

## Appendix B

Site Inspection Photographs

## Frost GeoSciences





View of the entrance of the project site along the western boundary.





View to the north, of the paved area in the eastern portion of the site.



View to the west, of the parking area north of Freedom Fellowship Church.



View to the north, of the northern portion of the project site.



View to the north, of the project site along Oak Run Point.

Geotechnical • Construction Materials • Forensics • Environmental



View to the north, of the project site along the eastern property line.



View to the south, of the project site along the eastern property line.



View of the sign for the church along the southern property line.



Typical view of vegetative cover in the southeastern portion of the project site.



Typical view of vegetative cover in the southwestern portion of the project site.



Typical view of vegetative cover in the south central portion of the project site.

Geotechnical • Construction Materials • Forensics • Environmental

## Appendix C

Site Geologic Map





Frost Geologic Consulting Survey Western Oak Dr. + Helotes, Texas 78023 Home: 210-372-1315 - Fax 210-372-1318
Site Geologic Map Geologic Site Assessment (WPAP) to Regulated Activities / Development on the tawards Aquifer Recharge / Transition Zone for the Breedom Fellowship Church 8.05 Acres New Braunfels, Texas Frost GeoSciences, Inc. Control # FGS-E11230
<section-header><section-header><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></section-header></section-header>
Floodplain Information Obtained From FIRM: Flood Insurance Rate Map Comal County, Texas: Panel # 48091C0435F, Revised 9/02/09
Fault Information Obtained From: Bureau of Economic Geology, Geologic Atlas of Texas, San Antonio Sheet (1983) U.S. Geological Survey, Water Resources Investigations Report 94-4117 (1994) Geologic Map of the New Braunfels, Texas 30 X 60 Minute Quadrangle (2000)
Month Show State Show State

1 inch = 40 feet Representative Fraction 1:480 Contour Interval - 1 foot

South

#### Modification of a Previously Approved Plan

for Regulated Activities on the Edwards Aquifer Recharge Zone and Transition Zone and Relating to 30 TAC 213.4(j), Effective June 1, 1999

- 1.
   Current Regulated Entity Name: Freedom Fellowship Church

   Original Regulated Entity Name: Freedom Fellowship Church

   Assigned Regulated Entity Numbers (RN): 1) 102745890 , 2) \_\_\_\_\_, 3) \_\_\_\_\_
  - X The applicant has not changed and the Customer Number (CN) is: CN 601399827
  - The applicant has changed. A new Core Data Form has been provided.
- 2. <u>X</u> Attachment A: Original Approval Letter and Approved Modification Letters: A copy of the original approval letter and copies any letters approving modification are found at the end of this form.
- 3. A modification of a previously approved plan in requested for (check all that apply):
  - \_\_\_\_ physical or operational modification of any water pollution abatement structure(s) including but not limited to ponds, dams, berms, sewage treatment plants, and diversionary structures;
  - \_\_\_\_\_ change in the nature or character of the regulated activity from that which was originally approved or a change which would significantly impact the ability of the plan to prevent pollution of the Edwards Aquifer;
  - <u>X</u> development of land previously identified as undeveloped in the original water pollution abatement plan;
  - \_\_\_\_ physical modification of the approved organized sewage collection system;
  - \_\_\_\_ physical modification of the approved underground storage tank system;
  - \_\_\_\_\_ physical modification of the approved aboveground storage tank system.
  - 4. Summary of Proposed Modifications (select plan type being modified). If the approved plan has been modified more than once, copy the appropriate table below, as necessary, and complete the information for each additional modification.

WPAP Modification Summary Acres Type of Development Number of Residential Lots	Approved Project 8.05 ac. Church na 2.944 ac	Proposed Modification 8.05 ac. Church na 2.066 ac		
Impervious Cover (actes) Impervious Cover (%) Permanent BMPs Veg - 1	36.6% Filter Strips,Enhanced	<u>38.1%</u> Veg. Filter Strips		
Other Extended Detention Basin, Partial Sed./Filtration Basin				
SCS Modification Summary Linear Feet Pipe Diameter Other	Approved Project na	Proposed Modification na 		
AST Modification Summary Number of ASTs Volume of ASTs Other	Approved Project	Proposed Modification na		



UST Modification Summary	Approved Project
Number of USTs	na
Volume of USTs	
Other	

- 5. <u>X</u> Attachment B: Narrative of Proposed Modification. A narrative description of the nature of the proposed modification is provided at the end of this form. It discusses what was approved, including previous modifications, and how this proposed modification will change the approved plan.
- 6. <u>X</u> Attachment C: Current site plan of the approved project. A current site plan showing the existing site development (i.e., current site layout) at the time this application for modification is provided at the end of this form. A site plan detailing the changes proposed in the submitted modification is required elsewhere.
  - \_\_\_\_ The approved construction has not commenced. The original approval letter, and any subsequent modification approval letters are included as Attachment A to document that the approval has not expired.
  - \_\_\_\_ The approved construction has commenced and has been completed. Attachment C illustrates that the site was constructed as approved.
  - \_\_\_\_ The approved construction has commenced and has been completed. Attachment C illustrates that the site was **not** constructed as approved.
  - The approved construction has commenced and has **not** been completed. Attachment C illustrates that, thus far, the site was constructed as approved.
  - X The approved construction has commenced and has **not** been completed. Attachment C illustrates that, thus far, the site was **not** constructed as approved. (Some landscape areas were paved, but site still meets BMP approval. Updated Site Plan Included) The acreage of the approved plan has increased. A Geologic Assessment has been provided for the new acreage.
  - X Acreage has not been added to **or** removed from the approved plan.
- 8. X Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This request for a **MODIFICATION TO A PREVIOUSLY APPROVED PLAN** is hereby submitted for TCEQ review and executive director approval. The request was prepared by:

John J. Moy, Jr.

7.

Print Name of Customer/Agent

Signature of Customer/Agent

Signature of Customerrager

TCEQ-0590 (Rev. 10-01-10)

127/14

Date

Attachmen7

Robert J. Huston, *Chairman* R. B. "Ralph" Marquez, *Commissioner* John M. Baker, *Commissioner* Jeffrey A. Saitas, *Executive Director* 



## **TEXAS NATURAL RESOURCE CONSERVATION COMMISSION**

Protecting Texas by Reducing and Preventing Pollution

July 26, 1999

Mr. Pete Meckel Freedom Fellowship Church 330 S. Hackberry New Braunfels, TX 78130

Re:EDWARDS AQUIFER, Comal County<br/>PROJECT:PROJECT:Freedom Fellowship Church, Project number 1257.00, Located on south side of SH<br/>46 approximately 1.1 miles west of Loop 337, New Braunfels, TexasTYPE:Request for Approval of Water Pollution Abatement Plan; 30 Texas Administrative<br/>Code (TAC) §213.5(b); Edwards Aquifer Protection Program

Dear Mr. Meckel:

The Texas Natural Resource Conservation Commission (TNRCC) has completed its review of the WPAP application for the referenced project that was submitted by C.B. "Mac" McCoy, P.E. of Sumac Engineering Services, Inc. on behalf of Freedom Fellowship Church, to the San Antonio Regional Office on March 22, 1999. Final review of the WPAP submittal was completed after additional materials were received on April 26, 1999, and July 2, 1999. The WPAP proposed in the application is in general compliance with 30 TAC § 213.5(b); therefore, approval of the plan is hereby granted subject to applicable state rules and the conditions in this approval letter. *This approval expires two (2) years from the date of this approval unless, prior to the expiration date, construction has commenced on the project or an extension of time has been requested*.

#### PROJECT DESCRIPTION

The proposed commercial project will have an area of 5.0 acres and will consist of two church buildings (20,000 square feet) and associated parking (1.469 acres). Project wastewater will be disposed of by conveyance to the existing Gruene Sewage Treatment Plant owned by the City of New Braunfels. The proposed impervious cover for the development is approximately 1.928 acres (39%). The site is located within the City of New Braunfels, and must conform with applicable codes and requirements of the City of New Braunfels.

#### **GEOLOGY ON SITE**

According to the geologic assessment (dated February 14, 1999) included with the submittal, one possibly sensitive manmade feature (a clay base for the Freedom Fellowship Church foundation) is located on the

REPLY TO: REGION 13 • 140 HEIMER RD., STE. 360 • SAN ANTONIO, TEXAS 78232-5042 • 210/490-3096 • FAX 210/545-4329

P.O. Box 13087 • Austin, Texas 78711-3087 • 512/239-1000 • Internet address: www.tnrcc.state.tx.us

2.

project site. The San Antonio Regional Office site inspection of June 3, 1999, revealed no additional geologic features. However, the following observations were made:

- A. Construction of the building pad had commenced, but was inactive at the time of the site inspection.
- B. The lateral line for the church building had been installed.
- C. Soil appeared to have been imported and placed on the east and north sides of the church pad.

#### GEOLOGY DOWNGRADIENT OF SITE

According to the geologic assessment included with the submittal, there is one possibly sensitive feature located within ½-mile downgradient of the project site.

#### PERMANENT POLLUTION ABATEMENT MEASURES

The following measures will be taken to prevent pollution of stormwater originating on-site or up-gradient from the project site and potentially flowing across and off the site after construction:

A. The on-line, enhanced extended detention basin is designed to remove total phosphorous and total suspended solids, and is designed in accordance with the 1998 edition of the LCRA Nonpoint Source Pollution Control Technical Manual and is sized to capture the first 2,250 cubic feet (0.0517 acre-feet) of stormwater run-off from five (5) acres. According to the 1998 edition of the LCRA Nonpoint Source Pollution Control Technical Manual, Page C-26, Paragraphs 4 and 5, the on-line, enhanced extended detention basin will consist of:

- 1. An outflow structure sized to allow for complete drawdown of the water quality volume in 40 hours. No more than 50 percent of the water quality volume shall drain within the first 12 hours. The outflow structure shall be configured to provide at least 6-hour detention for the runoff from a 0.5 inch rainfall.
  - The facility shall have a separate drain pipe with a manual valve that can completely or partially drain the pond for maintenance purposes. To allow for possible sediment accumulation, the submerged end of the pipe should be protected, and the drain pipe should be sized one pipe schedule higher than the calculated diameter needed to drain the pond within 24 hours. The valves should be located where they can be operated in a safe and convenient manner.

3. Vegetation. The facility shall be planted and maintained to provide for a full and robust vegetative cover.

B. The 0.70 acre vegetative filter strip is designed to remove the oil and grease component of the stormwater runoff and is designed in accordance with the on-line, enhanced extended



> detention basin is designed in accordance with the 1998 edition of the LCRA Nonpoint Source Pollution Control Technical Manual. The filter strip will:

- 1. be contiguous with developed area,
- 2. be at the same elevation as the developed area,
- 3. have a level spreading device, and
- 4. be sized to filter stormwater run-off from 1.469 acres of impervious cover.

#### SPECIAL CONDITIONS

- 1. If any potential sensitive features are encountered during construction, a geologist shall evaluate the significance of the features. The evaluation shall include representative photographs and a description of the feature forwarded to the San Antonio office. Construction in the vicinity of the features may only continue with written approval from the TNRCC.
- 2. Placement of hydrocarbon or hazardous substance storage facilities regulated pursuant to 213.5(d) and 213.5(e), requires submittal of all appropriate applications with appropriate fees and must receive prior approval from the TNRCC.
- 3. The temporary and permanent best management practices (BMPs) for the proposed project have been reviewed by the Commission's staff. As presented to the TNRCC, the BMPs were designed by a Texas Licensed Professional Engineer to be in accordance with the requirements of 30 TAC §213.5(b). Therefore, based on the Texas Licensed Professional Engineer's certification of compliance, the planning materials for construction of the proposed pollution abatement measures are hereby approved.
- 4. The vegetated filter and on-line, enhanced extended detention basin are designed in accordance with the 1998 edition of the LCRA Nonpoint Source Pollution Control Technical Manual. They will incorporate stormwater treatment as described above.
- 5. All sediment and or media removed from the basin during maintenance activities shall be properly disposed of according to 30 TAC 330 or 30 TAC 335 as applicable.
- 6. After construction of the on-line, enhanced extended detention basin, a Texas Licensed Professional Engineer will provide certification that it was constructed to capture 2,250 cubic feet of stormwater runoff.
- 7. All permanent pollution abatement measures shall be operational prior to commencement of commercial operation.
- 8. Any use of this commercial property, other than retail stores, restaurants, and office space, shall require prior approval from the regional office of the TNRCC and may require submittal and approval of a WPAP.

i.

- 9. The TNRCC may monitor stormwater discharges from the site to evaluate the adequacy of permanent erosion and sedimentation (E&S) control measures. Additional controls may be necessary if excessive solids are being discharged from the site.
- 10. Based on the June 3, 1999, on-site inspection of the project site, construction of building pad was actually initiated on or before June 3, 1999. This activity was conducted without the prior approval of the water pollution abatement plan, as required by Commission rules (30 TAC Chapter 213). Therefore, the applicant is hereby advised that the after-the-fact approval of the water pollution abatement plan, as provided by this letter, shall not absolve the applicant of any prior violations of Commission rules related to this project, and shall not necessarily preclude the Commission from pursuing appropriate enforcement actions and administrative penalties associated with such violations, as provided in 30 TAC §313.10 of Commission rules.
- 11. Provide an affidavit to the TNRCC certifying that all fill material from each source site that has been placed on the project site is inert material, as defined by 30 TAC 330.2, and free of hazardous materials, and free of all municipal solid waste, including asphalt and demolition materials. This affidavit should be based on:
  - 1. Phase I site assessment, or
  - 2. Results of testing (RCRA-8 metals and TPH).

į .

- Note #1: For petroleum-substance contaminated soil, 30 TAC 334.481 defines "clean fill" as, "Clean fill standard - Soil which is no longer considered waste, e.g. soil cleaned to less than .5 mg/kg for each constituent of BTEX, and less than 10 mg/kg for TPH."
- Note #2: EPA Method 418.1 may not be available in the future, and an alternative method acceptable to the TNRCC would then be required.
- Note #3: Results of a composite soil sample collected around existing structures at each source material site, evaluated for presence of chlordane. Should chlordane be present in excess of 0.493 mg/kg (per 30 TAC §335.551 to §335.569) the material shall be disposed of at an authorized landfill.

#### STANDARD CONDITIONS

1. During the course of regulated activities related to this project, the applicant or his agent shall comply with all applicable provisions of 30 TAC Chapter 213, Edwards Aquifer. The applicant shall remain responsible for the provisions and conditions of this approval until such responsibility is legally transferred to another person or entity, upon which that person or entity shall assume responsibility for all provisions and conditions of this approval.

- 2. Any modification to the activities described in the referenced WPAP application following the date of approval may require the submittal of a WPAP to amend this approval, including the payment of appropriate fees and all information necessary for its review and approval.
- 3. Prior to commencing any regulated activity, the applicant or his agent must notify the San Antonio Regional Office in writing of the date on which the regulated activity will begin.
- 4. The applicant or his agent shall record this WPAP approval in the county deed records within 30 days of receiving this notice of approval. Proof of deed recordation shall be submitted to the San Antonio Regional Office prior to commencing construction. A suggested format that you may use to deed record the approved WPAP is enclosed.
- 5. All contractors conducting regulated activities at the project location shall be provided a copy of this notice of approval. At least one complete copy of the approved WPAP and this notice of approval shall be maintained at the project location until all regulated activities are completed.
- 6. Temporary erosion and sedimentation (E&S) controls, i.e., silt fences, rock berms, stabilized construction entrances, or other controls described in the approved WPAP, must be installed prior to construction and maintained during construction. Temporary E&S controls may be removed when vegetation is established and the construction area is stabilized. If a water quality pond is proposed, it shall be used as a sedimentation basin during construction. The TNRCC may monitor stormwater discharges from the site to evaluate the adequacy of temporary E&S control measures. Additional controls may be necessary if excessive solids are being discharged from the site.
- 7. If any significant recharge feature [sensitive feature] is discovered during construction, all regulated activities near the feature must be suspended immediately. The applicant or his agent must immediately notify the San Antonio Regional Office of the discovery of the feature. Regulated activities near the feature may not proceed until the executive director has reviewed and approved the methods proposed to protect the feature and the aquifer from potential adverse impacts to water quality.
- 8. At project locations where construction is initiated and abandoned, or not completed, the site shall be returned to a condition such that the aquifer is protected from potential contamination.
- 9. Approval of the design of the sewage collection system for this proposed project shall be obtained from the TNRCC prior to commencement of construction of any sewage collection system.
- 10. No wells exist on the site. Any abandoned wells shall be plugged in accordance with 16 TAC §76 or an equivalent method, as approved by the Executive Director.

Any drill holes resulting from core sampling on-site or down-gradient of the site shall be plugged with native soil, from the bottom of the hole to the top of the hole, so as to not allow water or contaminants to enter the subsurface environment.

11. Pursuant to §26.136 of the Texas Water Code, any violations of the requirements in 30 TAC §213 may result in administrative penalties.

Should clarification of this letter be desired or if we may be of any other assistance, please contact John Mauser of our San Antonio Regional office at 210/403-4024. Please reference project number 1257.

Sincerely,

Jeffrey A. Saitas, P.E. Executive Director Texas Natural Resource Conservation Commission

JAS/JKM/EG

Enclosure: Deed Recordation Affidavit

cc: C.B. "Mac" McCoy, Sumac Engineering Services Harry Bennett, City of New Braunfels John Bohuslav, TxDot San Antonio District Tom Hornseth, Comal County Greg Ellis, Edwards Aquifer Authority TNRCC Field Operations, Austin 0

Kathleen Hartnett White, *Chairman* R. B. "Ralph" Marquez, *Commissioner* Larry R. Soward, *Commissioner* Glenn Shankle, *Executive Director* 



## **TEXAS COMMISSION ON ENVIRONMENTAL QUALITY**

Protecting Texas by Reducing and Preventing Pollution

January 6, 2006

Mr. Pete Meckel Freedom Fellowship Church 330 S. Hackberry New Braunfels, Texas 78130

Re: <u>Edwards Aquifer</u>, Comal County NAME OF PROJECT: Freedom Fellowship Church; Located on south side of SH 46 approximately 1.1 miles west of Loop 337, New Braunfels, Texas TYPE OF PLAN: Request for Approval of a Water Pollution Abatement Plan (WPAP); 30 Texas Administrative Code (TAC) Chapter 213 Edwards Aquifer Edwards Aquifer Protection Program File No. 1257.00

Dear Mr. Meckel:

The Texas Commission on Environmental Quality (TCEQ) received a request for technical assistance regarding changes for the referenced project that was submitted on behalf of Freedom Fellowship Church by L. David Givler, MSCE, P.E. of Givler Engineering, Inc. and received by the San Antonio office on December 15, 2005.

The correspondence describing changes to the approved Water Pollution Abatement Plan (WPAP) and a revised site plan have been placed in the files. It is noted that this revision will consist of the addition of a 3,840 square foot expansion to the back side of the existing church building. The building expansion will be built on the existing asphalt parking area. The addition of the proposed building expansion will not increase the impervious cover on the developed portion of the property.

A strip of asphalt (960 square feet) will be added to the parking lot directly behind the proposed expansion. The asphalt will increase the impervious cover by 0.02 acres. The permanent Best Management Practices (BMPs) (vegetative filter strip and enhanced extended detention basin) on site were approved in the WPAP dated July 26, 1999. The BMPs were designed to treat 39% impervious cover for the 5 acre site. Included in the 39% impervious cover calculations was a second church building, however the structure was never built. The actual current impervious cover on site is 32.8%. The proposed addition of the asphalt strip will result in an increase of 0.4%. The new total impervious cover will be 33.2%. The new addition will not exceed the amount of impervious cover originally approved (39%) by the July 26, 1999 WPAP, therefore no modifications to the existing BMPs will be necessary.

REPLY TO: REGION 13 • 14250 JUDSON RD. • SAN ANTONIO, TEXAS 78233-4480 • 210/490-3096 • FAX 210/545-4329

•

Mr. Pete Meckel January 6, 2006 Page 2

Should clarification of this letter be desired or if we may be of any other assistance, please contact Agnieszka M. Hobson of our San Antonio office at 210/403-4075. Please reference project number 1257.00.

Sincerely, Foller

Bobby D. Caldwell, Water Section Manager San Antonio Region Office

#### BDC/AMH/eg

fc/cc: Mr. L. David Givler, P.E., Givler Engineering, Inc. Mr. Michael Short, City of New Braunfels Mr. Tom Hornseth, Comal County Mr. Robert J. Potts, Edwards Aquifer Authority TCEQ Central Records, MC 212 Bryan W. Shaw, Ph.D., Chairman Carlos Rubinstein, Commissioner Toby Baker, Commissioner Zak Covar, Executive Director



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

#### May 1, 2012

Mr. James Gallaher Freedom Fellowship Church 410 Oak Run Point New Braunfels, Texas 78132-3871

Re: Edwards Aquifer, Comal County

Name of Project: Freedom Fellowship Church; Located at 410 Oak Run Point; New Braunfels, Texas

Type of Plan: Request for Modification of an Approved Water Pollution Abatement Plan (WPAP); 30 Texas Administrative Code (TAC) Chapter 213 Edwards Aquifer

Edwards Aquifer Protection Program (EAPP) San Antonio File No. 1257.01; Investigation No. 989010; Regulated Entity No. RN102745890

Dear Mr. Gallaher:

The Texas Commission on Environmental Quality (TCEQ) has completed its review of the WPAP Modification for the above-referenced project submitted to the San Antonio Regional Office by Pawelek & Moy, Inc. on behalf of Freedom Fellowship Church on February 22, 2012. Final review of the WPAP was completed after additional material was received on April 2, 2012. As presented to the TCEQ, the Temporary and Permanent Best Management Practices (BMPs) and construction plans were prepared by a Texas Licensed Professional Engineer to be in general compliance with the requirements of 30 TAC Chapter 213. These planning materials were scaled, signed and dated by a Texas Licensed Professional Engineer. Therefore, based on the engineer's concurrence of compliance, the planning materials for construction of the proposed project and pollution abatement measures are hereby approved subject to applicable state rules and the conditions in this letter. The applicant or a person affected may file with the chief clerk a motion for reconsideration of the executive director's final action on this Edwards Aquifer Protection Plan. A motion for reconsideration must be filed no later than 23 days after the date of this approval letter. This approval expires two (2) years from the date of this letter unless, prior to the expiration date, more than 10 percent of the construction has commenced on the project or an extension of time has been requested.

#### Background

The above referenced site was previously approved by letter dated July 26, 1999 for the construction of two church buildings along with associated parking lots and access drives, on a 5 acre tract. Stormwater runoff from the impervious cover was to be treated by a 0.70 acre vegetative filter strip and an enhanced extended detention basin designed in accordance with

TCEQ Region (3 + 14250 Judson Rd. + San Antonio, Texas 78233 4480 + 210-490-3090 + Fax 210-545 4329

the 1998 edition of the LCRA Nonpoint Source Pollution Control Technical Guidance Manual. Only the parking lots, access drives, and one of the two buildings have been constructed as of the date of this letter. This modification will continue the construction of the second building and add 3.05 acres to the site along with additional parking areas and access drives.

#### **Project Description**

The proposed commercial project will have an area of approximately 8.05 acres. It will include the construction of the second church building approved in the previous approval, along with additional parking areas, access drives, utilities, a stormwater detention pond, and a sedimentation/filtration basin. The impervious cover will be 2.944 acres (36.6 percent). Project wastewater will be disposed of by conveyance to the existing Gruene Road Water Recycling Center owned by the New Braunfels Utilities.

#### **Permanent Pollution Abatement Measures**

To prevent the pollution of stormwater runoff originating on-site or upgradient of the site and potentially flowing across and off the site after construction, four engineered vegetated filter strips and a partial sedimentation/filtration basin, designed using the TCEQ technical guidance document, <u>Complying with the Edwards Aquifer Rules: Technical Guidance on Best</u> <u>Management Practices (2005)</u>, will be constructed to treat stormwater runoff. The existing 0.70 acre vegetated filter strip and the enhanced extended detention basin will continue to be utilized for the treatment of stormwater runoff. The required total suspended solids (TSS) treatment for this project is 2,643 pounds of TSS generated from the 2.944 acres of impervious cover. The approved measures meet the required 80 percent removal of the increased load in TSS caused by the project.

The individual treatment measures will consist of stormwater runoff from 1.902 acres of impervious cover being treated by the existing vegetated filter strip and enhanced extended detention basin.

The concrete lined partial sedimentation/filtration basin is designed to capture the first 3.33 inches of stormwater runoff from 0.316 acre of impervious cover within a 0.41 acre catchment area. The basin has been sized to account for 0.034 acres of impervious cover that was not able to be directed into the basin, providing a total capture volume of 3,594 cubic feet (3,481 cubic feet required). The filtration system for the basin will consist of 375 square feet of sand (290 square feet required) with an ASTM rating of C-33, which is 18 inches thick and an underdrain piping system covered with a minimum two inch gravel layer.

Four engineered vegetated filter strips will treat a total of 621 pounds of TSS from a total of 0.692 acres of impervious cover within a 3.57 acre drainage area. The vegetated filter strips will extend along the edge of the contributing area, be a minimum of 15 feet wide (in the direction of flow), have a uniform grade (free of gullies and rills), a maximum slope of 20 percent, and will have minimum vegetated cover of 80 percent.

#### Geology

According to the geologic assessment included with the application, the site is located on the Person Formation of the Edwards Group. One geologic feature (inferred fault) was reported and assessed as not sensitive. The San Antonio Regional Office did not conduct a site assessment.

#### **Special Conditions**

- 1. This modification is subject to all Special and Standard Conditions listed in the WPAP approval letter dated July 26, 1999.
- 2. All permanent pollution abatement measures shall be operational prior to use of the parking areas and access drive.
- 3. All sediment and/or media removed from the permanent pollution abatement measures during maintenance activities shall be properly disposed of according to 30 TAC 330 or 30 TAC 335, as applicable.

#### **Standard Conditions**

- 1. Pursuant to Chapter 7 Subchapter C of the Texas Water Code, any violations of the requirements in 30 TAC Chapter 213 may result in administrative penalties.
- 2. The holder of the approved Edwards Aquifer protection plan must comply with all provisions of 30 TAC Chapter 213 and all best management practices and measures contained in the approved plan. Additional and separate approvals, permits, registrations and/or authorizations from other TCEQ Programs (i.e., Stormwater, Water Rights, UIC) can be required depending on the specifics of the plan.
- 3. In addition to the rules of the Commission, the applicant may also be required to comply with state and local ordinances and regulations providing for the protection of water quality.

#### Prior to Commencement of Construction:

- 4. Within 60 days of receiving written approval of an Edwards Aquifer Protection Plan, the applicant must submit to the San Antonio Regional Office, proof of recordation of notice in the county deed records, with the volume and page number(s) of the county deed records of the county in which the property is located. A description of the property boundaries shall be included in the deed recordation in the county deed records. A suggested form (Deed Recordation Affidavit, TCEQ-0625) that you may use to deed record the approved WPAP is enclosed.
- 5. All contractors conducting regulated activities at the referenced project location shall be provided a copy of this notice of approval. At least one complete copy of the approved WPAP and this notice of approval shall be maintained at the project location until all regulated activities are completed.
- 6. Modification to the activities described in the referenced WPAP application following the date of approval may require the submittal of a plan to modify this approval, including the payment of appropriate fees and all information necessary for its review and approval prior to initiating construction of the modifications.



- 7. The applicant must provide written notification of intent to commence construction, replacement, or rehabilitation of the referenced project. Notification must be submitted to the San Antonio Regional Office no later than 48 hours prior to commencement of the regulated activity. Written notification must include the date on which the regulated activity will commence, the name of the approved plan and program ID number for the regulated activity, and the name of the prime contractor with the name and telephone number of the contact person. The executive director will use the notification to determine if the approved plan is eligible for an extension.
- 8. Temporary erosion and sedimentation (E&S) controls, i.e., silt fences, rock berms, stabilized construction entrances, or other controls described in the approved WPAP, must be installed prior to construction and maintained during construction. Temporary E&S controls may be removed when vegetation is established and the construction area is stabilized. If a water quality pond is proposed, it shall be used as a sedimentation basin during construction. The TCEQ may monitor stormwater discharges from the site to evaluate the adequacy of temporary E&S control measures. Additional controls may be necessary if excessive solids are being discharged from the site.
- 9. All borings with depths greater than or equal to 20 feet must be plugged with non-shrink grout from the bottom of the hole to within three (3) feet of the surface. The remainder of the hole must be backfilled with cuttings from the boring. All borings less than 20 feet must be backfilled with cuttings from the boring. All borings must be backfilled or plugged within four (4) days of completion of the drilling operation. Voids may be filled with gravel.

#### During Construction:

- 10. During the course of regulated activities related to this project, the applicant or agent shall comply with all applicable provisions of 30 TAC Chapter 213, Edwards Aquifer. The applicant shall remain responsible for the provisions and conditions of this approval until such responsibility is legally transferred to another person or entity.
- 11. This approval does not authorize the installation of temporary aboveground storage tanks on this project. If the contractor desires to install a temporary aboveground storage tank for use during construction, an application to modify this approval must be submitted and approved prior to installation. The application must include information related to tank location and spill containment. Refer to Standard Condition No. 6, above.
- 12. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, all regulated activities near the feature must be suspended immediately. The applicant or his agent must immediately notify the San Antonio Regional Office of the discovery of the feature. Regulated activities near the feature may not proceed until the executive director has reviewed and approved the methods proposed to protect the feature and the aquifer from potentially adverse impacts to water quality. The plan must be sealed, signed, and dated by a Texas Licensed Professional Engineer.
- 13. No wells exist on site. All water wells, including injection, dewatering, and monitoring wells must be in compliance with the requirements of the Texas Department of Licensing and Regulation under Title 16 TAC Chapter 76 (relating to Water Well Drillers and Pump Installers) and all other locally applicable rules, as appropriate.

- 14. If sediment escapes the construction site, the sediment must be removed at a frequency sufficient to minimize offsite impacts to water quality (e.g., fugitive sediment in street being washed into surface streams or sensitive features by the next rain). Sediment must be removed from sediment traps or sedimentation ponds not later than when design capacity has been reduced by 50 percent. Litter, construction debris, and construction chemicals shall be prevented from becoming stormwater discharge pollutants.
- 15. Intentional discharges of sediment laden storm water are not allowed. If dewatering becomes necessary, the discharge will be filtered through appropriately selected best management practices. These may include vegetated filter strips, sediment traps, rock berms, silt fence rings, etc.
- 16. The following records shall be maintained and made available to the executive director upon request: the dates when major grading activities occur, the dates when construction activities temporarily or permanently cease on a portion of the site, and the dates when stabilization measures are initiated.
- 17. Stabilization measures shall be initiated as soon as practicable in portions of the site where construction activities have temporarily or permanently ceased, and construction activities will not resume within 21 days. When the initiation of stabilization measures by the 14th day is precluded by weather conditions, stabilization measures shall be initiated as soon as practicable.

#### After Completion of Construction:

- 18. A Texas Licensed Professional Engineer must certify in writing that the permanent BMPs or measures were constructed as designed. The certification letter must be submitted to the San Antonio Regional Office within 30 days of site completion.
- 19. The applicant shall be responsible for maintaining the permanent BMPs after construction until such time as the maintenance obligation is either assumed in writing by another entity having ownership or control of the property (such as without limitation, an owner's association, a new property owner or lessee, a district, or municipality) or the ownership of the property is transferred to the entity. The regulated entity shall then be responsible for maintenance until another entity assumes such obligations in writing or ownership is transferred. A copy of the transfer of responsibility must be filed with the executive director through San Antonio Regional Office within 30 days of the transfer. A copy of the transfer form (TCEQ-10263) is enclosed.
- 20. Upon legal transfer of this property, the new owner(s) is required to comply with all terms of the approved Edwards Aquifer protection plan. If the new owner intends to commence any new regulated activity on the site, a new Edwards Aquifer protection plan that specifically addresses the new activity must be submitted to the executive director. Approval of the plan for the new regulated activity by the executive director is required prior to commencement of the new regulated activity.
- 21. An Edwards Aquifer protection plan approval or extension will expire and no extension will be granted if more than 50 percent of the total construction has not been completed within ten years from the initial approval of a plan. A new Edwards Aquifer protection plan must be submitted to the San Antonio Regional Office with the appropriate fees for review and approval by the executive director prior to commencing any additional regulated activities.

22. At project locations where construction is initiated and abandoned, or not completed, the site shall be returned to a condition such that the aquifer is protected from potential contamination.

If you have any questions or require additional information, please contact Mr. Javier Anguiano of the Edwards Aquifer Protection Program of the San Antonio Regional Office at (210) 490-3096.

Sincerely,

anth.M Tor

Zack Covar, Executive Director Texas Commission on Environmental Quality

ZC/JA/eg

Enclosure: Deed Recordation Affidavit, Form TCEQ-0625

Change in Responsibility for Maintenance of Permanent BMPs, Form TCEQ-10263

cc: Mr. John J. Moy, P.E., Pawclek & Moy, Inc. Mr. James C. Klien, P.E., City of New Braunfels Mr. Thomas H. Hornseth, P.E., Comal County Mr. Karl J. Dreher, Edwards Aquifer Authority TCEQ Central Records, Building F, MC 212

#### ATTACHMENT "B" NARRATIVE OF PROPOSED MODIFICATION

The purpose of this Modification is to permit the proposed impervious cover for a new telecommunication facility and associated access drive to the pad site. This area is located in an area that was labeled on the previous WPAP Modification as an area not to be disturbed and will be treated by a proposed Engineered Vegetative Filter Strip. This modification will also update the proposed impervious cover being treated by the existing Enhanced Extended Detention Basin and Vegetative Filter Strip and update the proposed paving areas to be treated by stand-alone Engineered Vegetative Filter Strips. The existing impervious cover of the 8.05 ac. site is 2.67 ac. (33.17%). The approved impervious cover of the site per the TCEQ approval letter dated May 01, 2012 was 36.6%.

The proposed impervious cover for the site with this Modification is 3.066 ac. (38.1%). The additional proposed impervious cover consists of 0.025 ac. of additional concrete sidewalk/drain which will be treated by the existing Enhanced Extended Detention Basin and Vegetative Filter Strip. The proposed impervious cover contributing to this existing BMP is 1.927 acres, which does not exceed the approved 1.928 acres of impervious cover previously approved for this BMP. The remaining additional proposed impervious cover included with this modification is 0.010 ac. which consists of updates to the previously approved paving areas and 0.087 acres of the newly proposed flexible base access drive/telecommunication facility. These impervious cover areas will be treated by proposed Engineered Vegetative Filter Strips downstream of the proposed improvements.

# ATTACHMENT "C" CURRENT SITE PLAN



F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\ATTACHMENT C-CURRENT SITE PLAN.docx





- NOTES: 1. EXISTING SITE IMPROVEMENTS SHOWN ARE BASED ON SURVEY INFORMATION PROVIDED BY TEXAS LANDMARK SURVEYING AND PROVIDED TO P&M INC. ON 4/15/2014.
- 2. APPROXIMATE LOCATION OF ENHANCED EXTENDED DETENTION BASIN AND VEGETATIVE FILTER STRIP WAS SCALED IN BASED ON APPROVED WPAP SITE PLAN DATED JULY 26, 1999.
- 3. EXISTING APPROVED SITE = 8.05 AC. APPROVED IMPERVIOUS COVER PER TCEQ LETTER DATED JULY 26, 1999 = 1.928 AC (39%) (5.00 AC. SITE) APPROVED IMPERVIOUS COVER PER TCEQ LETTER DATED MAY 1, 2012 = 2.944 AC. (36.6%) (8.05 AC. SITE) EXISTING IMPERVIOUS COVER = 2.67 AC (33.2%)



PAWELEK & MOY, INC. MAY 2014 D.G. III DATE: **DRAWN BY: JOB NO.:** 1402.01 J.J.M. **CHECKED BY:** 

L = 433.78'(433.78',R1)R = 5849.65' Δ = 04°15'18" CB = N81'34'17"W CH = 434.31'WIDTH R 346

#### Water Pollution Abatement Plan Application

for Regulated Activities on the Edwards Aquifer Recharge Zone and Relating to 30 TAC §213.5(b), Effective June 1, 1999

REGULATED ENTITY NAME: Freedom Fellowship Church

#### **REGULATED ENTITY INFORMATION**

The type of project is:

 Residential: # of Lots:
 Residential: # of Living Unit Equivalents:
 X
 Commercial
 Industrial
 Other:

 Total site acreage (size of property):

 8.05 acres
 Projected population:
 512 Seats

4. The amount and type of impervious cover expected after construction are shown below:

Impervious Cover of Proposed Project	Sq. Ft.	Sq. Ft./Acre	Acres
Structures/Rooftops	30,583	÷ 43,560 =	0.702
(Paving/sidewalks/ Parking drain)	99,196	÷ 43,560 =	2.277
(Telecommunication Facility/ Other paved surfaces Flex. Base)	3,785	÷ 43,560 =	0.087
Total Impervious Cover	133,564	÷ 43,560 =	3.066
Total Impervious Cover ÷ Total Acr	38.1%		

- 5. <u>X</u> ATTACHMENT A Factors Affecting Water Quality. A description of any factors that could affect surface water and groundwater quality is provided at the end of this form.
- 6.  $\underline{X}$  Only inert materials as defined by 30 TAC §330.2 will be used as fill material.

#### FOR ROAD PROJECTS ONLY

#### Complete questions 7-12 if this application is exclusively for a road project.

- 7. Type of project:
  - \_\_\_\_\_TXDOT road project.
  - County road or roads built to county specifications.
  - City thoroughfare or roads to be dedicated to a municipality.
  - \_\_\_\_\_ Street or road providing access to private driveways.
- 8. Type of pavement or road surface to be used:
  - \_\_\_\_ Concrete
  - Asphaltic concrete pavement
  - Other: \_\_\_\_\_

TCEQ-0584 (Rev. 10-01-10)

- 9. Length of Right of Way (R.O.W.): \_\_\_\_\_\_feet. Width of R.O.W.: \_\_\_\_\_\_feet. L x W = \_\_\_\_\_\_Ft<sup>2</sup> ÷ 43,560 Ft<sup>2</sup>/Acre = \_\_\_\_\_\_acres.
  10. Length of pavement area: \_\_\_\_\_\_feet. Width of pavement area: \_\_\_\_\_\_feet. L x W = \_\_\_\_\_Ft<sup>2</sup> ÷ 43,560 Ft<sup>2</sup>/Acre = \_\_\_\_\_acres. Pavement area \_\_\_\_\_acres ÷ R.O.W. area \_\_\_\_\_acres x 100 = \_\_\_% impervious cover.
- 11. \_\_\_\_ A rest stop will be included in this project. \_\_\_\_\_ A rest stop will **not** be included in this project.
- 12. \_\_\_\_ Maintenance and repair of existing roadways that do not require approval from the TCEQ Executive Director. Modifications to existing roadways such as widening roads/adding shoulders totaling more than one-half (1/2) the width of one (1) existing lane require prior approval from the TCEQ.

#### STORMWATER TO BE GENERATED BY THE PROPOSED PROJECT

13. X ATTACHMENT B - Volume and Character of Stormwater. A description of the volume and character (quality) of the stormwater runoff which is expected to occur from the proposed project is provided at the end of this form. The estimates of stormwater runoff quality and quantity should be based on area and type of impervious cover. Include the runoff coefficient of the site for both pre-construction and post-construction conditions.

#### WASTEWATER TO BE GENERATED BY THE PROPOSED PROJECT

- 14. The character and volume of wastewater is shown below:
  - X % Domestic 2,193 gallons/day (Based on NBU's LUE's)

% Industrial	gallons/day		

% Commingled \_\_\_\_\_ gallons/day

TOTAL 2,193 gallons/day (Based on NBU's LUE's)

15. Wastewater will be disposed of by:

N/A **On-Site** Sewage Facility (OSSF/Septic Tank):

- ATTACHMENT C Suitability Letter from Authorized Agent. An on-site sewage facility will be used to treat and dispose of the wastewater. The appropriate licensing authority's (authorized agent) written approval is provided at the end of this form. It states that the land is suitable for the use of an on-site sewage facility or identifies areas that are not suitable.
- Each lot in this project/development is at least one (1) acre (43,560 square feet) in size. The system will be designed by a licensed professional engineer or registered sanitarian and installed by a licensed installer in compliance with 30 TAC Chapter 285.
- X Sewage Collection System (Sewer Lines):
  - X Private service laterals from the wastewater generating facilities will be connected to an existing SCS.
  - Private service laterals from the wastewater generating facilities will be connected to a proposed SCS.
    - \_\_\_\_ The SCS was previously submitted on \_\_\_\_\_



Page 2 of 4

- The SCS was submitted with this application.
- The SCS will be submitted at a later date. The owner is aware that the SCS may not be installed prior to Executive Director approval.

The sewage collection system will convey the wastewater to the Gruene Road (name) Treatment Plant. The treatment facility is:

- existing.
- proposed.
- Х 16. All private service laterals will be inspected as required in 30 TAC §213.5.

#### SITE PLAN REQUIREMENTS

#### Items 17 through 27 must be included on the Site Plan.

- The Site Plan must have a minimum scale of 1" = 400'. 17. Site Plan Scale: 1'' = 40
- 18. 100-year floodplain boundaries
  - Some part(s) of the project site is located within the 100-year floodplain. The floodplain is shown and labeled.
  - Х No part of the project site is located within the 100-year floodplain.

The 100-year floodplain boundaries are based on the following specific (including date of

material) sources(s): FEMA Flood Insurance Rate Map for Comal County, Texas Community Panel Number 48091C0435F (Rev. 09/02/09)

- Х 19. The layout of the development is shown with existing and finished contours at appropriate, but not greater than ten-foot contour intervals. Show lots, recreation centers, buildings, roads, etc.
  - The layout of the development is shown with existing contours. Finished topographic contours will not differ from the existing topographic configuration and are not shown.
- 20. All known wells (oil, water, unplugged, capped and/or abandoned, test holes, etc.):
  - Х (#) wells present on the project site and the locations are shown and There are labeled. (Check all of the following that apply)
    - The wells are not in use and have been properly abandoned.
    - The wells are not in use and will be properly abandoned. \*\*\*\*\*\*
    - The wells are in use and comply with 16 TAC §76.
    - X There are no wells or test holes of any kind known to exist on the project site.
- 21. Geologic or manmade features which are on the site:
  - All sensitive geologic or manmade features identified in the Geologic Assessment are shown and labeled.
  - Х No sensitive geologic or manmade features were identified in the Geologic Assessment.
  - ATTACHMENT D Exception to the Required Geologic Assessment. An exception to the Geologic Assessment requirement is requested and explained at the end of this form.
- Х 22. The drainage patterns and approximate slopes anticipated after major grading activities.
- Х 23. Areas of soil disturbance and areas which will not be disturbed.

TCEQ-0584 (Rev. 10-01-10)



- 24. <u>X</u> Locations of major structural and nonstructural controls. These are the temporary and permanent best management practices.
- 25. X Locations where soil stabilization practices are expected to occur.
- 26. X Surface waters (including wetlands).
- 27. <u>X</u> Locations where stormwater discharges to surface water or sensitive features. (Site Discharges There will be no discharges to surface water or sensitive features. to an existing

dry/natural creek)

#### ADMINISTRATIVE INFORMATION

- 28. X Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.
- 29. X Any modification of this WPAP will require Executive Director approval, prior to construction, and may require submission of a revised application, with appropriate fees.

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **WATER POLLUTION ABATEMENT PLAN APPLICATION FORM** is hereby submitted for TCEQ review and Executive Director approval. The form was prepared by:

John J. Moy, Jr.

Print Name of Customer/Agent

ature of Customer Agent

Date



### WATER POLLUTION ABATEMENT PLAN APPLICATION

### 5. Attachment A – Factors Affecting Water Quality

The potential sources of contamination on the proposed project include, but are not limited to, hydrocarbons, such as oil and grease, vehicle/machinery fluid leaks, trash or debris, and fertilizers and soil runoff.

All construction equipment will be fueled off-site, and no hazardous materials shall be utilized for the construction of the proposed improvements. Portable toilets will be placed on site for use by construction workers during construction activities. All waste will be hauled off site daily, as generated.

Prior to any construction activity, stormwater pollution prevention controls shall be installed and these controls include silt fences and a rock berm downstream of the proposed flexible base drive and telecommunication facility, silt fence downstream of the future parking areas along with a rock berm in front of the detention pond outfall, two rock berms at the discharge points by the church and the installation of a stabilized construction entrance/exit to reduce sediment removal from the site. The construction contractor will be responsible for the installation, repair and upkeep of all control measures.

After construction is complete and the site has been built, the factors affecting water quality will include runoff from the roofs, paved areas, sidewalks and greenbelt areas. Chemicals that may be present include pesticides and fertilizers for the greenbelt areas as well as miscellaneous oils or fuels from vehicles utilizing the drives. However, the stormwater runoff from these areas will be treated by the existing enhanced extended detention basin/vegetated filter strip, the existing Partial Sedimentation/Filtration pond and the existing/proposed Engineered Vegetative Filter strips as shown on the Site Plan, Sheet S-1.

#### 13. Attachment B – Volume and Character of Stormwater

The stormwater runoff generated from this site will consist of runoff from the roofs, paved areas, sidewalks and greenbelt areas. The runoff may contain small amounts of suspended solids, fertilizers/pesticides for the greenbelt areas or oils/fuel that would be associated with vehicles entering/exiting and/or being stored on the site. The average runoff coefficient for the site is  $C_{10pre} = 0.53$  due to the existing improvements and the average Post-Construction runoff coefficient is  $C_{10post} = 0.55$  (See Drainage Area Map in the Temporary Stormwater Section for hydrology calculations). Based on the BMP calculations provided in this submittal, there will be a Water Quality Volume of 3,481 cf

F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\F-0584\_WPAP\_Attachments.doc

required to treat the portion of the site that does not drain to the other BMP's and 3,594 cf has been provided in the existing Partial Sedimentation and Filtration Pond to treat the proposed impervious cover that has not been constructed. Prior to exiting the site, a portion of the storm water will be conveyed to an existing detention pond and also the enhanced extended detention basin which will aid in the sedimentation of solids and improve the overall water quality.

F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\F-0584\_WPAP\_Attachments.doc
# SITE PLAN

F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\F-0584\_WPAP\_Attachments.doc



PROPOSED TELECOMMUNICATION FACILITY (FLEXIBLE BASE PAD, 100' STEALTH MONOPOLE, SUSPENDED UTILITY RACK WITH CANOPY, BACKUP GENERATOR (217 GAL. TOTAL TANK CAPACITY) AND PERIMETER LIMESTONE FENCE WITH HOLES/OPENINGS DRAINING TO VEGETATIVE FILTER STRIP)		$0 \qquad 20 \qquad 40$ M FEET ) h = 40  ft.	PAWELEK & MO CIVIL ENGINEERI CONSULTING SER 130 W. JAHN STREET NEW BRAUNFELS, TT TEL: (830) 629-2563 FIRM No. F-98	Y, INC. NG & VICES X 78130
- 10 LF. ~ ROCK BERM	LEG	END	Margare	9.4
VELOCITY CONTROL (5'X5')	<u>S.F.</u>	SILT FENCE	OF TEHNO MANUTAN 37835	5/27/
INTERCEPTOR/BYPASS CHANNEL WITH SOIL STABILIZATION		ROCK BERM	NHOF REAL	300
		INLET PROTECTION	OWNER:	
L = 433.78'(433.78',R1)		ROCK RIPRAP/VELOCITY CONTROL	410 OAK RUN POINT NEW BRUANFELS, TX	78132
$R = 5849.65''$ $\Delta = 04'15'18''$ $CB = N81'34'17''W$ $CH = 434.31'$		TEMPORARY STABILIZED CONSTRUCTION ENTRANCE/EXIT		
THE STA		CONCRETE WASHOUT		
ARIABLE	-	EXISTING FLOW DIRECTION		
CHWA WIDTH	100	EXISTING CONTOURS		
ROW) 46		PROPOSED CONTOURS		-
PROPOSED FLEXIBLE BASE		PROPERTY LINE		Ś
TELECOMMUNICATION FACILITY	S-#	POTENTIAL RECHARGE FEATURE (PRF)		IN HO
EXISTING ENGINEERED VEGETATIVE FILTER STRIP	Кер	EDWARDS PERSON LIMESTONE		P C
(PER TCEQ APPROVAL LETTER DATED MAY 1, 2012)		FAULT	HAN H	WSHI
1/2" REBAR WITH NC CAP STAMPED MCMLS 3682"			PL'S	OM FELLC NEW BRAUNE

FREEDOM FELLOWSHIP CHURCH 8.05 ACRE SITE 3.066 ACRES OF IMPERVIOUS COVER		JRCH	WSHIP CHI RE SITE IPERVIOUS	8.05 AC	FREED			
ative Filter Strip (Per Previously Approved WPAP)	ved WPAP)	ly Approve	er Previous	er Strip (P	zetative Filt	in and Vea	ention Basi	d Extended Det
BMP STATUS						Imp. Cover (Acres)	Drainage Area (Acres)	rmanent BMP
te: The total proposed Impervious Cover of 1.927 acres is less than the maximum owed Impervious Cover of 1.928 acres (per TCEQ Approval dated July 26, 1999). IMPERVIOUS AREA	cres is less than the maximum pproval dated July 26, 1999).	er of 1.927 ac (per TCEQ Ap	npervious Cov of 1.928 acres	al proposed In rvious Cover o	Note: The tota allowed Impe	1.927	4.07	hanced Extended ion Basin and ive Filter Strip
		1				tion Basin	and Filtrat	Sedimentation
alc. Min. Capture Calc. Min. Filter Target TSS Capture Volume Filter Area TSS Removal	Target TSS TSS Removal	Filter Area	Calc. Min. Filter	Capture Volume	Calc. Min. Capture	Imp. Cover	Drainage Area	ermanent BMP dimentation and
Volume         Provided         Area         Provided         Removal         Provided           (cf)         (cf)         (sf)         (lb/yr)         (lb/yr)         (lb/yr)	Removal Provided (lb/yr) (lb/yr)	Provided (sf)	Area (sf)	Provided (cf)	Volume (cf)	(Acres)	(Acres)	ation Basin
3,481 3,594 290 348 284 315 APPROVED/EXISTING BMP	284 315	348	290	3,594	3,481	0.316	0.41	Basin B1
8 0	8 0	-	-	-	_	0.009	0.01	ent in Basin B1
22 0	22 0		-	-		0.024	0.02	ent in Basin B1
1 0	1 0		-		-	0.001	0.001	ent in Basin B1
315 315	315 315					0.350	0.44	
								er Strips
Capture     Calc. Min.     Filter     Target     TSS       Capture     Volume     Filter     Area     TSS     Removal       Volume     Provided     Area     Provided     Provided       (cf)     (cf)     (sf)     (lb/yr)     (lb/yr)	Target     TSS       TSS     Removal       Removal     Provided       (lb/yr)     (lb/yr)	Filter Area Provided (sf)	Calc. Min. Filter Area (sf)	Capture Volume Provided (cf)	Calc. Min. Capture Volume (cf)	Imp. Cover (Acres)	Drainage Area (Acres)	ermanent BMP
18 18 APPROVED/EXISTING BMP	18 18				-	0.020	0.11	tive Filter Strips
261 261 IMPERVIOUS AREA BEING UPDATED WITH THIS MOD., BUT ALSO CONTAINS APPROVED/EXISTING BMP(WHERE FINAL CONSTRUCTION IS PRESENT)	261 261		_	-	-	0.291	0.63	tive Filter Strips
57 57 57 MOD., BUT ALSO CONTAINS APPROVED/EXISTING BMP(WHERE FINAL CONSTRUCTION IS PRESENT)	57 57					0.064	1.11	tive Filter Strips
371 371 IMPERVIOUS AREA BEING UPDATED WITH THIS MOD., BUT ALSO CONTAINS APPROVED/EXISTIN BMP(WHERE FINAL CONSTRUCTION IS PRESENT)	371 371					0.414	1.72	tive <mark>Filter Strips</mark>
707 707	707 707		-	-		0.789	3.57	
1,022 1,022	1,022 1,022					3.066	\$\$0.00	

\*1. Includes existing driveway aprons shown on previously approved WPAP (per TCEQ letter dated July 26, 1999)
 \*\*2. Areas '(-3', 'C4' and 'D1' are Off-Site Areas (Existing Driveway and Sidewalk, respectively) (Uncaptured) but being treated by Overtreatment provided with the Water Quality Basin B1.
 Prelipite the end IC2' are Off site (Pu area Areas)

NOTE: SEE DRAINAGE AREA MAP SHEET D-1 FOR OVERALL DRAINAGE AREAS AND SUB-AREAS CVISIONS

RE

DRAWN BY: D.G. III

CHECKED BY: J.J.M.

S1 OF 2

DATE:

**JOB NO.:** 

MAY 2014

1402.01

FREED

#### **Texas Commission on Environmental Quality** Water Pollution Abatement Plan **General Construction Notes**

- Written construction notification must be given to the appropriate TCEQ regional office no later than 48 hours prior to commencement of the regulated activity. Information must include the date on which the regulated activity will commence, the name of the approved plan for the regulated activity, and the name of the prime contractor and the name and telephone number of the contact person.
- All contractors conducting regulated activities associated with this project must be provided with complete copies of the approved Water Pollution Abatement Plan and the TCEQ letter indicating 2. the specific conditions of its approval. During the course of these regulated activities, the contractors are required to keep on-site copies of the approved plan and approval letter.
- If any sensitive feature is discovered during construction, all regulated activities near the sensitive feature must be suspended immediately. The appropriate TCEQ regional office must be 3. immediately notified of any sensitive features encountered during construction. The regulated activities near the sensitive feature may not proceed until the TCEQ has reviewed and approved the methods proposed to protect the sensitive feature and the Edwards Aquifer from any potentially adverse impacts to water quality.
- No temporary aboveground hydrocarbon and hazardous substance storage tank system is installed within 150 feet of a domestic, industrial, irrigation, or public water supply well, or other sensitive feature.
- Prior to commencement of construction, all temporary erosion and sedimentation (E&S) control measures must be properly selected, installed, and maintained in accordance with the manufacturers specifications and good engineering practices. Controls specified in the temporary storm water section of the approved Edwards Aquifer Protection Plan are required during construction. If inspections indicate a control has been used inappropriately, or incorrectly, the applicant must replace or modify the control for site situations. The controls must remain in place until disturbed areas are revegetated and the areas have become permanently stabilized.
- If sediment escapes the construction site, off-site accumulations of sediment must be removed at a frequency sufficient to minimize offsite impacts to water quality (e.g., fugitive sediment in 6. street being washed into surface streams or sensitive features by the next rain).
- Sediment must be removed from sediment traps or sedimentation ponds not later than when design capacity has been reduced by 50%. A permanent stake must be provided that can indicate when the sediment occupies 50% of the basin volume.
- Litter, construction debris, and construction chemicals exposed to stormwater shall be prevented 8. from becoming a pollutant source for stormwater discharges (e.g., screening outfalls, picked up daily)
- All spoils (excavated material) generated from the project site must be stored on-site with proper E&S controls. For storage or disposal of spoils at another site on the Edwards Aquifer Recharge 9. Zone, the owner of the site must receive approval of a water pollution abatement plan for the placement of fill material or mass grading prior to the placement of spoils at the other site.
- Stabilization measures shall be initiated as soon as practicable in portions of the site where construction activities have temporarily or permanently ceased, but in no case more than 14 days 10. after the construction activity in that portion of the site has temporarily or permanently ceased. Where the initiation of stabilization measures by the 14th day after construction activity temporary or permanently cease is precluded by weather conditions, stabilization measures shall be initiated as soon as practicable. Where construction activity on a portion of the site is temporarily ceased, and earth disturbing activities will be resumed within 21 days, temporary stabilization measures do not have to be initiated on that portion of site. In areas experiencing droughts where the initiation of stabilization measures by the 14th day after construction activity has temporarily or permanently ceased is precluded by seasonal arid conditions, stabilization measures shall be initiated as soon as practicable.
- The following records shall be maintained and made available to the TCEQ upon request: the dates when major grading activities occur; the dates when construction activities temporarily or permanently cease on a portion of the site; and the dates when stabilization measures are initiated.
- 12. The holder of any approved Edward Aquifer protection plan must notify the appropriate regional office in writing and obtain approval from the executive director prior to initiating any of the following:
  - any physical or operational modification of any water pollution abatement structure(s). including but not limited to ponds, dams, berms, sewage treatment plants, and diversionary structures;
  - any change in the nature or character of the regulated activity from that which was Β. originally approved or a change which would significantly impact the ability of the plan to prevent pollution of the Edwards Aquifer;
  - any development of land previously identified as undeveloped in the original water C. pollution abatement plan.

Austin Regional Office	San Antonio Regional Office
2800 S. IH 35, Suite 100	14250 Judson Road
Austin, Texas 78704-5712	San Antonio, Texas 78233-4480
Phone (512) 339-2929	Phone (210) 490-3096
Fax (512) 339-3795	Fax (210) 545-4329

Inspection and Maintenance Guidelines:

GRATE DROW IN

Y-INLET

drainage area has been properly stabilized.





(1) Inspection should be made weekly and after each rainfall. Repair or replacement should be made promptly as needed by the contractor.

(2) Remove sediment when buildup reaches a depth of 3 inches. Removed sediment should be deposited in a suitable area and in such a manner that it will not crode.

(3) Check placement of device to prevent gaps between device and curb.

(4) Inspect filter fabric and patch or replace if torn or missing. (5) Structures should be removed and the area stabilized only after the remaining

INLET PROTECTION DETAIL









#### Materials

- (1) Silt fence material should be polypropylene, polyethylene or polyamide woven or nonwoven fabric. The fabric width should be 36 inches, with a minimum unit weight of 4.5 oz/yd, mullen burst strength exceeding 190 lb/in<sup>2</sup>, ultraviolet stability exceeding 70%, and minimum apparent opening size of U.S. Sieve No.
- (2) Fence posts should be made of hot rolled steel, at least 4 feet long with Tee or Ybar cross section, surface painted or galvanized, minimum nominal weight 1.25 1b/ft<sup>2</sup>, and Brindell hardness exceeding 140.
- (3) Woven wire backing to support the fabric should be galvanized 2" x 4" welded wire, 12 gauge minimum.

- Steel posts, which support the silt fence, should be installed on a slight angle (1) toward the anticipated runoff source. Post must be embedded a minimum of 1foot deep and spaced not more than 8 feet on center. Where water concentrates, the maximum spacing should be 6 feet.
- (2) Lay out fencing down-slope of disturbed area, following the contour as closely as possible. The fence should be sited so that the maximum drainage area is 1/4 acre/100 feet of fence.
- (3) The toe of the silt fence should be trenched in with a spade or mechanical trencher, so that the down-slope face of the trench is flat and perpendicular to the line of flow. Where fence cannot be trenched in (e.g., pavement or rock outcrop), weight fabric flap with 3 inches of pea gravel on uphill side to prevent flow from seeping under fence.
- (4) The trench must be a minimum of 6 inches deep and 6 inches wide to allow for the silt fence fabric to be laid in the ground and backfilled with compacted material.
- (5) Silt fence should be securely fastened to each steel support post or to woven wire, which is in turn attached to the steel fence post. There should be a 3-foot overlap, securely fastened where ends of fabric meet.
- (6) Silt fence should be removed when the site is completely stabilized so as not to block or impede storm flow or drainage.





Schematic of Temporary Construction Entrance/Exit

**Cross-section of a Construction Entrance/Exit** 

#### Materials

- The aggregate should consist of 4 to 8 inch washed stone over a stable foundation (1) as specified in the plan.
- The aggregate should be placed with a minimum thickness of 8 inches. (2)
- The geotextile fabric should be designed specifically for use as a soil filtration media with an approximate weight of 6 oz/yd<sup>2</sup>, a mullen burst rating of 140 lb/in<sup>2</sup>, and an equivalent opening size greater than a number 50 sicve.
- (4) If a washing facility is required, a level area with a minimum of 4 inch diameter washed stone or commercial rack should be included in the plans. Divert wastewater to a sediment trap or basin.

#### Installation

- (1) Avoid curves on public roads and steep slopes. Remove vegetation and other objectionable material from the foundation area. Grade crown foundation for positive drainage.
- (2) The minimum width of the entrance/exit should be 12 feet or the full width of exit roadway, whichever is greater.
- The construction entrance should be at least 50 feet long. (3)
- If the slope toward the road exceeds 2%, construct a ridge, 6 to 8 inches high with (4) 3:1 (H:V) side slopes, across the foundation approximately 15 feet from the entrance to divert runoff away from the public road.
- (5) Place geotextile fabric and grade foundation to improve stability, especially where wet conditions are anticipated.
- (6) Place stone to dimensions and grade shown on plans. Leave surface smooth and slope for drainage.
- Divert all surface runoff and drainage from the stone pad to a sediment trap or (7)

(8) Install pipe under pad as needed to maintain proper public road drainage.

TEMPORARY CONSTRUCTION ENTRANCE/EXIT DETAIL N.T.S.



#### **Temporary Stormwater Section**

for Regulated Activities

on the Edwards Aquifer Recharge Zone

and Relating to 30 TAC §213.5(b)(4)(A), (B), (D)(I) and (G); Effective June 1, 1999

REGULATED ENTITY NAME: Freedom Fellowship Church

#### POTENTIAL SOURCES OF CONTAMINATION

Examples: Fuel storage and use, chemical storage and use, use of asphaltic products, construction vehicles tracking onto public roads, and existing solid waste.

- 1. Fuels for construction equipment and hazardous substances which will be used during construction:
  - Aboveground storage tanks with a cumulative storage capacity of less that 250 gallons will be stored on the site for less than one (1) year.
  - Aboveground storage tanks with a cumulative storage capacity between 250 gallons and 499 gallons will be stored on the site for less than one (1) year.
  - Aboveground storage tanks with a cumulative storage capacity of 500 gallons or more will be stored on the site. An **Aboveground Storage Tank Facility Plan** application must be submitted to the appropriate regional office of the TCEQ prior to moving the tanks onto the project.
  - X Fuels and hazardous substances will not be stored on-site.
- 2. X ATTACHMENT A Spill Response Actions. A description of the measures to be taken to contain any spill of hydrocarbons or hazardous substances is provided at the end of this form.
- 3. <u>X</u> Temporary aboveground storage tank systems of 250 gallons or more cumulative storage capacity must be located a minimum horizontal distance of 150 feet from any domestic, industrial, irrigation, or public water supply well, or other sensitive feature.
- 4. \_\_\_\_ ATTACHMENT B Potential Sources of Contamination. Describe in an attachment at the end of this form any other activities or processes which may be a potential source of contamination.
  - X The are no other potential sources of contamination. (None anticipated beyond those listed as Examples under Potential Sources of Contamination shown above.)

#### SEQUENCE OF CONSTRUCTION

- 5. <u>X</u> ATTACHMENT C Sequence of Major Activities. A description of the sequence of major activities which will disturb soils for major portions of the site (grubbing, excavation, grading, utilities, and infrastructure installation) is provided at the end of this form. For each activity described, an estimate of the total area of the site to be disturbed by each activity is given.
- 6. X Name the receiving water(s) at or near the site which will be disturbed or which will receive discharges from disturbed areas of the project: Tributary of Blieder's Creek

#### **TEMPORARY BEST MANAGEMENT PRACTICES (TBMPs)**

Erosion control examples: tree protection, interceptor swales, level spreaders, outlet stabilization, blankets or matting, mulch, and sod. Sediment control examples: stabilized construction exit, silt fence, filter dikes, rock berms, buffer strips, sediment traps, and sediment basins. Please refer to the Technical Guidance Manual for guidelines and specifications. All structural BMPs must be shown on the site plan.

- 7. X ATTACHMENT D Temporary Best Management Practices and Measures. A description of the TBMPs and measures that will be used during and after construction are provided at the end of this form. For each activity listed in the sequence of construction, include appropriate control measures and the general timing (or sequence) during the construction process that the measures will be implemented.
  - X TBMPs and measures will prevent pollution of surface water, groundwater, and stormwater. The construction-phase BMPs for erosion and sediment controls have been designed to retain sediment on site to the extent practicable. The following information has been provided in the attachment at the end of this form
  - A description of how BMPs and measures will prevent pollution of surface water, groundwater or stormwater that originates upgradient from the site and flows across the site.
  - b. A description of how BMPs and measures will prevent pollution of surface water or groundwater that originates on-site or flows off site, including pollution caused by contaminated stormwater runoff from the site.
  - c. A description of how BMPs and measures will prevent pollutants from entering surface streams, sensitive features, or the aquifer.
  - d. A description of how, to the maximum extent practicable, BMPs and measures will maintain flow to naturally-occurring sensitive features identified in either the geologic assessment, TCEQ inspections, or during excavation, blasting, or construction.
- 8. The temporary sealing of a naturally-occurring sensitive feature which accepts recharge to the Edwards Aquifer as a temporary pollution abatement measure during active construction should be avoided.
  - ATTACHMENT E Request to Temporarily Seal a Feature. A request to temporarily seal a feature is provided at the end of this form. The request includes justification as to why no reasonable and practicable alternative exists for each feature.
  - X There will be no temporary sealing of naturally-occurring sensitive features on the site.
- 9. X ATTACHMENT F Structural Practices. Describe the structural practices that will be used to divert flows away from exposed soils, to store flows, or to otherwise limit runoff discharge of pollutants from exposed areas of the site. Placement of structural practices in floodplains has been avoided.



- 10. <u>X</u> ATTACHMENT G Drainage Area Map. A drainage area map is provided at the end of this form to support the following requirements.
  - For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin will be provided.
  - For areas that will have more than 10 acres within a common drainage area disturbed at one time, a smaller sediment basin and/or sediment trap(s) will be used.
  - For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin or other equivalent controls are not attainable, but other TBMPs and measures will be used in combination to protect down slope and side slope boundaries of the construction area.
  - X There are no areas greater than 10 acres within a common drainage area that will be disturbed at one time. A-smaller sediment basin and/or-sediment trap(s)-will be used in -combination with other erosion and -sediment -controls -within -each disturbed drainage area. (Silt Fences and Rock Berms will be used to control sediment.)
- 11. N/A ATTACHMENT H Temporary Sediment Pond(s) Plans and Calculations. Temporary sediment pond or basin construction plans and design calculations for a proposed temporary BMP or measure has been prepared by or under the direct supervision of a Texas Licensed Professional Engineer. All construction plans and design information must be signed, sealed, and dated by the Texas Licensed Professional Engineer. Construction plans for the proposed temporary BMPs and measures are provided as at the end of this form.
- 12. <u>X</u> ATTACHMENT I Inspection and Maintenance for BMPs. A plan for the inspection of temporary BMPs and measures and for their timely maintenance, repair, and, if necessary, retrofit is provided at the end of this form. A description of documentation procedures and recordkeeping practices is included in the plan.
- 13. X All control measures must be properly selected, installed, and maintained in accordance with the manufacturers specifications and good engineering practices. If periodic inspections by the applicant or the executive director, or other information indicates a control has been used inappropriately, or incorrectly, the applicant must replace or modify the control for site situations.
- 14. <u>X</u> If sediment escapes the construction site, off-site accumulations of sediment must be removed at a frequency sufficient to minimize offsite impacts to water quality (e.g., fugitive sediment in street being washed into surface streams or sensitive features by the next rain).
- 15. <u>N/A</u> Sediment must be removed from sediment traps or sedimentation ponds not later than when design capacity has been reduced by 50%. A permanent stake will be provided that can indicate when the sediment occupies 50% of the basin volume.
- 16. <u>X</u> Litter, construction debris, and construction chemicals exposed to stormwater shall be prevented from becoming a pollutant source for stormwater discharges (e.g., screening outfalls, picked up daily).



#### SOIL STABILIZATION PRACTICES

Examples: establishment of temporary vegetation, establishment of permanent vegetation, mulching, geotextiles, sod stabilization, vegetative buffer strips, protection of trees, or preservation of mature vegetation.

- 17. X ATTACHMENT J Schedule of Interim and Permanent Soil Stabilization Practices. A schedule of the interim and permanent soil stabilization practices for the site is attached at the end of this form.
- 18. X Records must be kept at the site of the dates when major grading activities occur, the dates when construction activities temporarily or permanently cease on a portion of the site, and the dates when stabilization measures are initiated.
- 19.  $\underline{X}$  Stabilization practices must be initiated as soon as practicable where construction activities have temporarily or permanently ceased.

#### ADMINISTRATIVE INFORMATION

- 20.  $\underline{X}$  All structural controls will be inspected and maintained according to the submitted and approved operation and maintenance plan for the project.
- 21. X If any geologic or manmade features, such as caves, faults, sinkholes, etc., are discovered, all regulated activities near the feature will be immediately suspended. The appropriate TCEQ Regional Office shall be immediately notified. Regulated activities must cease and not continue until the TCEQ has reviewed and approved the methods proposed to protect the aquifer from any adverse impacts.
- 22. X Silt fences, diversion berms, and other temporary erosion and sediment controls will be constructed and maintained as appropriate to prevent pollutants from entering sensitive features discovered during construction.

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **TEMPORARY STORMWATER SECTION** is hereby submitted for TCEQ review and executive director approval. The application was prepared by:

John J. Moy, Jr.

Print Name of Customer/Agent

Signature of Customer Agent

5/27/14



#### TEMPORARY STORMWATER SECTION

#### 2. Attachment A – Spill Response Actions

Regarding spill prevention and control, found directly behind this sheet is copy of Section 1.4.16 of the Texas Commission on Environmental Quality (TCEQ) "Complying with the Edwards Aquifer Rules Technical Guidance on Best Management Practices, pages 1-118 through 1-121, <u>Spill Prevention and Control</u> which covers necessary procedures for spill prevention and control. In the event of a significant or hazardous spill (per the attached TCEQ criteria and guidelines) the contractor or construction personnel shall notify the TCEQ by telephone as soon as possible and within 24 hours at (512) 339-2929 (Austin) or (210) 490-3096 (San Antonio) between 8 am and 5 pm. After hours, contact the Environmental Release Hotline at 1-800-832-8224. It is the contractor's responsibility to have all emergency phone numbers at the construction site.

(See Spill Prevention and Control information on the following sheets)



RG-348 Revised July 2005

# Complying with the Edwards Aquifer Rules Technical Guidance on Best Management Practices

Field Operations Division

printed on recycled paper

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

#### 1.4.16 Spill Prevention and Control

The objective of this section is to describe measures to prevent or reduce the discharge of pollutants to drainage systems or watercourses from leaks and spills by reducing the chance for spills, stopping the source of spills, containing and cleaning up spills, properly disposing of spill materials, and training employees.

The following steps will help reduce the stormwater impacts of leaks and spills:

#### Education

- (1) Be aware that different materials pollute in different amounts. Make sure that each employee knows what a "significant spill" is for each material they use, and what is the appropriate response for "significant" and "insignificant" spills. Employees should also be aware of when spill must be reported to the TCEQ. Information available in 30 TAC 327.4 and 40 CFR 302.4.
- (2) Educate employees and subcontractors on potential dangers to humans and the environment from spills and leaks.
- (3) Hold regular meetings to discuss and reinforce appropriate disposal procedures (incorporate into regular safety meetings).
- (4) Establish a continuing education program to indoctrinate new employees.
- (5) Have contractor's superintendent or representative oversee and enforce proper spill prevention and control measures.

#### **General Measures**

- (1) To the extent that the work can be accomplished safely, spills of oil, petroleum products, substances listed under 40 CFR parts 110,117, and 302, and sanitary and septic wastes should be contained and cleaned up immediately.
- (2) Store hazardous materials and wastes in covered containers and protect from vandalism.
- (3) Place a stockpile of spill cleanup materials where it will be readily accessible.
- (4) Train employees in spill prevention and cleanup.
- (5) Designate responsible individuals to oversee and enforce control measures.
- (6) Spills should be covered and protected from stormwater runon during rainfall to the extent that it doesn't compromise clean up activities.
- (7) Do not bury or wash spills with water.



- (8) Store and dispose of used clean up materials, contaminated materials, and recovered spill material that is no longer suitable for the intended purpose in conformance with the provisions in applicable BMPs.
- (9) Do not allow water used for cleaning and decontamination to enter storm drains or watercourses. Collect and dispose of contaminated water in accordance with applicable regulations.
- (10) Contain water overflow or minor water spillage and do not allow it to discharge into drainage facilities or watercourses.
- (11) Place Material Safety Data Sheets (MSDS), as well as proper storage, cleanup, and spill reporting instructions for hazardous materials stored or used on the project site in an open, conspicuous, and accessible location.
- (12) Keep waste storage areas clean, well organized, and equipped with ample cleanup supplies as appropriate for the materials being stored. Perimeter controls, containment structures, covers, and liners should be repaired or replaced as needed to maintain proper function.

#### Cleanup

- (1) Clean up leaks and spills immediately.
- (2) Use a rag for small spills on paved surfaces, a damp mop for general cleanup, and absorbent material for larger spills. If the spilled material is hazardous, then the used cleanup materials are also hazardous and must be disposed of as hazardous waste.
- (3) Never hose down or bury dry material spills. Clean up as much of the material as possible and dispose of properly. See the waste management BMPs in this section for specific information.

#### Minor Spills

- (1) Minor spills typically involve small quantities of oil, gasoline, paint, etc. which can be controlled by the first responder at the discovery of the spill.
- (2) Use absorbent materials on small spills rather than hosing down or burying the spill.
- (3) Absorbent materials should be promptly removed and disposed of properly.
- (4) Follow the practice below for a minor spill:
- (5) Contain the spread of the spill.
- (6) Recover spilled materials.
- (7) Clean the contaminated area and properly dispose of contaminated materials.

#### Semi-Significant Spills

Semi-significant spills still can be controlled by the first responder along with the aid of other personnel such as laborers and the foreman, etc. This response may require the cessation of all other activities.

Spills should be cleaned up immediately:

- (1) Contain spread of the spill.
- (2) Notify the project foreman immediately.
- (3) If the spill occurs on paved or impermeable surfaces, clean up using "dry" methods (absorbent materials, cat litter and/or rags). Contain the spill by encircling with absorbent materials and do not let the spill spread widely.
- (4) If the spill occurs in dirt areas, immediately contain the spill by constructing an earthen dike. Dig up and properly dispose of contaminated soil.
- (5) If the spill occurs during rain, cover spill with tarps or other material to prevent contaminating runoff.

#### Significant/Hazardous Spills

For significant or hazardous spills that are in reportable quantities:

- (1) Notify the TCEQ by telephone as soon as possible and within 24 hours at 512-339-2929 (Austin) or 210-490-3096 (San Antonio) between 8 AM and 5 PM. After hours, contact the Environmental Release Hotline at 1-800-832-8224. It is the contractor's responsibility to have all emergency phone numbers at the construction site.
- (2) For spills of federal reportable quantities, in conformance with the requirements in 40 CFR parts 110,119, and 302, the contractor should notify the National Response Center at (800) 424-8802.
- (3) Notification should first be made by telephone and followed up with a written report.
- (4) The services of a spills contractor or a Haz-Mat team should be obtained immediately. Construction personnel should not attempt to clean up until the appropriate and qualified staffs have arrived at the job site.
- (5) Other agencies which may need to be consulted include, but are not limited to, the City Police Department, County Sheriff Office, Fire Departments, etc.

More information on spill rules and appropriate responses is available on the TCEQ website at: <u>http://www.tnrcc.state.tx.us/enforcement/emergency\_response.html</u>



#### Vehicle and Equipment Maintenance

- (1) If maintenance must occur onsite, use a designated area and a secondary containment, located away from drainage courses, to prevent the runon of stormwater and the runoff of spills.
- (2) Regularly inspect onsite vehicles and equipment for leaks and repair immediately
- (3) Check incoming vehicles and equipment (including delivery trucks, and employee and subcontractor vehicles) for leaking oil and fluids. Do not allow leaking vehicles or equipment onsite.
- (4) Always use secondary containment, such as a drain pan or drop cloth, to catch spills or leaks when removing or changing fluids.
- (5) Place drip pans or absorbent materials under paving equipment when not in use.
- (6) Use absorbent materials on small spills rather than hosing down or burying the spill. Remove the absorbent materials promptly and dispose of properly.
- (7) Promptly transfer used fluids to the proper waste or recycling drums. Don't leave full drip pans or other open containers lying around.
- (8) Oil filters disposed of in trashcans or dumpsters can leak oil and pollute stormwater. Place the oil filter in a funnel over a waste oil-recycling drum to drain excess oil before disposal. Oil filters can also be recycled. Ask the oil supplier or recycler about recycling oil filters.
- (9) Store cracked batteries in a non-leaking secondary container. Do this with all cracked batteries even if you think all the acid has drained out. If you drop a battery, treat it as if it is cracked. Put it into the containment area until you are sure it is not leaking.

#### Vehicle and Equipment Fueling

- (1) If fueling must occur on site, use designated areas, located away from drainage courses, to prevent the runon of stormwater and the runoff of spills.
- (2) Discourage "topping off" of fuel tanks.
- (3) Always use secondary containment, such as a drain pan, when fueling to catch spills/ leaks.



#### 5. Attachment C – Sequence of Major Activities

The following is a sequence of major activities which will involve soil disturbance along with an estimate of the area of the site to be disturbed by each activity:

Sequence No.	Description of Soil Disturbing	Estimated Area
	Activity	Disturbed by each Activity (Acres ~ Total)
1	Clearing/Grubbing/Construction Staging & Entrance/Exit (For Proposed Telecommunication Facility and Flex. Base Drive, Future Parking Areas and Concrete Sidewalks/Drains)	0.55
2	Clearing/Grubbing (For Proposed Vegetative Filter Strips and Interceptor Drains)	0.50
3	Excavation and Grading (For Proposed Telecommunication Facility and Flex. Base Drive, Future Parking Areas, Concrete Sidewalks/Drains, Proposed Vegetative Filter Strips and Interceptor Drains)	1.05
4	Final Flexible Base, Paving and Concrete Sidewalks/Drains	0.53

#### 7. Attachment D – Temporary Best Management Practices and Measures

The Temporary Best Management Practices (TBMP's) that will be used for this development are rock berms, silt fences, inlet protection, a concrete washout area and a temporary construction entrance/exit in accordance with the Site Plan. The temporary controls (i.e. rock berms, silt fences, temporary construction entrance/exit and the concrete washout area) shall be in place prior to construction activities and will be maintained by the contractor during construction. The controls shall be removed by the contractor when vegetation is established on all exposed or disturbed areas.

a. There is a drainage area that originates off-site and flows onto the project site, Drainage Area C1 (see Drainage Area Map, Sheet D1). This water will enter the site and then be conveyed around the disturbed areas via interceptor channels/by-pass drains. These interceptor drains/by-pass drains outfall into the existing detention pond where a rock berm will be installed at the pond outfall. This rock berm will capture the sediment inside the detention pond. Therefore off-site water required to enter the site will be treated by temporary rock berms prior to exiting the site.

- b. The stormwater that originates on-site will be controlled and filtered by rock berms and silt fences on the down gradient side of the areas of disturbance. The rock berms and silt fences will reduce the velocity of the water and allow the sediment to settle out and be trapped by the control device. After a significant rainfall event, it will be the contractor's responsibility to remove the sediment and debris that is captured.
- c. The BMP's will prevent pollutants from entering surface streams, sensitive features (no sensitive features present on this site), or the aquifer by capturing the silts and sediments through the utilization of the previously mentioned control devices such as silt fences and rock berms. These devices are located such that they capture the silts and sediment prior to entering the surface streams, etc. where they would otherwise be carried downstream. The settlement of the silts and sediment is due to the reduction of the velocity of the water.
- d. There were no sensitive features located on the site. However, previously described temporary measures will be maintained and incorporated where necessary to prevent contamination of stormwater runoff. In the event a sensitive feature is discovered during construction, the contractor or construction personnel shall notify the TCEQ by telephone as soon as possible and within 24 hours at (512) 339-2929 (Austin) or (210) 490-3096 (San Antonio) between 8 am and 5 pm. At that point an assessment will be made with the TCEQ as to how to best protect what was discovered.

#### 9. Attachment F – Structural Practices

The structural practices that will be used for temporary erosion/sediment control for this development are rock berms, silt fences, inlet protection, temporary construction entrance/exits, and a concrete washout area. The rock berms, silt fences and inlet protection will allow the silts and sediment to settle out prior to discharging into surface streams or sensitive features (no sensitive features present on this site). As mentioned previously, there is an existing detention pond and an enhanced extended detention basin which will also aid in the sedimentation of solids and improve the overall water quality.

#### 10. Attachment G – Drainage Area Map

The drainage area map can be found at the end of this section.

.

#### 12. Attachment I – Inspection and Maintenance for BMP's

#### A. Rock Berm Inspection and Maintenance Guidelines:

- 1) Inspection shall be made weekly and after each rainfall by the contractor.
- 2) All debris and sediment shall be removed when buildup reaches 6 inches and this accumulated debris/sediment shall be disposed in an approved site and in a manner as to not introduce additional siltation.
- 3) Any loose wire sheathing shall be repaired.
- 4) During the inspection, the berm shall be reshaped as needed.
- 5) The berm shall be replaced when the structure does not function as intended due to silt accumulation, construction traffic, etc.
- 6) The rock berm shall be left in place until all upstream disturbed areas are stabilized and the accumulated silt has been removed.

#### **B. Silt Fence Inspection and Maintenance Guidelines:**

- 1) Inspection shall be made weekly and after each rainfall by the contractor.
- 2) All sediment shall be removed when buildup reaches 6 inches.
- 3) Any torn fabric shall be replaced or a new line of fencing shall be installed parallel to the torn section.
- 4) Replace or repair areas of silt fence that have been damaged due to construction activity, vehicular access, etc. and if the silt fence is located in an area of high construction traffic, relocate to an area that will provide equal protection but will not obstruct vehicular movements.
- 5) When construction is complete, the sediment should be disposed of in a manner that will not cause additional siltation and the prior location of the silt fence should be revegetated. The fence itself should be disposed of in an approved landfill.

## C. Temporary Construction Entrance/Exit:

- 1) The entrance shall be maintained in a way that will prevent tracking of sediment onto the public right-of-way. This may require periodic top dressing with additional stone as conditions demand and repair and/or cleanout of any measures used to trap sediment.
- 2) Any sediment dropped, spilled, washed or tracked on to the public right of way shall be immediately removed by the contractor.

- 3) When applicable, wheels shall be washed to removed sediment prior to exiting the construction site.
- 4) When washing is required it shall be performed in an area that is stabilized/protected to prevent sediment from entering any public right of ways, streams or sensitive areas.

#### D. Concrete Washout Area Inspection and Maintenance Guidelines:

- 1) Inspection shall be made weekly and after each rainfall by the contractor.
- 2) When concrete accumulates 6 inches in depth, the concrete shall be broken up, removed and disposed of properly.
- 3) All controls around the perimeter of the washout area shall be checked, maintained and repaired as needed.
- Upon completion of construction, the concrete washout area shall be cleaned and all concrete shall be removed and disposed of properly. Holes, depressions or other ground disturbance caused by the removal of the temporary concrete washout facility shall be backfilled and repaired.

#### E. Inlet Protection Inspection and Maintenance Guidelines:

- 1) Inspection shall be made weekly and after each rainfall by the contractor. Repair or replacement shall be made promptly as needed by the contractor.
- Remove sediment when buildup reaches a depth of 3 inches. Removed sediment shall be deposited in a suitable area and in such a manner that it will not erode.
- 3) Check placement of device to prevent gaps between the bags.
- 4) Inspect filter fabric and patch or replace if torn or missing.
- 5) Structures shall be removed and the area stabilized only after the remaining drainage area has been properly stabilized.



#### F. Documentation and Recordkeeping:

All scheduled inspection and maintenance measures made to the temporary BMPs must be documented clearly on the Inspection Forms included for the respective BMP, showing inspection/maintenance measure performed, date and person responsible for inspection and maintenance. Any changes made to the location of type of controls shown on the accepted plans, due to onsite conditions, shall be documented on the site plan that is part of this Water Pollution Abatement Plan(WPAP). No other changes shall be made unless approved by TCEQ and the Design Engineer. Documentation shall clearly show changes made, date, person responsible for the change, and the reason for the change. All documentation and recordkeeping shall be retained onsite with the WPAP.

#### \*Person or Firm Responsible for Erosion/Sedimentation Control Maintenance:

Company:	 		
Contact:	 		
Phone:	 		 
Address:	 	 	 

Signature of Responsible Party:

(\*This information shall be filled out and signed by the responsible party prior to construction)

#### **TEMPORARY CONSTRUCTION ENTRANCE/EXIT INSPECTION FORM**

Inspection Date: \_\_\_\_\_

Signature: \_\_\_\_\_

**General Notes** 

- 1) Stone Size 4 to 8 inches crushed rock
- 2) Length as effective, but not less than 50 feet.
- 3) Thickness not less than 8 inches.
- 4) Width not less than 12 feet.
- 5) Washing when necessary, wheels shall be cleaned to remove sediment prior to access onto the public roadway. When washing is required, it shall be done so that no sediment leaves the site/development. All unfiltered sediment shall be prevented from entering any storm drain, ditch or watercourse.
- 6) Maintenance the entrance shall be maintained in a condition which will prevent tracking of sediment onto the public roadways. This may require periodic addition of stones as necessary, repair and/or cleanout of any measures used to trap sediment. All sediment spilled, dropped, washed or tracked onto the public roadway must be removed immediately.
- Drainage the entrance must be properly graded to prevent runoff from leaving the construction site.

	Yes	No	Comment
Is sediment present			
on the roadway?	-		
Is the gravel clean			
and working properly			
(relatively free of			
mud/sediment)?			
Does all traffic use the			
stabilized entrance to			
leave the site?			

Maintenance Required for Temporary Construction Entrance/Exit:

To Be Performed by:\_\_\_\_\_ On or Before:\_\_\_\_\_

F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\F-0602\_Temporary\_Stormwater\_Attachments.docx

#### SILT FENCE **INSPECTION FORM**

Inspection Date:

Signature:

General Notes:

- 1) The steel posts which support the silt fence shall be installed on a slight angle toward the anticipated runoff source. Posts must be embedded a minimum of one foot deep and spaced not more than 6 feet on center.
- 2) The toe of the silt fence shall be trenched in with a spade or mechanical trencher.
- 3) The trench must be a minimum of 6 inches deep and 6 inches wide to allow for the silt fence fabric to be laid in the ground and backfilled and compacted.
- 4) Silt fence should be securely fastened to each steel support post and to woven wire, which in turn is attached to the steel fence post. There shall be a 3 foot double overlap, securely fastened where ends of fabric meet.
- 5) Silt fence shall be removed when the site is completely stabilized so as not to block or impede storm flow or drainage.
- 6) Accumulated silt shall be removed when it reaches a depth of 6 inches. The silt shall be disposed of in an approved site and in such a manner as to not contribute additional silt.

	Yes	No	Comment
Is the bottom of the			
fabric still			
buried/secured?			
Is the fabric torn,			
missing or sagging?			
Are the post tipped			
over?			
How deep is the			
sediment?			

Maintenance Required for Silt Fence:

To Be Performed by:\_\_\_\_\_ On or Before:\_\_\_\_\_

F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\F-0602\_Temporary\_Stormwater\_Attachments.docx

### **ROCK BERMS**

**INSPECTION FORM** 

Inspection Date:

Signature:

General Notes:

- 1) The woven wire sheathing shall be perpendicular to the flow line and the sheathing shall be 20 gauge woven wire mesh with 1 inch openings.
- 2) The berm shall have a top width of 24 inches with side slopes being 2:1 (H:V) or flatter.
- 3) Placement of the rock along the sheathing shall not be less than 18 inches.
- 4) The wire sheathing shall be wrapped around the rock and secured with tie wire so that the ends of the sheathing overlap at least 2 inches, and the berm retains its shape when walked upon.
- 5) The berm shall be built along the contour at zero percent grade or as near as possible.
- 6) The ends of the berm shall be tied into the existing upslope grade and the berm shall be buried in a trench approximately 3 to 4 inches deep to prevent failure of the control.

	Yes	No	Comment
Is the berm a			
minimum of 18 inches			
high?			
Does the berm have a			
top width of 24			
inches?			
Is the level of			
sediment/silt greater			
than 6 inches?			
Does the rock berm			
need repair?			

Maintenance Required for Rock Berms:

To Be Performed by:\_\_\_\_\_ On or Before:\_\_\_\_\_

#### CONCRETE WASHOUT AREA

**INSPECTION FORM** 

Inspection Date: \_\_\_\_\_

Signature: \_\_\_\_\_

General Notes:

- 1) The concrete washout shall be located at least 50 feet from sensitive features, storm drains, open ditches or water bodies.
- 2) The containment area shall be maintained such that there is no concrete or sediment escaping the containment area and shall be lined with 10 mil plastic.
- 3) Concrete wash out wastes shall be allowed to set, be broken up, and then disposed of properly.

	Yes	No	Comment
Is the concrete washout located near any sensitive features, storm drains, open ditches or water bodies?			
Is the containment area secured and working properly?			
Is there a plastic lining?			
Does the washout area need to be cleaned from too much old concrete?			

Maintenance Required for Concrete Washout Area:

To Be Performed by:\_\_\_\_\_ On or Before:\_\_\_\_\_

#### INLET PROTECTION INSPECTION FORM

Inspection Date: \_\_\_\_\_

Signature: \_\_\_\_\_

General Notes:

- 1) Accumulated sediment shall be removed when it reaches a depth of 3 inches.
- 2) Check placement of the bags of sand around perimeter of inlet.
- 3) Inspect filter fabric and patch or replace if torn or missing.

	Yes	No	Comment
Are the bags still arranged correctly around the perimeter of the inlet?			
Is the fabric torn or missing?			
Is there debris in the inlet?			
Is the sediment 3 inches deep?			

Maintenance Required for Silt Fence:

\_\_\_\_\_

To Be Performed by:\_\_\_\_\_ On or Before:\_\_\_\_\_



#### 17. <u>Attachment J – Schedule of Interim and Permanent Soil Stabilization</u> <u>Practices</u>

#### A. Temporary Stabilization

No bare ground exposed during construction will be left to stabilize naturally. Any disturbed area where construction activities have ceased, permanently or temporarily, the contractor shall initiate temporary stabilization of the area by the use of seeding and mulching within 14 days, except in areas where construction activities are scheduled to resume within 21 days. The temporary seeding will consist of Buffalograss, Green Sprangletop and Bermuda Grass with straw or cedar mulch applied on final layer in accordance with TxDOT Item 164 – Seeding for Erosion Control. Based on the growing season at the time of construction, mixture and application rates may be modified by the engineer.

#### **B.** Permanent Stabilization

All disturbed portions of the site where construction activity permanently ceases shall be stabilized with permanent seed no later than 14 days after the last construction activity. The permanent seed mix shall consist of Bermuda Grass, Green Sprangletop and Buffalo Grass with straw or cedar mulch applied on the final layer in accordance with TxDOT Item 164 – Seeding for Erosion Control. Depending on the growing season at the time of construction, the mixture and application rates may be modified. It shall be the contractor's responsibility to sufficiently water the areas to be vegetated to achieve 70% stabilization.

# ATTACHMENT G DRAINAGE AREA MAP



	60		-	PAWELEK & MC CIVIL ENGINEER CONSULTING SE 130 W. JAHN STREE NEW BRAUNFELS,	DY, INC. RING & RVICES
		( IN FEET )		TEL: (830) 629-2563	0(2
		1 inch = $60$ ft.		FIRM No. F-9	862
	A1	LEGEND DRAINAGE AREA		B7835	OFF THAT IL
		FLOW DIRECTION		TO PP	Of
				"110600000	
	100	FXISTING CONTOURS		OWNER	
	100	PROPOSED CONTOU	RS	FREEDOM FELLOWSH 410 OAK RUN POI NEW BRAUNFELS, 1	IP CHURCH NT TX 78132
NC SEE PEF	DTE: SITE PLAN, SHEET RMANENT BEST MANA DRAINAGE AREA DESIGNATION	S1 OF 2, FOR TEMP AGEMENT PRACTICES A DRAINAGE AREAS (acres)	DRARY AND ND MEASURES.		
	A1	3.21			-
	A2	0.21			
-	A3	0.28			
-	A4	0.37			-
	A5	0.11			IT
-	B1	0.41			0
-	B2	0.63			1 CC
	B3	1.11			
	B4	1.72			II
	C1	3.06			O
	C2	0.43		ШО	
F	C3	0.009			ASAS
	C4	0.024		DU	IIX
-	D1	0.001		AE	SF.

DRAINAGE AREA DESIGNATION	COMPOSITE RUNOF	
A-B(exist-site)	0.53	
A-B(devsite)	0.55	



#### Permanent Stormwater Section

for Regulated Activities

on the Edwards Aquifer Recharge Zone and Relating to 30 TAC §213.5(b)(4)(C), (D)(Ii), (E), and (5), Effective June 1, 1999

# REGULATED ENTITY NAME: Freedom Fellowship Church

Permanent best management practices (BMPs) and measures that will be used during and after construction is completed.

- 1. <u>X</u> Permanent BMPs and measures must be implemented to control the discharge of pollution from regulated activities after the completion of construction.
- 2. X These practices and measures have been designed, and will be constructed, operated, and maintained to insure that 80% of the incremental increase in the annual mass loading of total suspended solids (TSS) from the site caused by the regulated activity is removed. These quantities have been calculated in accordance with technical guidance prepared or accepted by the executive director.
  - X The TCEQ Technical Guidance Manual (TGM) was used to design permanent BMPs and measures for this site.
  - \_\_\_\_ A technical guidance other than the TCEQ TGM was used to design permanent BMPs and measures for this site. The complete citation for the technical guidance that was used is provided below
- 3. X Owners must insure that permanent BMPs and measures are constructed and function as designed. A Texas Licensed Professional Engineer must certify in writing that the permanent BMPs or measures were constructed as designed. The certification letter must be submitted to the appropriate regional office within 30 days of site completion.
- 4. X Where a site is used for low density single-family residential development and has 20 % or less impervious cover, other permanent BMPs are not required. This exemption from permanent BMPs must be recorded in the county deed records, with a notice that if the percent impervious cover increases above 20% or land use changes, the exemption for the whole site as described in the property boundaries required by 30 TAC §213.4(g) (relating to Application Processing and Approval), may no longer apply and the property owner must notify the appropriate regional office of these changes.
  - \_\_\_\_ This site will be used for low density single-family residential development and has 20% or less impervious cover.
  - This site will be used for low density single-family residential development but has more than 20% impervious cover.
  - X This site will not be used for low density single-family residential development.

5. X The executive director may waive the requirement for other permanent BMPs for multifamily residential developments, schools, or small business sites where 20% or less impervious cover is used at the site. This exemption from permanent BMPs must be recorded in the county deed records, with a notice that if the percent impervious cover increases above 20% or land use changes, the exemption for the whole site as described in the property boundaries required by 30 TAC §213.4(g) (relating to Application Processing and Approval), may no longer apply and the property owner must notify the appropriate regional office of these changes.

- **ATTACHMENT A 20% or Less Impervious Cover Waiver.** This site will be used for multi-family residential developments, schools, or small business sites and has 20% or less impervious cover. A request to waive the requirements for other permanent BMPs and measures is found at the end of this form.
- This site will be used for multi-family residential developments, schools, or small business sites but has more than 20% impervious cover.
- X This site will not be used for multi-family residential developments, schools, or small business sites.

#### 6. **ATTACHMENT B - BMPs for Upgradient Stormwater.**

- $\underline{X}$  A description of the BMPs and measures that will be used to prevent pollution of surface water, groundwater, or stormwater that originates upgradient from the site and flows across the site is identified as **ATTACHMENT B** at the end of this form.
- If no surface water, groundwater or stormwater originates upgradient from the site and flows across the site, an explanation is provided as **ATTACHMENT B** at the end of this form.
- \_\_\_\_\_ If permanent BMPs or measures are not required to prevent pollution of surface water, groundwater, or stormwater that originates upgradient from the site and flows across the site, an explanation is provided as **ATTACHMENT B** at the end of this form .

#### 7. ATTACHMENT C - BMPs for On-site Stormwater.

- X A description of the BMPs and measures that will be used to prevent pollution of surface water or groundwater that originates on-site or flows off the site, including pollution caused by contaminated stormwater runoff from the site is identified as **ATTACHMENT C** at the end of this form.
- \_\_\_\_\_ If permanent BMPs or measures are not required to prevent pollution of surface water or groundwater that originates on-site or flows off the site, including pollution caused by contaminated stormwater runoff, an explanation is provided as **ATTACHMENT C** at the end of this form.
- 8. <u>X</u> ATTACHMENT D BMPs for Surface Streams. A description of the BMPs and measures that prevent pollutants from entering surface streams, sensitive features, or the aquifer is provided at the end of this form. Each feature identified in the Geologic Assessment as "sensitive" or "possibly sensitive" has been addressed.
- 9. <u>X</u> The applicant understands that to the extent practicable, BMPs and measures must maintain flow to naturally occurring sensitive features identified in either the geologic assessment, executive director review, or during excavation, blasting, or construction.
  - $\underline{X}$  The permanent sealing of or diversion of flow from a naturally-occurring "sensitive"



or "possibly sensitive" feature that accepts recharge to the Edwards Aquifer as a permanent pollution abatement measure has not been proposed for any naturally-occurring "sensitive" or "possibly sensitive" features on this site.

- **ATTACHMENT E Request to Seal Features.** A request to seal a naturallyoccurring "sensitive" or "possibly sensitive" feature, that includes a justification as to why no reasonable and practicable alternative exists, is found at the end of this form. A request and justification has been provided for each feature.
- 10. X ATTACHMENT F Construction Plans. Construction plans and design calculations for the proposed permanent BMPs and measures have been prepared by or under the direct supervision of a Texas Licensed Professional Engineer. All construction plans and design information have been signed, sealed, and dated by the Texas Licensed Professional Engineer. Construction plans for the proposed permanent BMPs and measures are provided at the end of this form. Design Calculations, TCEQ Construction Notes, all manmade or naturally occurring geologic features, all proposed structural measures, and appropriate details must be shown on the construction plans.
- 11. X ATTACHMENT G Inspection, Maintenance, Repair and Retrofit Plan. A plan for the inspection, maintenance, repair, and, if necessary, retrofit of the permanent BMPs and measures is provided at the end of this form. The plan has been prepared and certified by the engineer designing the permanent BMPs and measures. The plan has been signed by the owner or responsible party. The plan includes procedures for documenting inspections, maintenance, repairs, and, if necessary, retrofits as well as a discussion of record keeping procedures.
- 12. X The TCEQ Technical Guidance Manual (TGM) was used to design permanent BMPs and measures for this site.
  - Pilot-scale field testing (including water quality monitoring) may be required for BMPs that are not contained in technical guidance recognized by or prepared by the executive director.
    - \_\_\_\_ ATTACHMENT H Pilot-Scale Field Testing Plan. A plan for pilot-scale field testing is provided at the end of this form.
- 13. X ATTACHMENT I -Measures for Minimizing Surface Stream Contamination. A description of the measures that will be used to avoid or minimize surface stream contamination and changes in the way in which water enters a stream as a result of the construction and development is provided at the end of this form. The measures address increased stream flashing, the creation of stronger flows and in-stream velocities, and other in-stream effects caused by the regulated activity which increase erosion that results in water quality degradation.

#### Responsibility for maintenance of permanent BMPs and measures after construction is complete.

14. <u>X</u> The applicant is responsible for maintaining the permanent BMPs after construction until such time as the maintenance obligation is either assumed in writing by another entity having ownership or control of the property (such as without limitation, an owner's association, a new property owner or lessee, a district, or municipality) or the ownership

of the property is transferred to the entity. Such entity shall then be responsible for maintenance until another entity assumes such obligations in writing or ownership is transferred.

Х 15. A copy of the transfer of responsibility must be filed with the executive director at the appropriate regional office within 30 days of the transfer if the site is for use as a multiple single-family residential development, a multi-family residential development, or a nonresidential development such as commercial, industrial, institutional, schools, and other sites where regulated activities occur.

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This PERMANENT STORMWATER SECTION is hereby submitted for TCEQ review and executive director approval. The application was prepared by:

John J. Moy, Jr.

Print Name of Customer/Agent

Signature of Custome

5/27/14



#### PERMANENT STORMWATER SECTION

#### 5. Attachment A- 20% or Less Impervious Cover Waiver

Not Applicable.

#### 6. Attachment B- BMP's for Upgradient Stormwater

Permanent BMP's or measures are not required to prevent pollution of surface water, groundwater, or stormwater that originates upgradient of the site because the upgradient stormwater runoff that enters this will be conveyed via interceptor drains around on-site permanent BMP's and the off-site water is of different land ownership predominantly in an existing state.

#### 7. Attachment C- BMP's for On-Site Stormwater

The proposed BMP's for this site are engineered vegetative filter strips downstream of the proposed impervious cover areas consisting of the new telecommunication facility and the flexible base access drive. With this BMP, the storm water will drain, in a sheet flow manner, from the drives across the 15' wide grass filter. With the contributing drainage area being less than 72 feet and the slope of the engineered vegetated filter strip ranging from 4% to 20% (max.), the 80% removal requirement will be achieved (per TCEQ RG-348).

Additionally, an existing partial sedimentation and sand filtration pond will treat the remaining updated impervious cover areas draining to this BMP. With this BMP, the first flush is captured in the pond (Capture Volume) which allows the larger particles to settle out. The outflow from the sedimentation chamber to the sand filter chamber is controlled by a gabion basket. The sand filters the fines and other contaminated stormwater pollutants that are present in the runoff and a network of perforated PVC piping allows the filtered water to be released from the pond. In the event that a hazardous spill would occur, a gate valve will be located outside of the sand filter to close off flow.

Lastly, the existing enhanced extended detention basin and engineered vegetative filter strip will treat the remaining updated impervious cover areas draining to this BMP.

#### 8. Attachment D- BMP's for Surface Streams

The proposed BMP's for this site are engineered vegetative filter strips and the utilization of the existing partial sedimentation and sand filtration pond as well as the existing enhanced extended detention basin/vegetative filter strip. Regarding the partial sedimentation and filtration pond, the water quality pond system will capture and filter the first flush of stormwater runoff which appears to contain the most pollutants and prevent these pollutants from entering the surface streams, sensitive features (no sensitive features on this site), or the aquifer. Additionally, once the water quality volume is reached in the sedimentation/filtration pond, the remaining storm water discharges into an existing detention pond which will also allow for additional solids/pollutants time to settle. This additional time for settlement will aid in the improvement of the overall water quality and further reduce the impact of the pollutants on surface streams, sensitive features on this site), or the aquifer and further reduce the impact of the pollutants on surface streams, sensitive features (no sensitive features on this site), or the aquifer (no sensitive features) on the settlement will aid in the improvement of the overall water quality and further reduce the impact of the pollutants on surface streams, sensitive features (no sensitive features on this site), or the aquifer.

The engineered vegetative filter strips will filter the storm water runoff coming off of the paved areas. With this BMP, the storm water will drain in a sheet flow manner across the 15' wide grass filter. With the contributing drainage area being less than 72 feet and the slope of the engineered vegetated filter strip ranging from 4% to 20% (max.), the 80% removal requirement will be achieved (per TCEQ RG-348) and will prevent pollutants from entering surface streams, sensitive features, or the aquifer.

#### 10. Attachment F- Construction Plans

The design criteria/requirements for the Engineered Vegetative Filter Strips was taken from the TCEQ "Calculation Template 4-20-09" spreadsheet for Vegetative Filter Strips and is shown below.

"There are no calculations required for determining the load or size of vegetative filter strips. The 80% removal is provided when the contributing drainage area does not exceed 72 feet (direction of flow) and the sheet flow leaving the impervious cover is directed across 15 feet of engineered filter strips with a maximum slope of 20% or across 50 feet of natural vegetation with a maximum slope of 10%. There can be a break in grade as long as no slope exceeds 20%."

#### 11. Attachment G- Inspection, Maintenance, Repair and Retrofit Plan

The Maintenance Plan and Scheduled Inspection Plan is located at the end of this section.

#### 12. Attachment H- Pilot-Scale Field Testing Plan

Not Applicable.

The proposed BMP's for this site were designed according to the TCEQ Technical Guidance Manual.

#### 13. Attachment I – Measures for Minimizing Surface Stream Contamination

There are two proposed areas of minor point discharges associated with this Modification which include the proposed 8" PVC pipe that drains the island area/vegetative filter strip of the existing access drive and also the interceptor/bypass channel upstream of the new telecommunication facility and flexible base access drive. These two areas of point discharges will receive a velocity control measure which utilizes heavy rock riprap to dissipate the higher flow velocities prior to entering the natural low located downstream of these outfall locations.

# **TSS REMOVAL CALCULATIONS**

## PREPARED BY

PAWELEK & MOY, INC.

# FOR

# FREEDOM FELLOWSHIP CHURCH



F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\F-0600\_Permanent\_Stormwater\_Attachments.docx

				FREED		VSHIP CH	IURCH	*****	******	
				3.066 A	CRES OF IN	APERVIOU	S COVER			
Existing/Approve	d Enhanced Extended D	etention Ba	asin and V	/egetative F	ilter Strip	(Per Previo	ously Appr	oved WPA	P)	*****
Watershed Area	Permanent BMP	Drainage Area (Acres)	Imp. Cover (Acres)							8MP STATUS
*A1-A4	Existing Enhanced Extended Detention Basin and Vegetative Filter Strip	4.07	Note: The total proposed Impervious Cover of 1.927 acres is less than the maximum 1.927 allowed Impervious Cover of 1.928 acres (per TCEQ Approval dated July 26, 1999). IMPERVIOUS AREA							
Basin B-1 Summa	ry - Partial Sedimentatio	on and Filtr	ation Bas	in					****	
Watershed	Permanent	Drainage	Imp.	Calc. Min.	Capture	Calc. Min.	Filter	Target	TSS	
Area	BMP Partial Sedimentation and Filtration Basin	Area (Acres)	Cover (Acres)	Capture Volume	Volume Provided	Filter Area	Area Provided	TSS Removal	Removal Provided	
				(cf)	(cf)	(sf)	(sf)	(lb/yr)	(lb/yr)	
81 **Uncaptured Area 'C3' (Portion Offsite Driveway Apron Draining towards State Highway 46)	Basin B1 Overtreatment in Basin B1	0.41	0.316		3,594	290		8	<u>315</u> 0	APPROVED/EXISTING BMP
**Uncaptured Area 'C4' (Portion Offsite Driveway Apron Draining away from State Highway 46)	Overtreatment in Basin 81	0.02	0.024					22	0	
**Uncaptured Area 'D1' (Offsite Sidewalk)	Overtreatment in Basin B1	0.001	0.001					1	0	
Sub-Total - Basin B1		0.44	0.350					315	315	
Engineered Vege	tative Filter Strips	1								
Watershed Area	Permanent BMP	Drainage Area (Acres)	imp. Cover (Acres)	Calc. Min. Capture Volume (cf)	Capture Volume Provided (cf)	Calc, Min. Filter Area (sf)	Filter Area Provided (sf)	Target TSS Removal (lb/yr)	TSS Removal Provided (lb/yr)	
AS	Vegetative Filter Strips	0.11	0.020	****	~~~~		*****	18	18	APPROVED/EXISTING BMP
82	Vegetative Filter Strips	0.63	0.291					261	261	IMPERVIDUS AREA BEING UPDATED WITH THIS MOD., BUT ALSO CONTAINS APPROVED/EXISTING BMP(WHERE FINAL CONSTRUCTION IS PRESENT)
83	Vegetative Filter Strips	1.11	0.064					57	57	IMPERVIOUS AREA BEING UPDATED WITH THIS MOD., BUT ALSO CONTAINS APPROVED/EXISTING BMP{WHERE FINAL CONSTRUCTION IS PRESENT}
84	Vegetative Filter Strips	1.72	0.414					371	371	IMPERVIOUS AREA BEING UPDATED WITH THIS MOD., BUT ALSO CONTAINS APPROVED/EXISTING BMP(WHERE FINAL CONSTRUCTION IS PRESENT)
Sub-Total - Vegetative Filter Strips		3.57	0.789					707	707	
Total		**2.02	3 066		1	}		1 0 2 2	1 022	

Notes.

\*1. Includes existing driveway aprons shown on previously approved WPAP (per TCEQ letter dated July 26, 1999)

\*\*2. Areas 'C3', 'C4' and 'D1' are Off-Site Areas (Existing Driveway and Sidewalk, respectively) (Uncaptured) but being treated by Overtreatment

provided with the Water Quality Basin B1.

3. Drainage Areas Cland 'C2' are Off-site/By-pass Areas.

#### Texas Commission on Environmental Quality

TSS Removal Calculations 04-20-2009		Project Name: Freedom Fellowship Church Date Prepared: 5/22/2014								
Additional information is provided for cells with a red triangle in the upper right corner. Place the cursor over the cell. Text shown in blue indicate location of instructions in the Technical Guidance Manual - RG-348. Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Changes to these fields will remove the equations used in the spreadsheet.										
1. The Required Load Reduction for the total project:	Calculations from RG-348	Pages 3-27 to 3-30								
Page 3-29 Equation 3.3: L <sub>M</sub> = 27 2(A <sub>N</sub> x P)										
where: L <sub>M TOTAL PROJECT</sub> = Required TSS removal resulting from the proposed development = 80% of increased load A <sub>N</sub> = Net increase in impervious area for the project P = Average annual precipitation, inches Site Data: Determine Required Load Removal Based on the Entire Project County = Comal										
Total project area included in p Impervious Cover allowed to drain to Existing BMP per Original Ap Total post-development impervious area within the limits of the Total post-development impervious cover frac	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	927 ac. < Maximum 1.928 ac. per TCEQ Approval Letter ated July 26, 1999, Existing BMP is an On-Line Enhanced tended Detention Basin and Vegetated Filter Strip. ssin A1-A4								
L <sub>M TOTAL</sub> PF	ROJECT = 1022 Ibs.									
* The values entered in these fields should be for the total project	area.									

Number of drainage basins / outfalls areas leaving the plan area = 9
# Texas Commission on Environmental Quality

<form>Additional information is provided for cells with a cell binarging in the support right conner. Place the cursor over the cell. The content inducts is provided fisher. Change to the Such with and a Revised 1000 the cursor over the cell of the cursor of the cursor of the cursor over the cell of the cursor of the cursor over the cell of the cursor of the cursor over the cell of the cursor ov</form>	emoval Calculations 04-20-2009			Project Name: F Date Prepared:	Freedom Fellowship Church 5/22/2014
1. Constructed conduction function construction       Determinant       Determinant         1. Constructed conduction function construction       Determinant       Determinant         1. Construction       Determinant       Determinant       Determinant         1. Construction       Determina	Additional information is provided for cells with a red triangle Text shown in blue indicate location of instructions in the Technic Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Chan	in the uppe al Guidance ges to these	ir right corner. Manual - RG-3 e fields will rer	Place the curs 48. nove the equatio	or over the cell. ons used in the spreadsheet.
<text><form>         Part 3 = 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2</form></text>	1. The Required Load Reduction for the total project:	Calculations I	rom RG-348	Ŧ	2ages 3-27 to 3-30
inter       Light place of the spectral Statemode along the proposed set expectral = 0 the discretions and the spectral set of the spectral set o	Page 3-29 Equation 3.3: L <sub>M</sub>	= 27.2(A <sub>N</sub> x P)			
Ste Date:       Contract rate included in the first in the first included in the first included in the first included in the first included inc	where: Lay TOTAL PHOLECT A <sub>N</sub> = p :	<ul> <li>Required TS\$</li> <li>Net increase</li> <li>Average annumers</li> </ul>	S removal resulting in impervious area ual precipitation, in	g from the proposed of a for the project inches	development = 80% of increased load
Indervious Loval allocates to drain to strain to get up (a) by (a) (b) (b) (b) (b) (b) (b) (b) (b) (b) (b	Site Data: Determine Required Load Removal Based on the Entire Projec County = Total project area included in plan 1 =	ot = Coma <del>l</del> = 8.05	acres		
	Impervious Cover allowed to drain to Existing BMP per Original Approved WPAP Total post-development impervious area within the limits of the plan" = Total post-development impervious cover fraction * =	3 1.927 = <u>3.066</u> = <u>0.38</u>	acres 1.5 acres Da	927 ac. < Maximum ated July 26, 1999, E: itended Detention Ba	1.928 ac. per TCEQ Approval Letter kisting BMP is an On-Line Enhanced sin and Vegetated Filter Strip.
Authore of dramage basins / outfalls areass leaving the plan area = 0             S. Dianage Basin Parameters (This information should be provided for each basin.             Dianage Basin/Outfall Area No. = 2       Image         Dianage <td< td=""><td> Lw total project ? • The values entered in these fields should be for the total project area.</td><td>= 1022</td><td>lbs.</td><td></td><td></td></td<>	 Lw total project ? • The values entered in these fields should be for the total project area.	= 1022	lbs.		
1. Ordinage Basin Parameters (This information should be provided for each basin)         9. Drainage Basin/Outfall area e       0.400       acrea         9. Drainage BAP Code for this basin       Drainage Basin/Outfall area e       0.400         9. Drainage BAP Code for this basin       Proposed BMP Code for this basin       Acrea         9. Drainage Basin/Outfall area e       9       percent       Acrea         9. Drainage Basin/Outfall area e       9       percent       Acrea         9. Drainage Basin/Outfall area e       9       percent       Acrea       Acrea         9. Drainage Basin/Outfall area e       9       percent       Acrea       Acrea<	Number of drainage basins / outfalls areas leaving the plan area =	= 9			
Drainage Basin/Outfall Area No.       2       Basin B1         Total drainage basin/outfall area =       0.410       acrea         Prodevelopment impervious area within drainage basin/outfall area =       0.310       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea         Solid development impervious fraction within drainage basin/outfall area =       0.370       acrea	2. Drainage Basin Parameters (This information should be provided for ear	ch basin):			
Total drainage basin/outfail area =       0.410       acres         Post-development impervious area within drainage basin/outfail area =       0.315       acres         Post-development impervious fraction within drainage basin/outfail area =       0.317       term         Us trippade       284       bs.         J. Indicate the proposed BMP Code for this basin.       Proposed BMP = Sand Filter       Aqualogic Cartridge Filter Bioretention         Removal efficiency =       89       percent       Aqualogic Cartridge Filter Bioretention         Constructed Welland       Constructed Welland       Extense       Storetention         Constructed Welland       Extense       Storetention       Constructed Welland         Extense       Extense       Storetention       Constructed Welland         Extense       Extense       Storetention       Krassy Swale         Retension / Irrigation       Storetention       Welland         Extense       Extense       Welland       Extense         Vortects       Weil Basin       Weil Basin       Weil Basin         Markingum TSS Lead Removed (La) for this Drainage Basin by the selected BMP Type.       Melland       Weil Basin         Merce:       Ac = Total On-Site drainage area in the BMP catchment area       A = Impervious area proposed in the BMP catchment area	Drainage Basin/Outfall Area No. =	= 2	Ba	isin 81	
3. Indicate the proposed BMP Code for this basin.         Proposed BMP = Sand Filter Removal efficiency = 89 percent       Aqualogic Cartridge Filter Bioretention Contech StormFilter Constructed Welland Extended Detention Grassy Swale Retention / Irrigation Sand Filter Stormceptor Vegetated Filter Strips Vortechs Wet Basin         4. Calcludate Maximum TSS Load Removed [La] for this Drainage Basin by the selected BMP Type.         RG-348 Rage 3-38 Equation 3.7: L <sub>R</sub> = (BMP efficiency) × P x (A <sub>1</sub> x 34.6 + A <sub>P</sub> x 0.54)         where:       A <sub>c</sub> = Total On-Site drainage area in the BMP catchment area A <sub>P</sub> = Pervious area proposed in the BMP catchment area A <sub>P</sub> = TSS Load removed from this catchment area A <sub>P</sub> = TSS Load removed from this catchment area by the proposed BMP	Total drainage basin/outfall area = Predevelopment impervious area within drainage basin/outfall area = Post-development impervious area within drainage basin/outfall area = Post-development impervious fraction within drainage basin/outfall area = Lay 1918 as an	= 0.410 = 0.000 = 0.316 = 0.77 = 284	acres acres acres Ibs.		
Proposed BMP = Sand Filter         Removal efficiency =       89 percent         Aqualogic Cartridge Filter         Bioretention         Context Storm/Filter         Constructed Welland         Extended Detention         Grassy Swale         Retention / Irrigation         Sand Filter         Storm ceptor         Vegetated Filter Strips         Vortechs         Wet Basin         Wet Vauit    4. Calculate Maximum TSS Load Removed [L_b] for this Drainage Basin by the selected BMP Type.          RG-348 Page 3-33 Equation 3.7:         where:       A <sub>c</sub> = Total On-Site drainage area in the BMP catchment area         A <sub>r</sub> = impervious area proposed in the BMP catchment area         A <sub>p</sub> = Pervious area remaining in the BMP catchment area         A <sub>p</sub> = TSS Load removed from this calchment area by the proposed BMP	3. Indicate the proposed BMP Code for this basin.				
RG-348 Page 3-33 Equation 3.7 L <sub>R</sub> = (BMP efficiency) x P x (A <sub>1</sub> x 34.6 + A <sub>P</sub> x 0.54)     where:	Proposed BMP = Removal efficiency =	= Sand Filter = 89	percent	A E C C C C C C C C C C C C C C C C C C	Aqualogic Cartridge Filter lioretention Contech StormFilter Constructed Welland Extended Detention Frassy Swale Retention / Inrigation and Filter Stormceptor Vegetated Filter Strips Fortechs Vet Basin Vet Vault
where: A <sub>C</sub> = Total On-Site drainage area in the BMP catchment area A <sub>t</sub> = Impervious area proposed in the BMP catchment area A <sub>P</sub> = Pervious area remaining in the BMP catchment area L <sub>R</sub> = TSS Load removed from this catchment area by the proposed BMP	4. LaiLurate Maximum 155 Load Removed [Lo] for this Urainage Basin by	(BMP officient	<u>mr iype.</u> ανίχ Ρχ (Δ. γ 34 i	6 + A- x 0 54)	
At = Impervious area proposed in the BMP catchment area         At = Impervious area proposed in the BMP catchment area         AP = Pervious area remaining in the BMP catchment area         L <sub>R</sub> = TSS Load removed from this catchment area by the proposed BMP	protocro rozya (minimilane artist) - LR -	Total On-Site	drainane area in t	he BMP catchment a	rea
	Ac- Ar Ap= Lg=	<ul> <li>Impervious ar</li> <li>Pervious area</li> <li>TSS Load rem</li> </ul>	ea proposed in the remaining in the noved from this ca	e BMP catchment are BMP catchment area BMP catchment area atchment area by the	proposed BMP

A <sub>C</sub> =	0.410	acres
A <sub>1</sub> =	0,316	acres
A <sub>P</sub> =	0.09	acres
L <sub>R</sub> =	323	íbs

ulate Fraction of Annual Runoff to Treat the drainage basin / outfall a	area			
Desired L <sub>M THIS BASIN</sub> =	315	lbs.		
F =	0.98			
6. Calculate Capture Volume required by the BMP Type for this drainage ba	isin / ou <u>tfall</u>	area.	Calculations from RG-348	Pages 3-34 to 3-36
Rainfall Depth =	3.33	inches		
Post Development Runoff Coefficient = On-site Water Quality Volume =	0.59 2900	cubic feet		
	Calculations	from RG-348	Pages 3-36 to 3-37	
Off-site area draining to BMP =	0.00	acres		
Off-site Impervious cover draining to BMP =	0.00	acres		
Impervious fraction of off-site area =	0			
Off-site Runoff Coefficient =	0.00			
Off-site Water Quality Volume =	0	cubic feet		
Storage for Sediment =	580			
Total Capture Volume (required water quality volume(s) x 1.20) =	3481	cubic feet		
The following sections are used to calculate the required water quality volu The values for BMP Tunes not calculate in cell C45 will show NA	me(s) for the	e selected BMI	Ρ.	
The values for own Types for selected in centers with show the				
9. Filter area for Sand Filters	Designed as	Required in R	G-348 Pages 3-58 to 3	-63
NOT 9A. Full Sedimentation and Filtration System				
Water Quality Volume for sedimentation basin =	3481	cubic feet		
Minimum filter basin area =	161	square feet		
Maximum sedimentation basin area =	1450	square feet	For minimum water depth of 2 feet	
Minimum sedimentation basin area -	303	square leet	For maximum water depth or o reet	
USED9B. Partial Sedimentation and Filtration System				
Water Quality Volume for combined basins =	3481	cubic feet	3,594 cf (PROVIDED)	
Minimum filter basin area =	290	square feet	X 1.20 = 348 sf (375 sf PROVIDED)	
Maximum sedimentation basin area =	1160	square feet	For minimum water depth of 2 feet	
Minimum sedimentation basin area =	73	square feet	For maximum water depth of 8 feet	

#### Texas Commission on Environmental Quality TSS Removal Calculations 04-20-2009 Project Name: Freedom Fellowship Church Date Prepared: 5/22/2014 Additional information is provided for cells with a red triangle in the upper right corner. Place the cursor over the cell. Text shown in blue indicate location of instructions in the Technical Guidance Manual - RG-348 Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Changes to these fields will remove the equations used in the spreadsheet. Calculations from RG-348 Pages 3-27 to 3-30 1. The Required Load Reduction for the total project: Page 3-29 Equation 3.3: L<sub>M</sub> = 27.2(A<sub>N</sub> x P) LM TOTAL PROJECT = Required TSS removal resulting from the proposed development = 80% of increased load where: AN = Net increase in impervious area for the project P = Average annual precipitation, inches Site Data: Determine Required Load Removal Based on the Entire Project County = Total project area included in plan \* = Comal 8.05 acres Impervious Cover allowed to drain to Existing BMP per Original Approved 1.927 acres 1.927 ac. < Maximum 1.928 ac. per TCEQ Approval Letter WPAP Total post-development impervious area within the limits of the plan" = Total post-development impervious cover fraction " = 3.066 Dated July 26, 1999, Existing BMP is an On-Line Enhanced acres Extended Detention Basin and Vegetated Filter Strip. P: 33 inches LM TOTAL PROJECT = 1022 lbs. \* The values entered in these fields should be for the total project area. Number of drainage basins / outfails areas leaving the plan area = 9 2. Drainage Basin Parameters (This information should be provided for each basin): Drainage Basin/Outfall Area No. = 3 Basin C3 Total drainage basin/outfall area = 0.010 acres Predevelopment impervious area within drainage basin/outfall area = Post-development impervious area within drainage basin/outfall area = 0.000 acres 0.009 acres Post-development impervious fraction within drainage basin/outfall area = 0.90 LM THIS BASIN = 8 lbs 3. Indicate the proposed BMP Code for this basin. Proposed BMP = Sand Filter Removal efficiency = 89 percent Aqualogic Cartridge Filter Bioretention Contech StormFilter Constructed Wetland Extended Detention Grassy Swale Retention / Irrigation Sand Filter

Stormceptor Vegetated Filter Strips Vortechs Wet Basin Wet Vault

# Texas Commission on Environmental Quality

TSS Removal Calculations 04-20-2009		Project Name: Date Prepared:	Freedom Fellowship Church 5/22/2014
Additional information is provided for cells with a red triangle Text shown in blue indicate location of instructions in the Technica Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Chan	in the upper right co I Guidance Manual - R ges to these fields wi	mer. Place the curs G-348. Il remove the equat	sor over the cell. ions used in the spreadsheet.
1. The Required Load Reduction for the total project:	Calculations from RG-348	3	Pages 3-27 to 3-30
Page 3-29 Equation 3.3; L <sub>M</sub> =	27.2(A <sub>N</sub> x P)		
where: L <sub>M TOTAL PROJECT</sub> = A <sub>N</sub> = P =	Required TSS removal re Net increase in imperviou Average annual precipitat	sulting from the propose s area for the project ion, inches	d development = 80% of increased load
Site Data: Determine Required Load Removal Based on the Entire Proje County = Total project area included in plan * = Impervious Cover allowed to drain to Existing BMP per Original Approved	ct Comai 8.05 acres		
WPAP * Total post-development impervious area within the limits of the plan * Total post-development impervious cover fraction *	3.066 acres	1.927 ac. < Maximum Dated July 26, 1999, Extended Detention B	11.928 ac. per TCEQ Approval Letter Existing BMP is an On-Line Enhanced Basin and Vegetated Filter Strip.
= 4	inches		
L <sub>M TOTAL PROJECT</sub> = * The values entered in these fields should be for the lotal project area.	1022 lbs.		
Number of drainage basins / outfalls areas leaving the plan area =	9		
2. Drainage Basin Parameters (This Information should be provided for ea	ch basin):		
Drainage Basin/Outfall Area No. =	4	Basin C4	
Total drainage basin/outfall area = Predevelopment impervious area within drainage basin/outfall area = Post-development impervious area within drainage basin/outfall area = Post-development impervious fraction within drainage basin/outfall area = L <sub>M THES BARD</sub>	0.020         acres           0.000         acres           0.024         acres           1.20         22		
3. Indicate the proposed BMP Code for this basin.			
Proposed BMP = Removal efficiency =	Sand Filter 89 percent		Aqualogic Cartridge Filter Bioretention Contech StormFilter Constructed Wetland Extended Detention Grassy Swale Retention / Imgation Sand Filter Stormceptor Vegetated Filter Strips Vortechs Wet Basin Wet Vault

# Texas Commission on Environmental Quality

TSS Removal Calculations 04-20-2009		Project Name: Freedom Fellowship Church Date Prepared: \$22/2014
Additional information is provided for cells with a red triangle in Text shown in blue indicate location of instructions in the Technical C Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Change	The upper right corner. Suidance Manual - RG-34 es to these fields will rer	Place the cursor over the cell. 8. nove the equations used in the spreadsheet.
1. The Required Load Reduction for the total project:	alculations from PG-348	Plates 3-27 to 3-30
Page 3-29 Equation 3.3: $L_{\rm M}$ = 2	7.2(A <sub>N</sub> x P)	
where: $\label{eq:LM:total_statistics} \begin{split} L_{M:total_statistics} &= R \\ & A_N = N \\ P = A \end{split}$	Required TSS removal resulting let increase in impervious area iverage annual precipitation, in	g from the proposed development = 80% of increased load a for the project nches
Site Data: Determine Required Load Removal Based on the Entire Project County = Total project area included in plan '= Impervious Cover allowed to drain to Existing BMP per Original Approved WPAP ' Total post-development impervious area within the limits of the plan '=	Cornal         8.05         acres           1.927         acres         1.9           3.086         acres         Da           0.38         acres         Da	927 ac. < Maximum 1.926 ac. per TCEQ Approval Letter ted July 26, 1999, Existing BMP is an On-Line Enhanced teorade Detection Serie and Vecedited Eller Struct
P =	1022 ibs.	lendeo Delention dasin and vegetaleo Filer Surp.
Number of drainage basins / outfails areas leaving the plan area =	9	
2. Orainage Basin Parameters (This information should be provided for each	basin):	
Drainage Basin/Outfall Area No. ≂	S Ba	sin D1
Total drainage basin/outfall area = Predevelopment impervious area within drainage basin/outfall area = Post-development impervious area within drainage basin/outfall area = Post-development impervious fraction within drainage basin/outfall area =	9.901 acres 0.000 acres 0.001 acres 1.00	
-rains easin	t terus.	
3. Indicate the proposed BMP 2 G Removal efficiency =	and Filter 89 percent	Aqualogic Cartridge Filter Bioretention Contech StormFilter Constructed Wetland Extended Detention Grassy Swale Retention / Irrigation Sand Filter Stormceptor Vegetated Filter Strips Vortechs Wet Basin Wet Vault

#### Texas Commission on Environmental Quality TSS Removal Calculations 04-20-2009 Project Name: Freedom Fellowship Church Date Prepared: 5/22/2014 Additional information is provided for calls with a red triangle in the upper right corner. Place the cursor over the cell. Text shown in blue indicate location of instructions in the Technical Guidance Manual - RG-348 Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Changes to these fields will remove the equations used in the spreadsheet. Calculations from RG-348 Pages 3-27 to 3-30 1. The Required Load Reduction for the total project: Page 3-29 Equation 3.3: L<sub>M</sub> = 27.2(A<sub>N</sub> x P) where: LM TOTAL MINISTER = Required TSS removal resulting from the proposed development = 80% of increased load A<sub>N</sub> = Net increase in impervious area for the project P = Average annual precipitation, inches Site Data: Determine Required Load Removal Based on the Entire Project County = Total project area included in plan \* = Corrist acres 3.05 impervious Cover allowed to drain to Existing BMP per Original Approved 1.927 acres 1.927 ac. < Maximum 1.928 ac. per TCEQ Approval Letter WPAP Total post-development impervious area within the limits of the plan" = Total post-development impervious cover fraction " = 3.066 Dated July 26, 1999, Existing BMP is an On-Line Enhanced acres Extended Detention Basin and Vegetated Filter Strip. P = 33 inches LMIGRAPHONECT = 1022 lbs " The values intered in these fields should be for the total project area. Number of drainage basins / outfalls areas leaving the plan area = 9 2. Drainage Basin Parameters (This Information should be provided for each basin): Drainage Basin/Outfall Area No. = Basin A5 6 Total drainage basin/outfall area = 0.110 acres Predevelopment impervious area within drainage basin/outfall area = .<u>a don</u> acres Post-development impervious area within drainage basin/outfall area = 0.020 acres Post-development impervious fraction within drainage basin/outfail area = 0.18 LASTINS BASIN = 18 ibs 3. Indicate the proposed BMP Code for this basin. Proposed BMP = Vegetated Filter Strips Removal efficiency = 85 percent Aqualogic Cartndge Filter Bioretention Contech StormFilter Constructed Wetland Extended Detention Grassy Swale Retention / Irrigation Sand Filter Stormceotor Vegetated Filter Strips Vorlechs Wet Basin Wet Vault 4. Calculate Maximum TSS Load Removed (L<sub>R</sub>) for this Drainage Basin by the selected BMP Type.

R0-348 Page 3-33 Equation 3.7: La = (BMP efficiency) x P x (A, x 34.6 + Ap x 0.54)

where:

Ac = Total On-Site drainage area in the BMP catchment area

- A<sub>I</sub> = Impervious area proposed in the BMP catchment area
- A<sub>P</sub> = Pervious area remaining in the BMP catchment area
- Le = TSS Load removed from this catchment area by the proposed BMP

A <sub>C</sub> =	4,13	acres
A₁ ≈	0.52	acres
Ap =	0.09	acres
L <sub>R</sub> ≃	21	lbs









## 5. Calculate Fraction of Annual Runoff to Treat the drainage basin / outfall area

#### Desired L<sub>M THIS BASIN</sub> = 18 lbs.

#### F = 0.87

16. Vegetated Filter Strips

## Designed as Required in RG-348

Pages 3-55 to 3-57

There are no calculations required for datamining the load or size of vagetative filter sinps. The 80% removal is provided when the contributing drainage area does not exceed 72 feet (direction of Row) and the sheet how leaving the processions cover is directed across 15 feet of angineerod filter strips with maximum slope of 20% or across 50 feet of natural vegetation with a maximum slope of 10%. There can be a break in grade as long as no slope exceeds 20%.

If vegetative litter strips are proposed for an interim permanent GMP; they may be sized as described on Page 3-56 of RG-348.

#### Texas Commission on Environmental Quality TSS Removal Calculations 04-20-2009 Project Name: Freedom Fellowship Church Date Prepared: 5/22/2014 Additional information is provided for cells with a red triangle in the upper right corner. Place the cursor over the cell. Text shown in blue indicate location of instructions in the Technical Guidance Manual - RG-348. Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Changes to these fields will remove the equations used in the spreadsheet. 1. The Required Load Reduction for the total project: Calculations from RG-348 Pages 3-27 to 3-30 Page 3-29 Equation 3.3: L<sub>M</sub> = 27.2(A<sub>N</sub> x P) LM TOTAL PROJECT = Required TSS removal resulting from the proposed development = 80% of increased load where A<sub>N</sub> = Net increase in impervious area for the project P = Average annual precipitation, inches Site Data: Determine Required Load Removal Based on the Entire Project County = Total project area included in plan \* = Comal 8.05 acres Impervious Cover allowed to drain to Existing BMP per Original Approved 1.927 acres 1.927 ac. < Maximum 1.928 ac. per TCEO Approval Letter WPAP Total post-development impervious area within the limits of the plan' = Total post-development impervious cover fraction ' Dated July 26, 1999, Existing BMP is an On-Line Enhanced 3.066 acres 0.38 Extended Detention Basin and Vegetated Filter Strip. P = 33 inches LM TOTAL PROJECT = 1022 lbs \* The values entered in these fields should be for the total project area. Number of drainage basins / outfalls areas leaving the plan area = 9 2. Drainage Basin Parameters (This information should be provided for each basin): Drainage Basin/Outfall Area No. = 7 Basin B2 Total drainage basin/outfall area = 0.630 acres Predevelooment impervious area within drainage basin/outfall area = 0.000 acres Post-development impervious area within drainage basin/outfall area = 0.291 acres Post-development impervious fraction within drainage basin/outfall area = 0.46 LA THIS BASIN = 261 lbs. 3. Indicate the proposed BMP Code for this basin. Proposed BMP = Vegetated Filter Strips Removal efficiency = 85 percent Aqualogic Cartridge Filter Bioretention Contech StormFilter Constructed Wetland Extended Detention Grassy Swale Retention / Irrigation Sand Filler Stormcentor Vegetated Filter Strips Vortechs

## 4. Calculate Maximum TSS Load Removed (La) for this Drainage Basin by the selected BMP Type.

RG-348 Page 3-33 Equation 3.7: L<sub>R</sub> = (BMP efficiency) x P x (A<sub>1</sub> x 34.6 + A<sub>P</sub> x 0.54)

where:

- Ac = Total On-Site drainage area in the BMP catchment area
- A<sub>1</sub> = Impervious area proposed in the BMP catchment area
- $A_{\rm P}$  = Pervious area remaining in the BMP catchment area
- L<sub>R</sub> = TSS Load removed from this catchment area by the proposed BMP

Wet Basin Wet Vault

$A_{\rm C} =$	0.63	acres
A, =	0.29	acres
Ap =	0.34	acres
L <sub>R</sub> =	288	lbs

## 5. Calculate Fraction of Annual Runoff to Treat the drainage basin / outfall area

	Desired $L_{M \to HS}$ basin =	261	lbs.	
	۴ a	0.91		
16. Vegetated Filter Strips	D	isigned as	Required in RG-348	Pages 3-55 to 3-57
- And a state of the second state of the	na sé déla complete alternative la la complete de l	C. Characteria and S.		

There are no calculations required for determining the load or size of vegetative filter strips. The 80% removal is provided when the contributing drainage area does not exceed 72 feet (direction of flow) and the sheet flow leaving the impervious cover is directed across 15 feet of angineered filter strips with maximum slope of 20% or across 50 feet of natural vegetation with a maximum slope of 10%. There can be a treak in grade as long as no stope exceeds 20%

If vegetative litter strips are proposed for an interim carmanent GMP, they may be sized as described on Page 3-58 of RG-348.

#### Texas Commission on Environmental Quality TSS Removal Calculations 04-20-2009 Project Name: Freedom Fellowship Church Date Prepared: 5/22/2014 Additional information is provided for cells with a red triangle in the upper right corner. Place the cursor over the cell. Text shown in blue indicate location of instructions in the Technical Guidance Manual - RG-348 Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Changes to these fields will remove the equations used in the spreadsheet. 1. The Required Load Reduction for the total project: Calculations from RG-348 Pages 3-27 to 3-30 Page 3-29 Equation 3.3: L<sub>M</sub> = 27.2(A<sub>N</sub> x P) L<sub>M TOTAL PROJECT</sub> = Required TSS removal resulting from the proposed development = 80% of increased load where: A<sub>N</sub> = Net increase in impervious area for the project P = Average annual precipitation, inches Site Data: Determine Required Load Removal Based on the Entire Project Comai County = Total project area included in plan \* = 8.05 acres Impervious Cover allowed to drain to Existing BMP per Original Approved 1.927 acres 1.927 ac. < Maximum 1.928 ac. per TCEQ Approval Letter Dated July 26, 1999, Existing BMP is an On-Line Enhanced WPAP Total post-development impervious area within the limits of the plan' = Total post-development impervious cover fraction ' = 3.066 acres 0.38 Extended Detention Basin and Vegetated Filter Strip. P= 33 inches LM TOTAL PROJECT = 1022 Ibs. The values entered in these fields should be for the total project area. 9 Number of drainage basins / outfalls areas leaving the plan area = 2. Drainage Basin Parameters (This Information should be provided for each basin): Drainage Basin/Outfall Area No. = 8 Basin B3 Total drainage basin/outfall area = 1.110 acres Predevelopment impervious area within drainage basin/outfall area = 0.000 acres Post-development impervious area within drainage basin/outfall area = 0.064 acres Post-development impervious fraction within drainage basin/outfall area = 0.06 LM THES BASIN = 57 lbs. 3. Indicate the proposed BMP Code for this basin. Proposed BMP = Vegetated Filter Strips Removal efficiency = 85 percent Aqualogic Cartridge Filter Bioretention Contech StomFilter Constructed Wetland Extended Detention Grassy Swale Retention / Imigation Sand Filter Stormceptor Vegetated Filter Strips Vortechs Wet Basin Wet Vault 4. Calculate Maximum TSS Load Removed [L<sub>R</sub>] for this Drainage Basin by the selected BMP Type.

RG-348 Page 3-33 Equation 3.7 L<sub>R</sub> = (BMP efficiency) x P x (A<sub>1</sub> x 34.6 + A<sub>P</sub> x 0.54)

where:

A<sub>c</sub> = Total On-Site drainage area in the BMP catchment area

- A<sub>1</sub> = Impervious area proposed in the BMP catchment area
- A<sub>P</sub> = Pervious area remaining in the BMP catchment area
- $L_{\text{R}}$  = TSS Load removed from this catchment area by the proposed BMP

A <sub>C</sub> =	1 11	acres
A1 =	0.06	acres
A <sub>p</sub> ≃	1.05	acres
L <sub>R</sub> =	78	lbs





## 5. Calculate Fraction of Annual Runoff to Treat the drainage basin / outfall area

	Desired L <sub>M THIS BASIN</sub> =	57	lbs.	
	F =	F = 0.73		
16. Vegetated Filter Strips	D	esigned a	s Required in RG-348	Pages 3-55 to 3-57
short data? William it agent	States and the set of the set of the	a - 010 C		

There are no calculations required for determining the load or size of vegetative filter strips. The 80% removal is provided when the contributing drainage area does not exceed 72 feet (direction of flow) and the sheet flow leaving the impervious cover is directed across 15 feet of engineered filter strips with maximum slope of 20% or across 50 feet of natural vegetation with a maximum slope of 10%. There can be a break in grade as long as no slope exceeds 20%.

If vegetative filter strips are proposed for an interim permanent BMP, they may be sized as described on Page 3-56 of RG-348

#### Texas Commission on Environmental Quality TSS Removal Calculations 04-20-2009 Project Name: Freedom Fellowship Church Date Prepared: 5/22/2014 Additional information is provided for cells with a red triangle in the upper right corner. Place the cursor over the cell. Text shown in blue indicate location of instructions in the Technical Guidance Manual - RG-348 Characters shown in red are data entry fields. Characters shown in black (Bold) are calculated fields. Changes to these fields will remove the equations used in the spreadsheet. Calculations from RG-348 Pages 3-27 to 3-30 1. The Required Load Reduction for the total project: Page 3-29 Equation 3.3: L<sub>M</sub> = 27.2(A<sub>N</sub> x P) where: L<sub>M TOTAL PROJECT</sub> = Required TSS removal resulting from the proposed development = 80% of increased load $A_N =$ Net increase in impervious area for the project P = Average annual precipitation, inches Site Data: Determine Required Load Removal Based on the Entire Project County = Total project area included in plan \* = Comal 8.05 acres Impervious Cover allowed to drain to Existing BMP per Original Approved 1,927 acres 1.927 ac. < Maximum 1.928 ac. per TCEQ Approval Letter Dated July 26, 1999, Existing BMP is an On-Line Enhanced WPAP Total post-development impervious area within the limits of the plan' = 3.066 acres Total post-development impervious cover fraction ' = 0.38 Extended Detention Basin and Vegetated Filter Strip P = inches 33 1022 LM TOTAL PROJECT = lbs. \* The values entered in these fields should be for the total project area. Number of drainage basins / outfalls areas leaving the plan area = 9 2. Drainage Basin Parameters (This information should be provided for each basin): Drainage Basin/Outfall Area No. = Basin B4 9 Total drainage basin/outfall area = 1 720 acres Predevelopment impervious area within drainage basin/outfall area = 0.000 acres Post-development impervious area within drainage basin/outfall area = 0.414 acres Post-development impervious fraction within drainage basin/outfall area = 0.24 LM THIS BASIN = 371 lbs. 3. Indicate the proposed BMP Code for this basin.

Proposed BMP = Vegetated Filter Strips Removal efficiency = 85 percent

Aqualogic Cartridge Filter Bioretention Contech StomFilter Constructed Wetland Extended Detention Grassy Swale Retention / Irrigation Sand Filter Stormceptor Vegetated Filter Strips Vortechs Wet Basin Wet Vault

## 4. Calculate Maximum TSS Load Removed (Lg) for this Drainage Basin by the selected BMP Type.

RG-348 Page 3-33 Equation 3 7: L<sub>R</sub> = (BMP efficiency) x P x (A<sub>1</sub> x 34.6 + A<sub>P</sub> x 0.54)

where:

 $A_{C}$  = Total On-Site drainage area in the BMP catchment area

- $A_{\rm I}$  = Impervious area proposed in the BMP catchment area
- $A_{\!\mathcal{P}}$  = Pervious area remaining in the BMP catchment area
- $\mathsf{L}_\mathsf{R}$  = TSS Load removed from this catchment area by the proposed  $\mathsf{BMP}$

A <sub>C</sub> ≠	1.72	acres
A1 =	0.41	acres
Ap =	1.31	acres
L <sub>R</sub> =	422	Ibs



## 5. Calculate Fraction of Annual Runoff to Treat the drainage basin / outfall area

	Desired L <sub>M THIS BASIN</sub> =	371	lbs.	
	F =	0.88		
16. Vegetated Filter Strips	De	signed as	Required in RG-348	Pages 3-55 to 3-57

There are no calculations required for determining the load or size of vegetative filter strips. The 80% removal is provided when the contributing drainage area does not exceed 72 feet (direction of flow) and the sheet flow leaving the impervious cover is directed across 15 feet of engineered filter strips with maximum slope of 20% or across 50 feet of natural vegetation with a maximum slope of 10%. There can be a break in grade as long as no slope exceeds 20%.

If vegetative filter strips are proposed for an interim permanent BMP, they may be sized as described on Page 3-56 of RG-348.

# Attachment "G" Maintenance Plan and Schedule for Vegetative Filter Strip

PROJECT NAME:	Freedom Fellowship Church
ADDRESS:	410 Oak Run Point
CITY, STATE, ZIP:	New Braunfels, Texas 78132
VEGETATIVE FILTER ST	RIP (per TCEQ: RG-348)
Pest Management:	An Integrated Pest Management (IPM) Plan shall be implemented consisting of minimal or no use of herbicides for insect and weed control. Weeds shall be manually removed from the vegetative filter strip where possible and if an abundance of weeds/insects are present, the filter strip shall be sprayed with an environmentally/vegetative safe pesticide/herbicide.
Seasonal Mowing and Lawn Care:	If the filter strip is made up of turf grass, it should be mowed as needed to limit vegetation height to 18 inches, using a mulching mower (or removal of clippings). If native grasses are used, the filter may require less frequent mowing, but at a minimum of twice annually. Grass clippings and brush debris should not be deposited on the vegetated filter strip areas. Regular mowing shall include weed control practices, with herbicide use kept to a minimum.
Inspection:	The filter strip shall be inspected at a minimum of twice annually for erosion or damage to vegetation; however, additional inspection after periods of heavy runoff is most desirable. The strip shall be checked for uniformity of grass cover, debris and litter, and areas of sediment accumulation. More frequent inspections of the grass cover during the first few years after establishment will help to determine if any problems are developing, and to plan for long-term restorative maintenance needs. Bare spots and areas of erosion identified during semi-annual inspections must be replanted and restored to meet specifications. Construction of a level spreader device may be necessary to reestablish shallow overland flow.
Debris and Litter Removal:	All filter strips shall be kept free of obstructions to reduce floatables being flushed downstream, and for aesthetic reasons. The need for this practice is determined through periodic inspection, but shall be performed no less than 4 times per year.
Sediment Removal:	Sediment removal is not normally required, since the vegetation normally grows through it and binds it to the soil. However, sediment may accumulate along the upstream boundary of the strip preventing uniform overland flow. Excess sediment shall be removed by hand or with flat-bottomed shovels.
Grass Reseeding and mulching:	A healthy dense grass shall be maintained on the filter strip. If areas are eroded, they shall be filled, compacted and reseeded so that the final grade is level. Grass damaged during the sediment removal process shall be promptly replaced using the same seed mix used during filter strip establishment. If possible, flow should be diverted from the damaged areas until the grass is firmly established. Bare spots and areas identified during semi-annual inspections must be replanted and restored to meet specifications. Corrective maintenance, such as weeding or replanting shall be done more frequently in the first two to three years after installation to ensure stabilization. Dense vegetation may require irrigation immediately after planting, during particularly dry periods and when vegetation is initially established.

"Proper" disposal of accumulated silt shall be accomplished following Texas Commission on Environmental Quality guidelines and specifications.

An amended copy of this document will be provided to the Texas Commission on Environmental Quality within thirty (30) days of any changes in the following information.

Responsible Party for Maintenance Address City, State Zip Telephone Number

Signature of Responsible Party

Print Name of Responsible Party

Freedom Fellowship Church - James Gallaher 410 Oak Run Point New Braunfels, Texas 78132 (830) 625-1288 12000

F:\1402.01 - Freedom-Celeris\dwg\WPAP-MOD\Attachment G Maintenance Plan - VegetativeFilters.doc

## Attachment "G" Maintenance Plan and Schedule for Vegetative Filter Strip(cont.)

I have reviewed the attached Maintenance Plan and Schedule for the Vegetative Filter Strips and to the best of my knowledge certify that, if the Plan and Schedule are adhered to, the Vegetative Filter Strips will perform as designed.

JOHN J. MOY JR. 254 Cosiona. Selfer P 19 1) mgh P.E. 5/27/14

# **Agent Authorization Form** For Required Signature Edwards Aquifer Protection Program Relating to 30 TAC Chapter 213 Effective June 1, 1999 James Gallaher Print Name Associate Pastor Title - Owner/President/Other Freedom Fellowship Church of Corporation/Partnership/Entity Name John J. Moy, Jr. have authorized Print Name of Agent/Engineer Pawelek & Moy, Inc. of Print Name of Firm

to represent and act on the behalf of the above named Corporation, Partnership, or Entity for the purpose of preparing and submitting this plan application to the Texas Commission on Environmental Quality (TCEQ) for the review and approval consideration of regulated activities.

I also understand that:

- 1. The applicant is responsible for compliance with 30 Texas Administrative Code Chapter 213 and any condition of the TCEQ's approval letter. The TCEQ is authorized to assess administrative penalties of up to \$10,000 per day per violation.
- 2. For those submitting an application who are not the property owner, but who have the right to control and possess the property, additional authorization is required from the owner.
- 3. Application fees are due and payable at the time the application is submitted. The application fee must be sent to the TCEQ cashier or to the appropriate regional office. The application will not be considered until the correct fee is received by the commission.
- 4. A notarized copy of the Agent Authorization Form must be provided for the person preparing the application, and this form must accompany the completed application.
- 5. No person shall commence any regulated activity on the Edwards Aquifer Recharge Zone, Contributing Zone or Transition Zone until the appropriate application for the activity has been filed with and approved by the Executive Director.



TCEQ-0599 (Rev.04/01/2010)

SIGNATURE PAGE:



BEFORE ME, the undersigned authority, on this day personally appeared <u>ames</u> <u>Gallaher</u> known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that (s)he executed same for the purpose and consideration therein expressed.

GIVEN under my hand and seal of office on this 6 day of May, 2014.

2.12 TARY PUBLIC

SHANNON LENE CARROLL Notary Public, State of Texas My Commission Expires July 10, 2017

Shannoh L. Corrol Typed or Printed Name of Notary

MY COMMISSION EXPIRES: 7-8-14



# Texas Commission on Environmental Quality Edwards Aquifer Protection Program Application Fee Form

NAME OF PROPOSED REGULATED	ENTITY: Fre	edom Fel	lowship C	hurch	
REGULATED ENTITY LOCATION: 4	10 Oak Rur	1 Point,	New Braun	fels, TX.	
NAME OF CUSTOMER: Freedom	Fellowshi	o Church			
CONTACT PERSON: James Gall	aher	P	HONE: (830	) <u>625-1288</u>	
(Please Print)					
Customer Reference Number (if	issued): CN	60139	9827	(nine digits)	
Regulated Entity Reference Number (if	issued): RN	102745	5890	(nine digits)	
Austin Regional Office (3373)	🗌 Hays	Travis	Williams	on	
San Antonio Regional Office (3362)	Bexar	X Comal	Medina	Kinney	Uvalde

Application fees must be paid by check, certified check, or money order, payable to the **Texas Commission on Environmental Quality**. Your canceled check will serve as your receipt. This form must be submitted with your fee payment. This payment is being submitted to (Check One):

Austin Regional Office

Mailed to TCEQ: TCEQ – Cashier Revenues Section Mail Code 214 P.O. Box 13088 Austin, TX 78711-3088

Site Location (Check All That Apply): X Recharge Zone

X San Antonio Regional Office

Overnight Delivery to TCEQ: TCEQ - Cashier 12100 Park 35 Circle Building A, 3rd Floor Austin, TX 78753 512/239-1278

Contributing Zone

Transition Zone

Type of Plan	Size	Fee Due
Water Pollution Abatement Plan, Contributing Zone Plan: One Single Family Residential Dwelling	Acres	\$
Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and Parks	Acres	\$
Water Pollution Abatement Plan, Contributing Zone Plan: Non-residential	8.05 Acres	\$ 5000.00
Sewage Collection System	L.F.	\$
Lift Stations without sewer lines	Acres	\$
Underground or Aboveground Storage Tank Facility	Tanks	\$
Piping System(s)(only)	Each	\$
Exception	Each	\$
Extension of Time	Each	\$

Signature

If you have questions on how to fill out this form or about the Edwards Aquifer protection program, please contact us at 210/490-3096 for projects located in the San Antonio Region or 512/339-2929 for projects located in the Austin Region.

Individuals are entitled to request and review their personal information that the agency gathers on its forms. They may also have any errors in their information corrected. To review such information, contact us at 512/239-3282.

# Texas Commission on Environmental Quality Edwards Aquifer Protection Program Application Fee Schedule 30 TAC Chapter 213 (effective 05/01/2008)

# Water Pollution Abatement Plans and Modifications Contributing Zone Plans and Modifications

PROJECT	PROJECT AREA IN ACRES	FEE
One Single Family Residential Dwelling	< 5	\$650
Multiple Single Family Residential and Parks	< 5 5 < 10 10 < 40 40 < 100 100 < 500 ≥ 500	\$1,500 \$3,000 \$4,000 \$6,500 \$8,000 \$10,000
Non-residential (Commercial, industrial, institutional, multi-family residential, schools, and other sites where regulated activities will occur)	<pre>&lt; 1 1 &lt; 5 5 &lt; 10 10 &lt; 40 40 &lt; 100 ≥ 100</pre>	\$3,000 \$4,000 \$5,000 \$6,500 \$8,000 \$10,000

# Organized Sewage Collection Systems and Modifications

PROJECT	COST PER LINEAR FOOT	MINIMUM FEE MAXIMUM FEE
Sewage Collection Systems	\$0.50	\$650 - \$6,500

# Underground and Aboveground Storage Tank System Facility Plans and Modifications

PROJECT	COST PER TANK OR PIPING SYSTEM	MINIMUM FEE MAXIMUM FEE
Underground and Aboveground Storage Tank Facility	\$650	\$650 - \$6,500

# **Exception Requests**

PROJECT	FEE
Exception Request	\$500

# **Extension of Time Requests**

PROJECT	FEE
Extension of Time Request	\$150



6400 INTERNATIONAL PA PLANO, TX WWW.GOODMANNE	ARKWAY, STE. 1000 75093 TWORKS.COM		PNC Bank, N.A. 060 New Jersey 55-277/312	07-MAY-14
TO THE Texas Com	mission On Environment	tal Quality	at a second of	*****5,000.00 \$
vive Thousand Dollar	rs And Zero Cents*****	*****		DO
Texas Commission 14250 Judson Roa San Antonio, TX United States	n On Environmental Qual d 78233	lity	VOID AFTE	ER 180 DAYS
5X3012	4 4			
u <b>*</b> ]	64729# 403120	35 08 <b>1</b> 07 5 C		QUIRED OVER \$50,000.0
• ••••				
DMAN NETWORKS.	INC.			
DMAN NETWORKS, Texas Commission	n On Environmental		12606	1647
Texas Commission 7-MAY-14	n On Environmental Total: \$5	,000.00	12606	1647
Texas Commission 7-MAY-14 SX3012 WATER I	n On Environmental Total: \$5 \$5,000.00	,000.00	12606	1647
7-MAY-14 SX3012 WATER I	INC. n On Environmental Total: \$5 \$5,000.00	,000.00	12606	1647
7-MAY-14 SX3012 WATER I	INC. n On Environmental Total: \$5 \$5,000.00	,000.00	Network	1647
DMAN NETWORKS, Texas Commission 7-MAY-14 SX3012 WATER I	INC. n On Environmental Total: \$5 \$5,000.00	,000.00	Network	1647 <
DMAN NETWORKS, Texas Commission 7-MAY-14 SX3012 WATER I	INC. n On Environmental Total: \$5 \$5,000.00	,000.00	I2606 Network	1647 <s< td=""></s<>

-



# **TCEQ Core Data Form**



For detailed instructions regarding completion of this form, please read the Core Data Form Instructions or call 512-239-5175.

# **SECTION I: General Information**

1. Reason for Submission (If other is checked please describe in space provided)

X	New Permit, Registration or Authorization	(Core Data Form should be submitted with the	program application)
terrand 1	, <u>u</u>		

Renewal (Core Data Form should be submitted with the renewal form) Other

2. Attachments	Describe Any Attachments: (ex. Title V Application, Waste Transporter Application, etc.)
XYes No	Modification of Previously Approved WPAP

XYes	No	Modification of	f Previously A	pprove	d WPAP	
3. Customer	Reference	e Number (if issued)	Follow this link to search	4. Regula	ted Entity Reference Number (if issued)	
CN	60139	9827	for CN or RN numbers in Central Registry**	RN	102745890	

# **SECTION II: Customer Information**

5. Effective	Date for Cu	stomer Information Update	s (mm/dd/yyyy)					
6. Customer Role (Proposed or Actual) - as it relates to the Regulated Entity listed on this form. Please check only one of the following:								
Owner		Operator	Owne	er & Operator				
Occupational Licensee Responsible Party Voluntary Cleanup Applicant Other								
7. General C	Customer In	formation						
New Cus	New Customer         Update to Customer Information         Change in Regulated Entity Ownership							
Change in	n Legal Nam	e (Verifiable with the Texas S	Secretary of State	)	X No Chan	<u>qe**</u>		
**// "No Cha	ange" and S	ection I is complete, skip to	o Section III - Re	gulated Entity Inf	formation.			
8. Type of C	ustomer:	Corporation	🗌 Indivi	idual	Sole Proprietors	ship- D.B.A		
City Gov	ernment	County Government	🗌 Fede	ral Government	State Governme	ent		
Other Go	overnment	General Partnership	🗌 Limit	ed Partnership	Other:			
9. Customer	r Legal Nam	e (If an individual, print last nan	ne first: ex: Doe, Joh	nn) <u>If new Cus</u> below	tomer, enter previous (	<u>Customer</u>	End Date:	
10. Mailing								
700/033.	City		State	ZIP		ZIP + 4		
11. Country	Mailing Info	rmation (if outside USA)	Land Land	12. E-Mail Ad	dress (il applicable) i a	ames@fre	edomnb.org	
13. Telephone Number     14. Extension or Code     15. Fax Number (if applicable)								
( ) -								
16. Federal	Tax ID (9 digits	17. TX State Franchise	Tax ID (11 digits)	18. DUNS Num	iber (if applicable) 19. T	X SOS Filing	Number (il applicable)	
20. Number of Employees 21. Independently Owned and Operated?								
0-20	0-20 21-100 101-250 251-500 501 and higher Yes No							
			_					

# **SECTION III: Regulated Entity Information**

22. General Regulated Entity Information (If 'New Regulated Entity" is selected below this form should be accompanied by a permit application) New Regulated Entity Update to Regulated Entity Name Update to Regulated Entity Information No Change\*\* (See below) "If "NO CHANGE" is checked and Section I is complete, skip to Section IV, Preparer Information. 23. Regulated Entity Name (name of the site where the regulated action is taking place)



24. Street Address					
of the Regulated Entity:					
<u>(No P.O. Boxes)</u>	City	State	ZIP	ZIP + 4	
25. Mailing Address:					
	City	State	ZIP	ZIP + 4	
26. E-Mail Address:					
27. Telephone Numb	er	28. Extension or Cod	le 29. Fax Numl	Ser (if applicable)	
( ) -			( )	-	
30. Primary SIC Code (4 digits) 31. Secondary SIC Code (4 digits)			mary NAICS Code	33. Secondary NAICS Code (5 or 6 digits)	
94 160	D : (11)				
34. What is the Prima	ary Business of this	s entity? (Please do not repeat the S	IC or NAICS description.)		

## Questions 34 - 37 address geographic location. Please refer to the instructions for applicability.

35. Description t Physical Locatio	o in:					
36. Nearest City		County	State	9	Nearest ZIP Code	
37. Latitude (N)	In Decimal:		38. Longitude (W)	In Decimal:		
Degrees	Minutes	Seconds	Degrees	Minutes	Seconds	

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form or the updates may not be made. If your Program is not listed, check other and write it in. See the Core Data Form instructions for additional guidance.

Dam Safety	Districts	Edwards Aquifer	Industrial Hazardous Waste	Municipal Solid Waste
New Source Review - Air	OSSF .	Petroleum Storage Tank	PWS	Sludge
	·			
Stormwater	Title V – Air	Tires	Used Oil	Utilities
·				
Voluntary Cleanup	Waste Water	Wastewater Agriculture	U Water Rights	Other:
1	· · · · · · · · · · · · · · · · · · ·			

# **SECTION IV: Preparer Information**

40. Name:	John J.	Moy, Jr.,	Ρ.Ε.	41. Title:	Civil Engineer
42. Telephone Number		43. Ext./Code	44. Fax Number	45. E-Mail /	Address
(830)629-2563		-	(830)629-2564	johnmo	by711@sbcglobal.net

# **SECTION V: Authorized Signature**

**46.** By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 9 and/or as required for the updates to the ID numbers identified in field 39.

(See the Core Data Form instructions for more information on who should sign this form.)

Company:	Pawelek & Moy, Inc.	ject Engineer		
Name (In Print) :	John J. Moy, Jr.		Phone:	(830)629-2563
Signature:	Joh John h		Date:	5/27/14