

Comal County

OFFICE OF COMAL COUNTY ENGINEER

License to Operate On-Site Sewage Treatment and Disposal Facility

Issued This Date: 04/24/2019

Permit Number: 108898

Location Description:

1631 PURGATORY RD

NEW BRAUNFELS, TX 78132

Subdivision:

Eden Ranch

Unit:

4

Lot:

110

Block: Acreage:

Type of System:

Aerobic

Surface Irrigation

Issued to:

Aric T. Whittaker

This license is authorization for the owner to operate and maintain a private facility at the location described in accordance to the rules and regulations for on-site sewerage facilities of Comal County, Texas, and the Texas Commission on Environmental Quality.

The license grants permission to operate the facility. It does not guarantee successful operation. It is the responsibility of the owner to maintain and operate the facility in a satisfactory manner.

Alterations to this permit including, but not limited to:

- Increase in the square feet of living area
- Increase in the number of bedrooms
- A change of use (i.e. residential to commercial)
- Relocation of system components (including the relocation of spray heads)
- Installation of landscaping
- Adding new structures to the system

may require a new permit. It is the responsibility of the owner to apply for a new permit, if applicable.

Inspection and licensing of a facility indicates only that the facility meets certain minimum requirements. It does not impede any governmental entity in taking the proper steps to prevent or control pollution, to abate nuisance, or to protect the public health.

This license to operate is valid for an indefinite period. The holder may transfer it to a succeeding owner, provided the facility has not been remodeled and is functioning properly.

Licensing Authority

Comal County Environmental Health

ENVIRONMENTAL HEALTH COOKDINATOR

ENVIRONMENTAL HEALTH INSPECTOR

OS0034322

Installer Name: NWSUN		OSSF Installer #:	20 22 CC	
1st Inspection Date:	2./9 2nd Inspection Dat	te:3rd	Inspection Date:	
Inspector Name: anwie	ud. Inspector Name:		Inspector Name:	
1,2000	0. 1/	Purgatory	Rd.	
Permit#: // Description	Anwser Citations	Notes	1st Insp.	2nd Insp. 3rd Ins
Description SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials	285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)			
SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards	285.91(10) 285.30(b)(4) 285.31(d)			
SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)	285.32(a)(1)	See vers	>	1
SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot	285.32(a)(3)			
SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)	285.32(a)(5)			
PRETREATMENT Installed (if				THE RESERVE
required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements	285.32(b)(1)(G)285.32(b)(1			
PRETREATMENT Grease Interceptors if required for commercial	285.34(d)			

4.2.19

Tank Set. Level-No haks Not convected to house. opprational. Cover or remail rocks opprational. Cover or remail rocks . Connected to house covered - Cocks removed

0.	Description	Anwser	Cltations	Notes	1st insp.	2nd Insp.	3rd Insp.
	SEPTIC TANK Tank(s) Clearly Marked SEPTIC TANK If SingleTank, 2 Compartments Provided with Baffle SEPTIC TANK Inlet Flowline Greater than 3" and " T " Provided on Inlet and Outlet SEPTIC TANK Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(E) 285.91(2) 285.32(b)(1)(F) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(I) 285.32(b)(1)(E)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(B) 285.32(b)(1)(A) 285.32(b)(1)(A)				26.
	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped	110	285.38(d)				
0	SEPTIC TANK Secondary restraint system provided SEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
2	SEPTIC TANK Tank Volume Installed						
	PUMP TANK Volume Installed						
3	AEROBIC TREATMENT UNIT Size Installed	1		(000)	-		
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number	-		Muster	/		
	DISPOSAL SYSTEM Absorptive		285.33(a)(1) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
16	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
17	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

lo. Description Anwse		Notes	1st Insp.	2nd Insp.	3rd Insp.
DISPOSAL SYSTEM Drip Irrigation	285.33(a)(1) 285.33(a)(3)		9 9		
	285.33(a)(4)				250
	285.33(a)(2)				- 4
					Spill (Ship)
DISPOSAL SYSTEM Soil	285.33(d)(4)				
Substitution					
DISPOSAL SYSTEM Pumped	285.33(a)(3)				
Effluent	285.33(a)(1)			新加利斯	
	285.33(a)(2) 285.33(a)(3)	<u> </u>			
DISPOSAL SYSTEM Gravelless Pipe	285.33(a)(2)				
	285.33(a)(4)				
	285.33(a)(1)				
DISPOSAL SYSTEM Mound	285.33(a)(3) 285.33(a)(1)				
	285.33(a)(2)				
	285.33(a)(4)			14,231	
, 不可能的问题,随时被对此的问题的。					11/1
DISPOSAL SYSTEM Other	285.33(d)(6)				
(describe) (Approved Design)	285.33(c)(4)				
4					
DRAINFIELD Absorptive Drainline	有 相结	· · · · · · · · · · · · · · · · · · ·		4	
3" PVC				1	
or 4" PVC					
DRAINFIELD Area Installed					
DRAINFIELD Level to within 1 inch				rent and take and the	
per 25 feet and within 3 inches				100	
over entire excavation	285.33(b)(1)(A)(v)			111	
7					
DRAINFIELD Excavation Width					
DRAINFIELD Excavation Depth	以上			11.5	
DRAINFIELD Excavation			大川 田田	10.10	
Separation DRAINFIELD Depth of					18
Porous Media					111
DRAINFIELD Type of Porous Media				100	Ma .
					To the second
8					
DRAINFIELD Pipe and Gravel -	285.33(b)(1)(E)				
Geotextile Fabric in Place			2. 中国 100 (100 (100 (100 (100 (100 (100 (100		10 S 10 S 12 S 10 S
DRAINFIELD Leaching Chambers					
DRAINFIELD Chambers - Open End					
Plates w/Splash Plate, Inspection					
Port & Closed End Plates in Place (per manufacturers spec.)	285.33(c)(2)				
(per manufacturers spec.)	THE THE				
	1			Part Inch	12
30		HILLIAN PROBLEMS OF SERVICE STATE OF SERVICE	Supplicate Million Co. La Principal		
LOW PRESSURE DISPOSAL					
SYSTEM Adequate Trench Length & Width, and Adequate					
Separation Distance between	285.33(d)(1)(C)(i)				
Trenches					
31					

0.	Description	Anwser	Citations	Notes	1st insp.	2nd Insp.	3rd Insp.
	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3)(B) 285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.	1	285.32(c)(1)		-		
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system						
	provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions	Pa I					
	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						2400
38	PUMP TANK Secondary restraint system provided PUMP TANK Electrical Connections in Approved Junction						

No.	Description	Anwser	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?	/	285.33(d)(2)(G)(iii)(II)285.3 3(d)(2)(G)(iii)(III)285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
41	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed	/	285.33(d)(2)(G)(i) 285.33(d)(2)(A) 285.33(d)(2)(F)				
42	APPLICATION AREA Area Installed	レ				V	
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed	189					No.

Installer Name: Masan	OSSF Installer	: 05003355le	1
1st Inspection Date: 4.2./9	2nd Inspection Date:	3rd Inspection Date:	
Inspector Name: anwled .	Inspector Name:	Inspector Name:	
108899	1/121 Duran	tory Ra	

lo.	Permit#: // Description	Anwser	Address:	PURGUIO	0.8152498	1st Insp.	2nd Insp.	3rd Insp.
	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials	/	285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)					
	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)					
	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)	See ve	NS.			
	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)					
	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)					
	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G)285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)					
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)					

4.2.19

Tank Set. Level-No house.

Not convected to house.


ophranional. cover or remail rocks
in spran-

No.		Anwser	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	SEPTIC TANK Tank(s) Clearly Marked SEPTIC TANK If SingleTank, 2 Compartments Provided with Baffle SEPTIC TANK Inlet Flowline Greater than 3" and " T " Provided on Inlet and Outlet SEPTIC TANK Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(E) 285.91(2) 285.32(b)(1)(F) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii) 285.32(b)(1)(E)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(B) 285.32(b)(1)(A) 285.32(b)(1)(E)(iv)				
	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
.0	SEPTIC TANK Secondary restraint system provided SEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
2	SEPTIC TANK Tank Volume Installed						
	PUMP TANK Volume Installed	100					
13	AEROBIC TREATMENT UNIT Size Installed	1		(000)	-		
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number	-		Muster	/		
	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
16	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
17	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

No.		Anwser	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
19	DISPOSAL SYSTEM Soil		285.33(d)(4)				
0	Substitution						
21	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(3) 285.33(a)(1) 285.33(a)(2)				
	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)				
22	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)				
23	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC						
	DRAINFIELD Area Installed						
26	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
27	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media						
28							
29	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)				
30							p portion of the
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)				

No.	Description	Anwser	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3)(B) 285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		/ 285.32(c)(1)		-		
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with	/			/		
36	Chlorine Tablets in Place. PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
37	PUMP TANK Secondary restraint system provided PUMP TANK Electrical						
39	Connections in Approved Junction Boxes / Wiring Buried						

No.	Description	Anwser	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?	/	285.33(d)(2)(G)(iii)(II)285.3 3(d)(2)(G)(iii)(III)285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)			~	
40	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed	/	285.33(d)(2)(G)(i) 285.33(d)(2)(A) 285.33(d)(2)(F)				
41	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 108898

Issued This Date: 03/27/2019

This permit is hereby given to: Aric T. Whittaker

To start construction of a private, on-site sewage facility located at:

1631 PURGATORY RD NEW BRAUNFELS, TX 78132

Subdivision: Eden Ranch

Unit: 4

Lot: 110

Block:

Acreage:

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.

* * * COMAL COUNTY OFFICE OF ENVIRONMENTAL HEALTH * * * APPLICATION FOR PERMIT FOR AUTHORIZATION TO CONSTRUCT AN ON-SITE SEWAGE FACILITY AND LICENSE TO OPERATE

Date			Permit#	108898
Owner Name	Aric T. Whittaker	Agent Name	Douglas R. Dowle	arn, R.S.
Mailing Address	1350 Scenic View Drive	Agent Address	703 Oak Drive	
City, State, Zip	Canyon Lake, TX 78133	City. State, Zip	Blanco, TX 78606	
Phone #	830.837.0050 (Tyler Mason)	Phone #	210.240.2101	
Email	tyler@buildingwithar.com	Email	txseptic@gmail.co	m
All corres	spondence should be sent to: Owner	Agent 🐼 Both	Method:	Mail 🔀 Email
Subdivision Nam	ne Eden Ranch Section 4	Unit	Lot 110	Block
Acreage/Legal	5.05			
	Idress 1631 Purgatory Road	City Can	yon Lake	Zip 78133
Type of Develop	pment:			
Single Fan	nily Residential			
Type of Con	nstruction (House, Mobile, RV, Etc.) Mobile			RECEIVED
Number of E	Bedrooms 3			MAR 2 0 2019
Indicate Sq	Ft of Living Area 1568			WAR DO LOIS
Commercia	al or Institutional Facility			COUNTY ENGINEER
acknowledge of the con-	erials must show adequate land area for doubling	the required land neede	d for treatment units a	and disposal area)
Type of Fac				
	ctories, Churches, Schools, Parks, Etc India	cate Number Of Occur	pants	
	s. Lounges, Theaters - Indicate Number of Sc			
	I, Hospital, Nursing Home - Indicate Number	Commence was a second transfer		
	er/RV Parks - Indicate Number of Spaces			加州,其中,
Miscellaneo				
	of the proposed OSSF located in the United		mplete	
	No (if yes, owner must provide approval from USA)			
Yes of Water	r So Public Private Well	CE for proposed Coor imp	Comments within the Co	NOC Isanaya assertang
	ng Devices Being Utilized Within the Residen	na? FE Van FT N		
By signing this ap The completed a facts. Authorization is site/soil evaluati I understarid tha by the Comal Co	pplication, I certify that: application and all additional information submitted thereby given to the permitting authority and designion and inspection of private sewage facilities. It is permit of authorization to construct will not be county Flood Darriage Prevention Order. Insent to the online posting/public-release of my e	d does not contain any fa mated agents to enter up issued until the Floodpla	alse information and do non the above describ in Administrator has p	ed property for the purpose of performed the reviews require
	1116	3-14	-19	Sieny
Signature of C	Owner	Date		Date ,

* * * COMAL COUNTY OFFICE OF ENVIRONMENTAL HEALTH * * * APPLICATION FOR PERMIT FOR AUTHORIZATION TO CONSTRUCT AN ON-SITE SEWAGE FACILITY AND LICENSE TO OPERATE

Planning Materials & Site Evaluation as Required Comple	
System Description Aerobic treatment with spray distribut	tion
Size of Septic System Required Based on Planning Materi	ials & Soil Evaluation
Tank Size(s) (Gallons) 600 gpd	Absorption/Application Area (Sq Ft) 3750 Required
Gallons Per Day (As Per TCEQ Table III) 240	
(Sites generating more than 5000 gallons per day are required to	obtain a permit through TCEQ.)
Is the property located over the Edwards Recharge Zone?	¥ Yes □ No
(If yes, the planning materials must be completed by a Registere	d Sanitarian (R.S.) or Professional Engineer (P.E.)) MAR 2 0 2019
Is there an existing TCEQ approved WPAP for the propert	y? Yes No Exemption granted COUNTY ENGINEE
(If yes, the R.S. or P.E. shall certify that the OSSF design compli	그들은 그는 그렇게 하는 그는 그는 그를 보고 있어야 한다면 하는 것이 되었다. 그들은 그는 그는 그를 보고 있다면 하는 것이 없는 것이 없는 것이 없는 것이 없는 것이다. 그렇게 되었다.
If there is no existing WPAP, does the proposed developm	nent activity require a TCEQ approved WPAP? Yes No
(If yes, the R.S. or P.E. shall certify that the OSSF design will conbe issued for the proposed OSSF until the proposed WPAP has	mply with all provisions of the proposed WPAP. A Permit to Construct will not been approved by the appropriate regional office.)
Is the property located over the Edwards Contributing Zon	e? 🗌 Yes 😿 No
Is there an existing TCEQ approval CZP for the property?	☐ Yes ☑ No
(If yes, the P.E. or R.S. shall certify that the OSSF design compli	es with all provisions of the existing CZP.)
If there is no existing CZP, does the proposed developmen	nt activity require a TCEQ approved CZP? Yes No
(If yes, the R.S. or P.E. shall certify that the OSSF design will consisted for the proposed OSSF until the CZP has been approved	mply with all provisions of the proposed CZP. A Permit to Construct will not be by the appropriate regional office.)
Is this property within an incorporated city? Yes	No
If yes, indicate the city:	
By signing this application, I certify that:	
- The information provided above is true and correct to the best of	of my knowledge. y e-mail address associated with this permit application, as applicable.
A CONTROL OF THE STATE OF THE S	3/11/19

Date

Signature of Designer

Page 2 of 2





AFFIDAVIT TO THE PUBLIC

RECEIVED

THE COUNTY OF COMAL STATE OF TEXAS

MAR 20 2019

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities Thi Quality CR (OSSF's), this document is filed in the Deed Records of Comai County, Texas.

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (commission) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Weter Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description)

Lot 110. Eden Ranch Section 4

Whittaker (insert owner's full name):

This OSSF must be covered by a continuous maintenance contract for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally

Upon sale or transfer of the above-described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for the OSSF can be obtained from the Comat County Engineer's Office.

WITNESS BY HAND(S) ON THIS 14 DAY OF MOTOL

SWORN TO AND SUBSCRIBED BEFORE ME ON THIS 14 DAY OF

Notary's Printed Name: Or My Commission Empire

Recorder's Memorandum

This document was of poor quality at the time of recording and will not reproduce.





RECEIVED

MAR 2 0 2019

COUNTY ENGINEER

This page has been added to comply with the statutory requirement that the clerk shall stamp the recording information at the bottom of the last page.

This page becomes part of the document identified by the file clerk number affixed on preceding pages.

Filed and Recorded
Official Public Records
Bobbie Koepp, County Clerk
Comal County, Texas
03/14/2019 02:07:21 PM
TERRI 2 Page(s)
201906008654

Bobbie Koepp

WASTEWATER TREATMENT FACILITYY MONITORING AGREEMENT

Regulatory Authority
Block Creek Aerobic Services, LLC
444 A Old Hwy #9
Comfort, TX 78013
Off. (830) 995-3189
Fax. (830) 995-4051

Permit/License Number
Customer Aric T. Whittaker
Site Address 1631 Purgatory Road
City Canyon Lake
City Canyon Lake
City Canyon Lake
City County Comal
Map #
Phone 932-687 2748
COUNTY ENGINEER
Email City Whiftaker @ yahoo.com

I. General: This Work for Hire Agreement (hereinafter referred to as "Agreement") is entered into by and between Arlo T. Whittaker (hereinafter referred to as "Customer") and Block Creek Aerobic Services, I.I.C. By this agreement, Block Creek Aerobic Services, LLC and its employees (hereinafter inclusively referred to as "Contractor") agree to render services at the site address stated above, as described herein, and the Customer agrees to fulfill his/her/their responsibilities, as described herein.

This Agreement commences on Sure date of License to Operate and ends on 2 yrs from License to Operate for a total of two (2) years (initial agreement) or one (1) year (thereafter). If this is an initial agreement (new installation), the Customer shall notify the Contractor within two (2) business days of the system's first use to establish the date of commencement. If no notification is received by Contractor within ninety (96) days after completion of installation or where county authority mandates, the date of commencement will be the date the "License to operate" (Notice of Approval) was issued by the permitting authority. This agreement may or may not commence at the same time as any warranty period of installed equipment, but in no case shall it extend the specified warranty.

III. Termination of Agreement:

This Agreement may be terminated by either party for any reason, including for example, substantial failure of either party to perform in accordance with the terms of this Agreement, without fault or liability of the terminating party. The terminating party must provide written notice to the non-terminating party thirty (30) days prior to the termination of this Agreement. If this Agreement is terminated, Contractor will be paid at the rate of \$75.00 per hour for any work performed and for which compensation has not been received. After the deduction of all outstanding charges, any remaining montes from prepayment for services will be refunded to customer within thirty (30) days of termination of this Agreement. Either party terminating this Agreement for any reason, including non-renewal, shall notify in writing the equipment manufacturer and the appropriate regulatory agency a minimum of thirty (30) days prior to the date of such termination. Nonpayment of any kind shall be considered breach of contract and a termination of contract.

IV. Services:

Contractor will:

- a Inspect and perform routine upkeep on the On-Site Sewage Facility (hereinafter referred to as OSSF) as recommended by the treatment system manufacturer, and required by state and/or local regulation, for a total of three visits to site per year. The list of items checked at each visit shall be the control panel, Electrical circuits, timer, Actuation including compressor and diffusers, CFM/PSI measured, lids safety pans, pump, compressor, shalge levels, and anything else required as per the manufacturer.
- b Provide a written record of visits to the site by means of an inspection tag attached to or contained in the control panel.
- c. Repair or replace, if Contractor has the necessary materials at site, any component of the OSSF found to be failing or inoperative during the course of a routine monitoring visit. If such services are not covered by warranty, and the service(s) cost less than \$190.00, Customer hereby authorizes Contractor to perform the service(s) and bill Customer for said service(s). When service costs are greater than \$100.00, or if contractor does not have the necessary supplies at the site, Contractor will notify Customer of the required service(s) and the associated cost(s). Customer must notify Contractor of arrangements to affect repair of system with in two (2) business days after said notification.
- d. Provide sample collection and laboratory testing of TSS and BOD on a yearly basis (commercial systems only).
 - e. Forward copies of this Agreement and all reports to the regulatory agency and the Customer.
- f. Visit site in response to Customer's request for unscheduled services within forty-eight (48) hours of the date of notification (weekends and holidays excluded) of said request. Unless otherwise covered by warranty, costs for such unscheduled responses will be billed to Customer.

A



V. Disinfection:

Not required: X required. The responsibility to maintain the disinfection device(s) and provide any necessary

nemicals is that of the Customer.

MAR 2 0 2019

VI. Electronic Monitoring

Electronic Monitoring is not included in this Agreement.

COUNTY ENGINEER

VII. Performance of Agreement:

Commencement of performance by Contractor under this Agreement is confingent on the following conditions:

a. If this is an initial Agreement (new installation):

I. Contractor's receipt of a fully executed original copy or facsimile of this agreement and all documentation requested by Contractor.

If the above conditions are not met. Contractor is not obligated to perform any portion of this Agreement.

VIII. Customer's Responsibilities:

The customer is responsible for each and all of the following:

a. Provide all necessary yard or lawn maintenance and removal of all obstacles, including but not limited to dogs and other animals, vehicles, trees, brush, trash, or debris, as needed to allow the OSSF to function properly, and to allow Contractor safe and easy access to all parts of the OSSF.

b. Protect equipment from physical damage including but not limited to that damage caused by insects

c. Maintain a current license to operate, and abide by the conditions and limitations of that license, and all requirements for and OSSF from the State and/or local regulatory agency, whichever requirements are more stringent, as well as the proprietary system's manufacturer recommendations.

d. Notify Contactor immediately of any and all alarms, and/or any and all problems with, including failure of,

e. Provide, upon request by Contractor, water usage records for the OSSF so that the Contractor can perform

a proper evaluation of the performance of the OSSI.

- f. Allow for samples at both the inlet and outlet of the OSSF to be obtained by Contractor for the purpose of evaluating the OSSF's performance. If these samples are taken to a laboratory for testing, with the exception of the service provided under Section IV (d) above. Customer agrees to pay Contractor for the sample collection and transportation, portal to portal, at a rate of \$35.00 per hour, plus the associated fees for laboratory testing.
 - g. Prevent the backwash or flushing of water treatment or conditioning equipment from entering the OSSF.
- h Prevent the condensation from air conditioning or refrigeration units, or the drains of icemakers, from hydraulically overloading the aerobic treatment units. Drain lines may discharge into the surface application pump tank if approved by system designer.

i. Provide for pumping and cleaning of tanks and treatment units, when and as recommended by Contactor, at

Customer's expense.

Maintain site drainage to prevent adverse effects on the OSSF.

k. Pay promptly and fully, all Contractor's fees, bills, or invoices as described herein.

IX. Access by Contractor.

Contractor is hereby granted an easement to the OSSF for the purpose of performing services described herein. Contractor may enter the property during Contractor's normal husiness hours and or other reasonable hours without prior notice to Customer to perform the Services and/or repairs described herein. Contractor shall have access to the OSSF electrical and physical components. Tanks and treatment units shall be accessible by means of man ways, or risers and removable covers, for the purpose of evaluation as required by State and/or local rules and the proprietary system manufacturer. It is Customers responsibility to keep lids exposed and accessible at all times.

X. Limit of Liability:

Contractor shall not be held liable for any incidental, consequential, or special damages, or for economic loss due to expense, or for loss of profits or income, or loss of use to Customer, whether in contract tort or any other theory. In no event shall Contractor be liable in an amount exceeding the total Fee for Services amount paid by Customer under this Agreement.

XI. Indemnification.

Customer (whether one or more) shall and does hereby agree to indemnify, hold harmless and defend Contractor and each of its successors, assigns, heirs, legal representatives, devisees, employees, agents and/or counsel (collectively "Indemnitees") from and against any and all liabilities, claims, damages, losses, liens, causes of action, suits, fines, judgments and other expenses (including, but not limited to, attorneys' fees and expenses and costs of investigation), of any kind, nature or description, (hereinafter collectively referred to as "Liabilities") arising out of, caused by, or resulting, in whole or in part, from this Agreement.

THIS INDEMNITIFCATION APPLIES EVEN IF SUCH LIABILITIES ARE CAUSED BY THE CONCURRENT OR RECEIVED CONTRIBUTORY NEGLIGENCE OR BY THE STRICT LIABILITY OF ANY INDEMNITEE. MAR 2 0 2019

Customer hereby waives its right of recourse as to any Indemnitee when Indemnification applies, and Customer shall require its insurer(s) to waive its their right of subrogation to the extent such action is required to render such waiver of subrogation effective. Customer shall be subrogated to Indemnitees with respect to all rights Indemnitees may have against third parties with respect to matters as to which Customer provides indemnity and/or defense to Indemnitees. No Indemnitication is provided to Indemnitees when the liability or loss results from (1) the sole responsibility of such Indemnitee; or, (2) the willful misconduct of such Indemnitee. Upon irrevocable acceptance of this Indemnification obligation. Customer, in its sole discretion, shall select and pay counsel to defend Indemnitees of and from any action that is subject to this Indemnification provision. Indemnitees hereby covenant not to compromise or settle any claim or cause of action for which Customer has provided Indemnification without the consent of Customer.

XII. Severability:

If any provision of the "Proposal and Contract" shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of the "Agreement" is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construct, and enforced as so limited.

XIII. Fee for Services:

The Fee for Services does not include any fees for equipment, material, labor necessary for non-warranty repairs, unscheduled inspections, or Customer requested visits to the site.

XIV. Payment:

Full payment is due upon execution of this Agreement (Required of new Customer). For any other service(s) or repair(s) provided by Contractor the Customer shall pay the invoice(s) for said service(s) or repair(s) within thirty (30) days of the invoice date. The Contractor shall mail all invoices on the date of invoice. All payments not received within thirty (30) days from the invoice date will be subject to a \$29.00 late penalty and a 1.5% per month carrying charge, as well as any reasonable attorney's fees, and all collection and court costs incurred by Contractor in collection of unpaid debt(s). Contractor may terminate contract at any time for nonpayment for services. Any check returned to Contractor for any reason will be assessed a \$30.00 return check fee.

XV. Application or Transfer of payment:

The fees paid for this agreement may be transferred to subsequent property owner(s), however, this Agreement is not transferable. Customer shall advise the subsequent property owner(s) of the State requirement that they sign a replacement agreement authorizing Contractor to perform the herein described Services, and accepting Customer's Responsibilities. This replacement Agreement must be signed and received in Contractor's offices within ten (10) business days of date of transfer of property ownership. Contractor will apply all funds received from Customer first to any past due obligation arising from this Agreement including late fees or penalties, return check fees, and/or charges for services or repairs not paid within thirty (30) days of invoice date. Any remaining monies shall be applied to the funding of the replacement Agreement. The consumption of funds in this manner may cause a reduction in the termination date of effective coverage per this Agreement. See Section IV.

XVI. Entire Agreement:

This agreement contains the entire Agreement of the parties, and there are no other conditions in any other agreement, oral or written.

Block Creek Aerobic Services, LLC, Contractor

(5.005 Silve)

MC# 0000042 and MC#0000002

Customer Signature

Date 18 3-19-19

BS

CO COSSIVATO and confidence and constrained

OSSF SOIL EVALUATION REPORT INFORMATION

Date: 3/12/19

Applicant Information:

Name: Aric T. Whittaker c/o Tyler Mason

Address: 1350 Scenic View Drive

City, State & Zip Code: Canyon Lake, TX 78133

Phone: 830.837.0050 (Tyler)
Email: tyler@buildingwithar.com

Property Location:

Lot: 110 Section: 4 Subdivision: Eden Ranch

Street/Road Address: 1631 Purgatory Road City: Canyon Lake Zip: 78133

Additional Info: Comal County/5.05

Site Evaluator Information:

Name: Douglas R. Dowlearn Company: D.A.D. Services, Inc. Address: 703 Oak Drive

City, State & Zip: Blanco, TX 78606

Phone: (210)240-2101 Fax: (866)260-7687

Email: txseptic@gmail.com

RECEIVED

Installer Information:

Name:

MAR **2 0** 2019

Company: A & R Construction, LLC

Address:

City, State & Zip:

COUNTY ENGINEER

Phone:

Fax:

Depth	Texture Class	Soil Texture	Structure (For Class III – blocky, platy or massive)	Drainage (Mottles/Water Table	Restrictive Horizon	Observation
Soil Boring #1 60"	III	0-12" Clay Loam 12"+ Limestone	Blocky	<30% Gravel	12"+ Limestone	None
Soil Boring #2		Same as above				

DESIGN SPECIFICATIONS

Application Rate (RA): 0.064

OSSF is designed for: 3 BR (1568 Sq. Ft.) 240 Gallons per day required

An aerobic treatment/spray disposal system is to be utilized based on the site evaluation.

3750 sq. ft. disposal area required 600 gallon/day aerobic tank required

Calculations: Absorption Area: Q/RA= 240/0.064= 3750 Sq. Ft.

FEATURES OF SITE AREA

Presence of 100-year flood zone: NO

Existing or proposed water well in nearby area: YES

Presence of adjacent ponds, streams, water impoundments: NO

Presence of upper water shed: NO

Organized sewage service available to lot: NO

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability. The site evaluation and OSSF design are subject to approval by the TCEQ or the local authorized agent. The planning materials and the OSSF design should not be considered final until a permit to construct has been issued.

Site Evaluator:

NAME: Douglas R. Dowlearn, R.S.

Signature: Porphyllines. 5.

License No. OS9902 - Exp. 6/30/2020

TDH: #2432 - Exp. 2/28/2021

D.A.D SERVICES, INC.

DOUG DOWLEARN

703 OAK DRIVE, BLANCO, TX 78606 Designed for: Aric T. Whittaker c/o Tyler Mason RECEIVED

MAR 20 2019

MEFR

The installation site is on Lot 110 of the Eden Ranch Section 4 Subdivision in Comal County, TX. The proposed OSSF will treat the wastewater from a 3 Bedroom (1568 sq. ft.) residence. The proposed method of wastewater treatment is aerobic treatment with spray irrigation. This method was chosen because of unsuitable soil conditions.

PROPOSED SYSTEM:

A 4" PVC pipe will discharge from the residence to a pre-treatment tank, which flows into a 600 gpd aerobic treatment plant. The aerobic tank effluent flows to a 768 gallon storage/pump tank containing a liquid chlorinator and a single 20 gpm submersible pump. Distribution is through 2 K-Rain Gear Driven pop-up sprinklers, with low angle (13 degrees) spray nozzles spraying a radius of 35 feet at <40 psi. Each sprinkler will spray 180 degrees of arc. An audio and visual alarm monitoring both high water and aerator failure will be placed in a noticeable location.

DESIGN SPECIFICATIONS:

Daily Waste Flow: 240 gpd Application rate: 0.064

Application area required: 240/.064 = 3750 ft. sq.

Application area utilized: 3846 sq. ft.

Pump tank reserve capacity: 120 gal minimum



SYSTEM COMPONENTS:


SCH 40 PVC sewer line
1" purple PVC supply line
600 gpd aerobic treatment plant with manual or timed controls
Liquid chlorinator
2 K-Rain Gear Driven Pop-up Sprinkler
Pre-tank and 768 gallon pump tank

LANDSCAPING:

The native vegetation in the distribution area should consist of low level shrubs, plains grass, bluestem or bermuda. The entire area of the spray must be covered with a ground cover such as grass seed or sod prior to the final inspection. In the event the natural cover is disturbed, a suitable ground cover must be installed on all excavated areas.

REVISED

3:27 pm, Mar 27, 2019





70' of 1" SCH 40 purple pipe 600 GPD aerobic treatment unit

Note: no recharge features were observed within

Aric T. Whittaker c/o Tyler Mason 1631 Purgatory Road New Braunfels, TX 78132 Lot 110 Eden Ranch Section 4 Comal County

1" = 110"

* = test holes

NOTE: WPAP exemption 213.5h(2) An individual land owner who seeks to construct his/her own single family residence or associated residential structures on the site is exempt from the Edwards Aquifer protection program application requirements under this section, provided that he/she does not exceed 20% impervious cover on the site.

NOTE: No recharge features were observed within 150' of the proposed OSSF

Assembly Details

OSSF



14.49 Gallons per inch

See Note 9.

See Note 9.

See Note 5.

See Note 7.

See Note 10.

See Note 11.

See Note 11.

Diffuser Bar

See Note 8.

GENERAL NOTES:

- Plant structure material to be precast concrete and steel.
- Maximum burial depth is 30" from slab top to grade.
- 3. Weight = 14,900 lbs.
- Treatment capacity is 600 GPD. Pump compartment set-up for a 360 GPD Flow Rate (4 beedroom, < 4,000 sq/ft living aera). Please specify for additional set-up requirements. BOD Loading = 1.62 lbs. per day.
- Standard tablet chlorinator or Optional Liquid chlorinator.
 NSF approved chlorinators (tablet & liquid) available.
- Bio-Robix B-550 Control Center w/ Timer for night spray application. Optional Micro Dose (min/sec)timer available for drip applications. Electrical Requirement to be 115 Volts, 60 Hz, Single Phase, 30 AMP, Grounded Receptacle.
- 20" Ø acess riser w/ lid (Typical 4). Optional extension risers available.
- 8. 20 GPM 1/2 HP, high head effluent pump.
- 9. HIBLOW Air Compressor w/ concrete housing.
- 10. 1/2" Sch. 40 PVC Air Line (Max. 50 Lft from Plant).
- 1" Sch. 40 PVC pipe to distribution system provided by contractor.
- 12. 4" min. compacted sand or gravel pad by Contractor

41"-53" - Reserve - 174 Gal

41" - Alarm

13"-41" - Working Level - 405 Gal

10"-13" - On/Off Tether - 44 Gal

0"-10" - Sump - 145 Gal

DIMENSIONS:

Outside Height: 67" Outside Width: 63" Outside Length: 164"

MINIMUM EXCAVATION DIMENSIONS:

Width: 76" Length: 176"

-See Note 12.

NuWater B-550 (600 GPD)
Aerobic Treatment Plant (Assembled)

Model: B-550-PC-400PT

March, 2012 - Rev 1 By: A.S.

by: A.S.

* All Dimensions subject to allowable specification

Dwg. #: ADV-B550-3



Advantage Wastewater Solutions IIc. 444 A Old Hwy No 9 Comfort, TV, 78013 830-995-3189 fax 830-995-4051

Hernandez, Sandra

From: Hernandez, Sandra

Sent: Wednesday, March 27, 2019 12:00 PM

To: 'doug dowlearn'

Subject: 108898 deficiency comment

RE: Eden Ranch, Section 4, Lot 110

Doug,

We received planning materials for the referenced permit application on March 20, 2019 and found those planning materials to be deficient. In order to continue processing this permit, we need the following:


Indicate how the referenced property is exempt from a WPAP.

If you have any questions, you can email me or call the office.

Thank you,

Sandra Ann Hernandez Environmental Health Asst. Comal County Engineer's Office cceo.org 830-608-2090 (Ext. 3156)

VOID





RECEIVED

MAR 20 2019

COUNTY ENGINEER





Warranty Deed with Vendor's Lien

Notice of confidentiality rights: If you are a natural person, you may remove or strike any or all of the following information from any instrument that transfers an interest in real property before it is filed for record in the public records: your Social Security number or your driver's license number.

RECEIVED

Date: April 10, 2013

MAR 2 0 2019

Grantor:

JIMMY ACKERMANN and LEAH ACKERMANN, husband and wife

COUNTY ENGINEER

Grantor's Mailing Address:

Grantee:

ARIC T. WHITTAKER, a single person

Angotenoalway New Brannlek, TX 18130

Grantee's Mailing Address:

1631 Purgatory Road 1350 Scenic View Canyon Lake, Texas 78132 78133 Comal County

Consideration: Cash and a note of even date executed by Grantee and payable to the order of CHARLIE WADE BRANNAN, JR., Trustee of the BRANNAN REVOCABLE TRUST in the principal amount of Sixty Six Thousand and 00/100 Dollars (\$66,000.00). The note is secured by a first and superior vendor's lien and superior title retained in this deed in favor of CHARLIE WADE BRANNAN, JR., Trustee of the BRANNAN REVOCABLE TRUST and by a first-lien deed of trust of even date from Grantee to JAY S. FITZGERALD, Trustee.

CHARLIE WADE BRANNAN, JR., Trustee of the BRANNAN REVOCABLE TRUST, at Grantee's request, has paid in cash to Grantor that portion of the purchase price of the Property that is evidenced by the note. The first and superior vendor's lien against and superior title to the Property are retained for the benefit of CHARLIE WADE BRANNAN, JR., Trustee of the BRANNAN REVOCABLE TRUST and are transferred to CHARLIE WADE BRANNAN, JR., Trustee of the BRANNAN REVOCABLE TRUST without recourse against Grantor.

Property (including any improvements):

Lot 110, EDEN RANCH SECTION 4, according to the map or plat thereof, recorded in Volume 9, Page 165, Map and Plat Records, Comal County, Texas.

Reservations from Conveyance:

Exceptions to Conveyance and Warranty: Liens described as part of the Consideration and any other liens described in this deed as being either assumed or subject to which title is taken; validly existing easements, rights-of-way, and prescriptive rights, whether of record or not; all presently recorded and validly existing restrictions, reservations, covenants, conditions, oil and gas leases, mineral interests, and water interests outstanding in persons other than Grantor, and other instruments, other than conveyances of the surface fee estate, that affect the Property; validly existing rights of adjoining owners in any walls and fences situated on a common boundary; any discrepancies, conflicts, or shortages in area or boundary lines; any encroachments or overlapping MAR 2 0 2019 of improvements; and taxes for 2013, which Grantee assumes and agrees to pay, and subsequent assessments for that and prior years due to change in land usage, ownership, or both, the payment COUNTY ENGINEER of which Grantee assumes.

RECEIVED

Grantor, for the Consideration and subject to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty, grants, sells, and conveys to Grantee the Property, together with all and singular the rights and appurtenances thereto in any way belonging, to have and to hold it to Grantee and Grantee's heirs, successors, and assigns forever. Grantor binds Grantor and Grantor's heirs and successors to warrant and forever defend all and singular the Property to Grantee and Grantee's heirs, successors, and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, except as to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty.

The vendor's lien against and superior title to the Property are retained until each note described is fully paid according to its terms, at which time this deed will become absolute.

When the context requires, singular nouns and pronouns include the plural.

JIMMY ACKERMANN

STATE OF TEXAS §
COUNTY OF _______ §

This instrument was acknowledged before me on the 10th day of 4pril 2013, by JIMMY ACKERMANN and LEAH ACKERMANN.

SHERRI G. RIEDEL MY COMMISSION EXPIRES March 25, 2014

NOTARY PUBLIC, State of Texas

RECEIVED

MAR 20 2019

COUNTY ENGINEER

Filed and Recorded
Official Public Records
Joy Streater, County Clerk
Comal County, Texas
04/17/2013 01:47:41 PM
CRSHTHREE 3 Page(s)
201306016111

Jyy Altracter

OSSF DEVELOPMENT APPLICATION CHECKLIST	Staff will complete shaded
	items Date Received Initials RECEIVED
	Permit NurMAR 2 0 2019
Instructions:	COUNTY ENGINEER
Place a check mark next to all items that apply. For items that do not a Application Checklist <u>must</u> accompany the completed application	pply, place "N/A". This OSSF Development
OSSF Permit	
X Completed Application for Permit for Authorization to Cor Operate	nstruct an On-Site Sewage Facility and License to
X Site/Soil Evaluation Completed by a Certified Site Evalua	ator or a Professional Engineer
Planning Materials of the OSSF as Required by the TCE shall consist of a scaled design and all system specifical	Q Rules for OSSF Chapter 285. Planning Materials tions.
X Required Permit Fee	
X Copy of Recorded Deed	
X Surface Application/Aerobic Treatment System	
X Recorded Certification of OSSF Requiring Mainter	nance/Affidavit to the Public
X Signed Maintenance Contract with Effective Date	as Issuance of License to Operate
N/A Portion of Proposed OSSF Located in the United States	Army Corps of Engineers (USACE) Flowage Easement
N/Ausace Consent for proposed OSSF	
I affirm that I have provided all information required for my OSSF	Development Application and that this application
constitutes a completed OSSF Development Application.	
11111	3-14-19
Signature of Applicant	Date
COMPLETE APPLICATION	INCOMPLETEAPPLICATION
Chack No. Receipt No.	(Missing Items Circled, Application Refused)

Phone: (830) 837-0050

www.buildingwithar.com

tyler@buildingwithar.com

To: Aric T. Whittaker 1631 Purgatory RD New Braunfels, TX 78132 Printed:8/22/2019 Site: 1631 Purgatory RD New Braunfels, TX 78132

Permit #: 108898

Agency: Comal County
County: Comal

Mfg / Brand: -Treatment Type: Aerobic

Disposal: Surface Application

Customer ID: 9

Contract Dates: 4/24/2019 - 4/24/2021

Scheduled Date: 8/24/2019

Inspection 1 of 6

Installed: 4/17/2019

Warranty End: 4/24/2021

Service Type: Scheduled Inspection

Visit Date: 8/22/2019

Time In: 12pm

Sludge Levels

For Tank 1: <u>.6</u>

Out: 12:30

▼ This counts as a type of "Scheduled Inspection"

Entered By: Tyler Mason

Method: Grab

Technician: Not Assigned **Maint. Provider:** Tyler Mason

Aerators: Operational

Filters: Operational

Irrigation Pumps: Operational
Disinfection Device: Operational
Chlorine Supply: Operational
Chlorine Residual: Omg/L

Chlorinator: Op

Tank Lid / Riser: Secured

Insp. Port / Plug: Secured

Sprinkler Drip Backwash: Good

✓ Disposal Area

Electric Circuits: Operational

Distribution System: Operational

Sprayfield Veg: Operational

Alarm: Operational

Comments

✓ Service Completed

- Attention: Chlorine Residual reading was ZERO - Technician Secured the Tank Lid and/or Riser prior to leaving location. - Inspection Port Plug was noted as Secured prior to leaving.

Notified owner of need to add Chlorine and he stated will be done this evening.

Owner signature:

Insp ID #:11

License #: MP0002228

Expires: 5/31/2022

Phone: (830) 837-0050

www.buildingwithar.com

tyler@buildingwithar.com

To: Aric T. Whittaker 1631 Purgatory RD New Braunfels, TX 78132 Printed:12/30/2019 Site: 1631 Purgatory RD New Braunfels, TX 78132

Permit #: 108898

Agency: Comal County County: Comal

Mfg / Brand: -Treatment Type: Aerobic

Disposal: Surface Application

Customer ID: 9

Contract Dates: 4/24/2019 - 4/24/2021

Scheduled Date: 12/24/2019

Inspection 2 of 6

Installed: 4/17/2019

Warranty End: 4/24/2021

Service Type: Scheduled Inspection

Visit Date: 12/21/2019

Time In: 3pm

Out: 3:30

This counts as a type of "Scheduled Inspection"

Entered By: Tyler Mason

Method: Grab

Technician: Not Assigned **Maint. Provider:** Tyler Mason

Aerators: Operational

Filters: Operational

Irrigation Pumps: Operational

Disinfection Device: Operational
Chlorine Supply: Operational
Chlorine Residual: 0.5mg/L

Sludge Levels

For Tank 1: 6

Turbidity: Good

Tank Lid / Riser: Secured

Insp. Port / Plug: Secured

Electric Circuits: Operational Distribution System: Operational

Comments

Sprayfield Veg: Operational

Color: Good Odor: Good

Alarm: Operational

OK System Light: Op

✓ Service Completed

Disposal Area

- Technician Secured the Tank Lid and/or Riser prior to leaving location. - Inspection Port Plug was noted as Secured prior to leaving.

Insp ID #:22

Phone: (830) 837-0050

www.buildingwithar.com

tyler@buildingwithar.com

To: Aric T. Whittaker 1631 Purgatory RD New Braunfels, TX 78132

Printed: 12/30/2019 Site: 1631 Purgatory RD New Braunfels, TX 78132

Permit #: 108898

Agency: Comal County

County: Comal Mfg / Brand: -

Treatment Type: Aerobic

Disposal: Surface Application

Customer ID: 9

Contract Dates: 4/24/2019 - 4/24/2021

Scheduled Date: 12/24/2019

Inspection 2 of 6

Installed: 4/17/2019

Warranty End: 4/24/2021

Service Type: Scheduled Inspection

Visit Date: 12/21/2019

Time In: 3pm

Out: 3:30

▼ This counts as a type of "Scheduled Inspection"

Entered By: Tyler Mason

Method: Grab

Technician: Not Assigned Maint. Provider: Tyler Mason

Aerators: Operational

Filters: Operational

Sludge Levels For Tank 1: 6

Irrigation Pumps: Operational Disinfection Device: Operational Chlorine Supply: Operational

Chlorine Residual: 0.5mg/L

Turbidity: Good Tank Lid / Riser: Secured

Insp. Port / Plug: Secured

✓ Disposal Area

Electric Circuits: Operational

Distribution System: Operational

Sprayfield Veg: Operational

Color: Good

Odor: Good

Alarm: Operational

OK System Light: Op

✓ Service Completed

- Technician Secured the Tank Lid and/or Riser prior to leaving location. - Inspection Port Plug was noted as Secured prior to leaving.

Insp ID #:22

License #: MP0002228

Comments

Expires: 5/31/2022

Phone: (830) 837-0050

www.buildingwithar.com

tyler@buildingwithar.com

To: Aric T. Whittaker 1631 Purgatory RD New Braunfels, TX 78132

Printed:4/21/2020 Site: 1631 Purgatory RD New Braunfels, TX 78132

Permit #: 108898

Agency: Comal County County: Comal

Mfg / Brand: -Treatment Type: Aerobic

Disposal: Surface Application

Customer ID: 9

Contract Dates: 4/24/2019 - 4/24/2021

Scheduled Date 4/24/2020

Inspection 3 of 6

Installed: 4/17/2019 Warranty End: 4/24/2021

Service Type: Scheduled Inspection

Visit Date: 4/11/2020

Time In: 12:20pm

Out: 12:32 pm

▼ This counts as a type of "Scheduled Inspection"

Entered By: Tyler Mason

Method: Grab

Technician: Not Assigned Maint. Provider: Tyler Mason

Aerators: Operational

Filters: Operational

Irrigation Pumps: Operational
Disinfection Device: Operational
Chlorine Supply: Operational

Chlorine Residual: .4

Sludge Levels

For Tank 1: 9

Turbidity: Good
Tank Lid / Riser: Secured

Insp. Port / Plug: Secured

Electric Circuits: Operational Distribution System: Operational

Sprayfield Veg: Operational

Color: Good Odor: Good

Alarm: Operational

OK System Light: Op

Comments

Service Completed

- Technician Secured the Tank Lid and/or Riser prior to leaving location. - Inspection Port Plug was noted as Secured prior to leaving.

Insp ID #:55

Phone: (830) 837-0050

www.buildingwithar.com

tyler@buildingwithar.com

To: Aric T. Whittaker 1631 Purgatory RD

New Braunfels, TX 78132

Printed: 83/23/2020 Site: 1631 Purgatory RD New Braunfels, TX 78132

Permit #: 108898

Agency: Comal County

County: Comal

Mfg / Brand: Nu-Water - B550 Treatment Type: Aerobic

Disposal: Surface Application

Customer ID: 9

Contract Dates: 4/24/2019 - 4/24/2021

Scheduled Date: 8/24/2020

Inspection 4 of 6

Installed: 4/17/2019

Warranty End: 4/24/2021

Service Type: Scheduled Inspection

Visit Date: 8/21/2020

Time In: 12:42 pm

System S/N: 01-19-0119

Out: 1:00 pm

▼ This counts as a type of "Scheduled Inspection"

Entered By: Tyler Mason

Method: Grab Technician: Tyler Mason Maint. Provider: Tyler Mason

Aerators: Operational

Filters: Operational

Irrigation Pumps: Operational Disinfection Device: Operational Chlorine Supply: Operational

Chlorine Residual: Omq/L

Sludge Levels

For Tank 1: 5

Surge Weir Seal: Good

Turbidity: Good

Tank Lid / Riser: Secured Insp. Port / Plug: Secured

Electric Circuits: Cperational Distribution System: Operational

Sprayfield Veg: Operational

Color: Good Odor: Good

Alarm: Operational

OK System Light: Op

Comments

✓ Service Completed

- Attention: Chlorine Residual reading was ZERO - Technician Secured the Tank Lid and/or Riser prior to leaving location. -Inspection Port Plug was noted as Secured prior to leaving.

Insp ID #:100

License Info: MP0002228 Expires: 5/31/2022

Phone: (830) 837-0050

www.buildingwithar.com

tyler@buildingwithar.com

To: Aric T. Whittaker 1631 Purgatory RD New Braunfels, TX 78132

Printed: 1/6/2021 Site: 1631 Purgatory RD New Braunfels, TX 78132

Permit #: 108898

Agency: Comal County County: Comal

Mfg / Brand: Nu-Water - B550

Treatment Type: Aerobic

System S/N: 01-19-0119

Disposal: Surface Application

Customer ID: 9

Contract Dates: 4/24/2019 - 4/24/2021

Scheduled Date: 12/24/2020

Inspection 5 of 6

Installed: 4/17/2019

Warranty End: 4/24/2021

Service Type: Scheduled Inspection

Visit Date: 12/2/2020

Time In: 9:02 am

Out: 9:24 am

✓ This counts as a type of "Scheduled Inspection"

Entered By: Tyler Mason

Method: Grab Technician: Tyler Mason Maint. Provider: Tyler Mason

Aerators: Operational

Filters: Operational

Irrigation Pumps: Operational

Disinfection Device: Operational Chlorine Supply: Operational Sludge Levels

For Tank 1: 12 For Tank 2: 1

Chlorine Residual: 0.1mg/L

Surge Weir Seal: Good

Turbidity: Good

Tank Lid / Riser: Secured Insp. Port / Plug: Secured

Electric Circuits: Operational Distribution System: Operational

Sprayfield Veg: Operational

Color: Good

Odor: Good

Alarm: Operational

OK System Light: Op

Comments

Service Completed

- Technician Secured the Tank Lid and/or Riser prior to leaving location. - Inspection Port Plug was noted as Secured prior to leaving.

Insp ID #:179

License Info: MP0002228 Expires: 5/31/2022

Phone: (830) 837-0050

www.buildingwithar.com

tyler@buildingwithar.com

To: Aric T. Whittaker 1631 Purgatory RD New Braunfels, TX 78132

Printed:6/3/2021 Site: 1631 Purgatory RD New Braunfels, TX 78132

Permit #: 108898

Agency: Comal County County: Comal

Mfg / Brand: Nu-Water - B550

Treatment Type: Aerobic

System S/N: 01-19-0119 Disposal: Surface Application

Customer ID: 9

Contract Dates: 4/24/2019 - 4/24/2021

Scheduled Date: 4/24/2021

Inspection 6 of 6

Installed: 4/17/2019

Warranty End: 4/24/2021

Service Type: Scheduled Inspection

Visit Date: 4/28/2021

Method: Grab Technician: Tyler Mason Maint. Provider: Tyler Mason

Aerators: Operational

Filters: Operational

Irrigation Pumps: Operational Disinfection Device: Operational Chlorine Supply: Operational Chlorine Residual: 0.1mg/L

This counts as a type of "Scheduled Inspection"

Entered By: Tyler Mason

Copy emailed to Customer Customer Emailed: 6/3/2021

Turbidity: Good

Time In: 9:15 am

Sludge Levels

For Tank 1: 16

Tank Lid / Riser: Secured Insp. Port / Plug: Secured

Electric Circuits: Operational

Distribution System: Operational

Sprayfield Veg: Operational

Color: Good Odor: Good

Out: 9:30 am

Comments

Alarm: Operational

Service Completed

Need to repost control panel and protect from cows. Need to add chlorine - Technician Secured the Tank Lid and/or Riser prior to leaving location. - Copy emailed to the customer on 6/3/2021.

nsp ID 17:315

License Info: MP0002228 Expires: 5/31/2022