

License to Operate On-Site Sewage Treatment and Disposal Facility

Issued This Date:

08/08/2024

Permit Number:

113935

Location Description:

985 JENNY LEIGH TRL

CITY OF BULVERDE, TX 78163

Subdivision:

BELLE OAKS RANCH

Unit:

2

Lot:

29

Block:

3

Acreage:

0.0000

Type of System:

Aerobic

Surface Irrigation

Issued to:

GEAUX LOCO ENTERPRISES, LLC

This license is authorization for the owner to operate and maintain a private facility at the location described in accordance to the rules and regulations for on-site sewerage facilities of Comal County, Texas, and the Texas Commission on Environmental Quality.

The license grants permission to operate the facility. It does not guarantee successful operation. It is the responsibility of the owner to maintain and operate the facility in a satisfactory manner.

Alterations to this permit including, but not limited to:

- Increase in the square feet of living area
- Increase in the number of bedrooms
- A change of use (i.e. residential to commercial)
- Relocation of system components (including the relocation of spray heads)
- Installation of landscaping
- Adding new structures to the system

may require a new permit. It is the responsibility of the owner to apply for a new permit, if applicable.

Inspection and licensing of a facility indicates only that the facility meets certain minimum requirements. It does not impede any governmental entity in taking the proper steps to prevent or control pollution, to abate nuisance, or to protect the public health.

This license to operate is valid for an indefinite period. The holder may transfer it to a succeeding owner, provided the facility has not been remodeled and is functioning properly.

Licensing Authority

Comal County Environmental Health

TRONMENTAL BEALTH INSPECTOR

S0038255

ENVIRONMENTAL HEALTH COORDINATOR

Assistant: OS0034792

staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:		Address:				
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(G)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				


Inspector Notes:

AL.	Di-si	Δ	Citation	N-4	1,41,	2	2
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1) (D)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
9	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume						
12	Installed						
	PUMP TANK Volume Installed						
13	AEROBIC TREATMENT UNIT Size						
14							
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

	No. Description Answer Citations			- 			
No.	·	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)				
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)				
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)				
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)				
	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)				
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC						
26	DRAINFIELD Area Installed						
27	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)				
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)				

No.	Docorintian	Answer	Citations	Notes	1ct lease	2nd Inco	2rd Inco
NO.	Description EFFLUENT DISPOSAL SYSTEM Utilized	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	1						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
40	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
41	ADDUCATION ADDA Average tradellar						
42	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 113935

Issued This Date: 02/25/2022

This permit is hereby given to: GEAUX LOCO ENTERPRISES, LLC

To start construction of a private, on-site sewage facility located at:

985 JENNY LEIGH TRL

CITY OF BULVERDE, TX 78163

Subdivision: BELLE OAKS RANCH

Unit: 2

Lot: 29

Block: 3

Acreage: 0.0000

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and County requirements.

Call (830) 608-2090 to schedule inspections.

RECEIVED By KG at 9:42 am, Jan 24, 2022



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090

WWW CCFO ORG

Date Jan	uary 12, 2022			Permit Nur	mber	113	935		
1. APPLICANT /	AGENT INFORMATI	ION							
Owner Name	GEAUX LOCO F	ENTERPRISES, LLC	Agent Name	G	REG JOH	INSO	N, P.E.		
		MAN SPRING LANE			170 HOLLOW OAK				
-		R TEXAS 77441		ip NEW B				132	
Phone #		875-0703	Phone #			05-277			
Email		omew@yahoo.com	— Email	gre	gjohnsonp	pe@ya	hoo.com		
2. LOCATION			_						
	e	BELLE OAKS RANCH	Н	Unit PHASE 2	Lot	29	Block	3	
	•				_				
		Y LEIGH		LVERDE		TX	Zip	78163	
3. TYPE OF DEV			-		_				
	illy Residential								
-	•	Mobile, RV, Etc.)	HOUSE						
	Bedrooms	4							
	Ft of Living Area	3204							
	Family Residential								
-		equate land area for doubl	ling the required land r	needed for treatme	ent units a	nd dist	osal area	a)	
		Schools, Parks, Etc In		ccupants					
		rs - Indicate Number of							
		Home - Indicate Numb							
		ate Number of Spaces							
Estimated Cos	at of Construction: \$	600,000	(Structure Only)						
	-	SF located in the United			JSACE) fi	lowage	e easem	ent?	
		provide approval from USAC							
الأسباط لسبا	er Public		vater Collection	•		Ī		·	
4. SIGNATURE									
By signing this app - The completed ap	olication, I certify that:	ional information submitte							
property Authorization is h	nereby given to the peri	mitting authority and designate sewage facilities.		-					
- I understand that by the Comal Co	a permit of authorization unty Flood Damage Pro	on to construct will not be							
_ Edw	in M Don	milly TT	1-14	-2072	-1- h	_	F1 2001		
Signature of O	wner	/	Date					Page 1 o	

113935

* * * COMAL COUNTY OFFICE OF ENVIRONMENTAL HEALTH

APPLICATION FOR PERMIT FOR AUTHORIZATION TO CONSTRUCT AN ON-SITE SEWAGE FACILITY AND LICENSE TO OPERATE



Planning Materials & Site Ev	luation as Required Completed By GREG W. JOHNSON, P.E.
System Description	PROPRIETARY; AEROBIC TREATMENT AND SURFACE IRRIGATION
Size of Septic System Requi	d Based on Planning Materials & Soil Evaluation
Tank Size(s) (Gallons)	FLo SOLO HCSP Absorption/Application Area (Sq Ft) 5326
Gailons Per Day (As Per TO (Sites generating more than 50	Q Table III) 300 gallons per day are required to obtain a permit through TCEQ)
• • •	e Edwards Recharge Zone? Yes No st be completed by a Registered Sanitarian (R.S.) or Professional Engineer (P.E.))
is there an existing TCEQ ap	roved WPAP for the property? 🔲 Yes 🏻 🔀 No
(if yes, the R. S. or P. E. shall co	tify that the OSSF design complies with all provisions of the existing WPAP.)
if there is no existing WPAP	loes the proposed development activity require a TCEQ approved WPAP? Yes No
	tify that the OSSF design will comply with all provisions of the proposed WPAP. A Permit to Construct will SSF until the proposed WPAP has been approved by the appropriate regional office.)
is the property located over	e Edwards Contributing Zone? Yes No
is there an existing TCEQ ap	roval CZP for the property? 🛛 Yes 🔲 No
(if yes, the P.E. or R.S. shall ce	fy that the OSSF design complies with all provisions of the existing CZP)
(if yes, the P.E. or R.S. shall ce	es the proposed development activity require a TCEQ approved CZP? Yes No iy that the OSSF design will comply with all provisions of the proposed CZP. A Permit to construct will) OSSF until the CZP has been approved by the appropriate regional office.)
is this property within ar	incorporated city? Yes No
If yes, indicate the city:	Bulverde GREG W. JOHNSON 67587 GREG W. JOHNSON
	FIRM #2885
By signing this application, I certi	
	is true and correct to the best of my knowledge. se posting/public release of my e-mail address associated with this permit application, as applicable
4 11	January 13, 2022
Signature of Designer	Date Page 2 of

Bobbie Koepp

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Dead Records of Comal County, Texas.

1

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantees by the commission that the appropriate OSSF was installed.

\$285.91(12) will be installed on the property described as (insert legal description): SUBBIVISION UNITAPHASE/SECTION BLOCK 29 LOT 3 SURVEY ACREAGE IF NOT IN SUPPLYISION: GEAUX LOCO ENTERFRISES, LLC The property is owned by (insert owner's full name): This OSSF must be covered by a continuous maintenance contract for the first two years. After the initial two-year service policy, the owner of an acrobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally. Upon sale or transfer of the above-described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for the OSSF can be obtained from the Comal County Engineer's Office. WITNESS BY HAND(S) ON THIS Donnelly SWORN TO AND SUBSCRIBED BEFORE ME ON THIS / Filed and Recorded Official Public Records Notary Public Signature Bobbie Koepp, County Clerk Comal County, Texas GREG W. JOHNSON Notary Public, State of Texas 01/21/2022 01:43:09 PM Comm. Expires 05-17-2022 CASHONE 1 Pages(s) Notary ID 124218310 202206003358

REVISED9:17 am, Dec 16, 2022



MJ Central Texas Septic, LLC - DBA MJ SEPTIC

1328 W Borgfeld Drive
San Antonio, Texas 78260
(210) 875-3625

mjseptic@mjseptic.com (email)
www.mjseptic.com (website)

Residential Aerobic Maintenance Contract Licensed by T.C.E.Q. Michael J. Long, MP 0001294

The Texas Commission on Environmental Quality (TCEQ) requires all ATU's to be checked and maintained every four months for the life of the unit (some permitting authorities may stipulate this requirement, after the first two years after installation; call your county to inquire). Upon expiration of this contract, MJ Septic will offer a continuation of your maintenance contract to cover labor and routine maintenance/reports. Lab testing, if required, for coliform, TSS, BOD etc. are NOT included in this policy and applicable fees are the owner's responsibility. MJ Septic will inspect and service your ATU once every 4 months for the duration of your 2-year initial contract. For a new single-family dwelling, this is the date of installation, required by state guidelines dated June 13, 2001. For an existing single-family dwelling, this is the date the notice of approval is issued by your permitting authority. The effective date of this maintenance contract shall be the date the LTO (license to operate) is issued.

MJ Septic will address all major concerns/complaints (excluding weekends & holidays) within 72 hours from the initial point of contact with the homeowner(s). Please note our business hours are Monday - Friday 8am to 5pm

- **INSPECTIONS:** an inspection every four months (three times annually) which includes inspecting/servicing the mechanical, electrical, and other applicable components to ensure proper function. The annual fee does not include any parts, cleaning/pumping, chlorine/bleach (tablets or liquid), additional service calls or additional testing that may be required by any regulating authority. If for any reason, we are unable to obtain access to your property or system to perform a service check, you may be charged a \$75 service call for re-scheduling. It is very important that we always have full access to your system, including all gate codes, combination locks etc. to inspect your system.
- SERVICE CALLS: If a service call is required by homeowner/renter between regular inspections, a service call fee of \$75 (not including parts and/or cleaning/pumping) will be assessed. We may waive this fee at our discretion. These calls include but are not limited to the following: red light alarms, high water alarms, chlorinator checks, disconnected airlines, timer adjustments, spray head adjustments and system power failure.
- REPAIRS: If repairs or replacement of parts are needed during routine inspection, we will attempt to contact the homeowner for approval to make onsite repairs. If we are unable to repair/replace parts onsite, the client will be notified via email and/or USPS that repairs/replacement of parts is needed. All MAJOR part replacements come with a 2-year warranty (see notes below). There will be a \$75 warranty credit fee assessed on all parts. Warranted items will only be honored when a valid maintenance contract is in effect with MJ Septic. If the contract has a lapse in time, ALL WARRANTED items are VOIDED.
 - For ATU's under initial installation warranty (2 years from initial installation date) if warranted items are required to be replaced within 30 days of installation, part will be replaced with no fees, after 30 days there will be a \$75 warranty credit fee assessed on all parts. Warranted items will only be honored when a valid maintenance contract is in place with MJ Septic.
- CLEANING/PUMPING: The cleaning/pumping of your ATU is not included in your maintenance contract. We always recommend pumping between 10-12" of sludge. We determine this by gathering 3-4 different readings out of your pump tank with a sludge judge. A few other factors that may determine pumping is necessary even if your sludge reading is less than 10-12". *A typical/average household will need to have their system pumped every 2-5 years; this all depends on usage and will vary per household*





MJ Central Texas Septic, LLC - DBA MJ SEPTIC

1328 W Borgfeld Drive San Antonio, Texas 78260 (210) 875-3625 mjseptic@mjseptic.com (email) www.mjseptic.com (website)

Residential Aerobic Maintenance Contract Licensed by T.C.E.Q. Michael J. Long, MP 0001294

- CHLORINE SUPPLY: The property owner is responsible for maintaining their own chlorine supply. TCEQ regulation requires proper chlorination. For liquid chlorinators, homeowners are to add 2-3 gallons of liquid chlorine/bleach per month. (if the chlorinator is completely empty, DO NOT add more than 3 ½-4 gallons of liquid chlorine/bleach at a time) For tablet chlorinators, homeowners can purchase Calcium Hypochlorite tablets typically purchased at a local Home Depot or Lowe's. DO NOT USE POOL TABLETS (this can cause a dangerous volatile chemical reaction)
- TRANSFER OF MAINTENANCE CONTRACT/PROPERTY OWNERSHIP: The fee of this maintenance contract is non-refundable, however is fully transferable to the new owner(s). If this policy is sold within the contract period, the signing party is responsible for all repairs unless the new homeowner(s) information is provided before repairs are made and the transfer contract is signed (by the new homeowner) and returned to us. The new homeowner(s) will be emailed a copy of the powerpoint orientation, if it was an MJ Septic installation, once the signed contract is received on file with our office.
 - **RENTAL HOMES:** The PROPERTY OWNER is responsible for all fees associated with this contract. Renters will be required to have a walk-through orientation during their first visit to ensure proper usage, etc.
- <u>ALTERATIONS/MODIFICATIONS TO THE SYSTEM:</u> Do not allow alteration to any part of the system or sprinkler head locations. Alterations would put the system out of county/code compliance and would cause the property owner additional expense to bring the system back into compliance. Any use of another company to make repairs to the system will void any warranties and be considered as a breach of this maintenance contract. If a client chooses to purchase and use their own parts, MJ Septic will not install nor work on these parts. Adding pools, decks, sport courts, outdoor kitchens, sheds etc. without proper septic design and county permitting is not acceptable. You must have a septic designer redesign your septic system and have permitting authority's approval prior to any additions being made. MJ Septic is not liable for any fines you may incur from illegal modifications.
- WARRANTY VIOLATIONS: Violations of the warranty include but are not limited to the following: turning off your system at any time, disconnecting the alarm; restricting airflow to the air compressor, overloading the system above its daily rated capacity, introducing excessive amounts of harmful matter (including harsh chemicals, cleaners, antibiotics, etc.) into the system or any other harmful usage of your OSSF/ATU. Refusing to clean/pump out septic when recommended and/or replacing necessary parts as needed. Necessary treatment of ants. Homeowners must keep grass, weeds and plants trimmed and clear of tank access points, control panel, air compressor, etc. Moving sprinkler lines without proper documentation, etc. Building over septic tanks, lids, etc. Adding pools, decks, sport courts, outdoor kitchens, sheds etc. without proper septic design and county permitting is not acceptable. You must have a septic designer redesign your septic system and have permitting authority's approval prior to any additions being made. MJ Septic is not liable for any fines you may incur from illegal modifications.





MJ Central Texas Septic, LLC - DBA MJ SEPTIC

1328 W Borgfeld Drive San Antonio, Texas 78260 (210) 875-3625 mjseptic@mjseptic.com (email) www.mjseptic.com (website)

Residential Aerobic Maintenance Contract Licensed by T.C.E.Q. Michael J. Long, MP 0001294

TERMS OF PAYMENT: Payment is due in full for the maintenance contract at time of signing. A credit card will be required at time of booking any service for parts, repairs, cleaning/pumping, service calls, red lights, etc. unless otherwise specifically noted. MJ will not perform any repairs or pumping unless we have a credit card on file. MJ Septic no longer accepts payment onsite, whether it be a check or credit card and we no longer offer billing/invoicing for future payments; this is a strict office policy, no exceptions.

1 YEAR	2 YEAR	3 YEAR	2 YEAR INITIAL	Additional Information
\$285	\$530	\$675	Included with Installation	Homeowner(s) are NOT required to be present at inspections. Please note, clients will receive an emailed notice 5-7 business days prior to your scheduled inspection, this is your only notification we will send. A door hanger will be left if no one is home. Inspection reports are emailed/mailed within a few business days to the email/mailing address of record, please check your spam folder. If you have not received it after 72 hours please email or call our office.

- MAINTENANCE TIPS/SEPTIC GUIDE: Please retain the attached Maintenance Tips/Septic Guide for future reference. Please note our business hours are Monday Friday 8am to 5pm, should you have an emergency during non-business hours, please look this over and follow the necessary steps until you can reach us during normal business hours!
- If you are unable to reach us during business hours, you can leave a voicemail or send an email (we attempt to respond to emails during weekends and holidays as best as we can!)

Acceptance of Maintenance Contract: The above prices, specifications, and conditions are satisfactory and are hereby accepted. MJ Septic is authorized to enter property to perform routine maintenance inspections as agreed. I have read and agreed to the maintenance contract guidelines stated above and have also read and agreed to comply with the Maintenance Tips/Septic Guide. MJ Septic reserves the right to make amendments to this document at any time and the homeowner will be responsible for signing an updated version for office and county records.

Please note, clients will receive an emailed notice 5-7 business days prior to your scheduled inspection, this is your only notification we will send. (MJ Septic will assess a \$75 re inspection/missed inspection fee if we are not granted access to complete your inspection on the date assigned, aggressive dogs, etc)

Property Address: <u>985 Jenny Leig</u>	gh Trail, Bulverd	de, TX 78163			
Client Name: GEAUX LOCO ENTERPRISE	S, LLC C/O A&E Custo	om Homes	Contract Start a	nd End Date: From LTO	Date
Total Fee Paid: Paid in full with installation	Permitting Au	thority: Comal Cou	nty #113935	Subdivision Gate Code:	Edwin Donnelly
Property Gate Code: Edwin Donnelly	Special Access Ir	nstructions: Edv	vin Donnelly		
Subdivision: Edwin Donnelly	Nı	umber in Househo	old: Agg	ressive Dogs: N/A	
Email Address: Edwin Donnelly		Email A	_{ddress:} Edwin I	Donnelly	
Cell Phone: Edwin Donnelly	Cell Phone: Edwi	in Donnelly	Home Phone	e: N/A	_
Client Approval Signature:	In			Date of Client Acceptance:	12 / 15 / 2022
MI Control Toyas Sontis IIC Authoriza	nd Signaturo:	Stephanie	Perez	Date of MI Approval: 12	





Maintenance Tips/Septic Guide

1328 W Borgfeld Drive San Antonio, Texas 78260 (210) 875-3625 mjseptic@mjseptic.com www.mjseptic.com

To keep your system functioning properly, regular maintenance is required. No matter how well the system is maintained or how well your aerobic system is designed and household usage, there will be parts that need to be replaced. Some are less expensive (and more common) like diffuser bars (if required, not all brands use diffusers), filters, sprinkler heads, airline, float switches, timers, audio and visual alarms, etc. Some are more expensive like sprinkler pumps, air compressors and septic tank cleanings, etc. With owning an aerobic system, you should expect to have parts replaced and it needing to be cleaned/pumped out. The life span of each part of your system will vary depending upon how many people use your system, how much water is used, what types of food you eat, what medicines are taken, the type of cleaning chemicals being used in the household, what you flush down the commode and of course the regular life expectancy for each functioning part, etc. Some of the items checked during routine inspections that may need to be replaced or repaired according to their life span. These items include, but are not limited to: air compressor (aerator), a/c filters, filter pads, diffuser bars, sprinkler pumps (irrigation pumps), control panels, electrical circuit boards, float switches, timers, audio alarms, visual alarms, airline, photocell, toggle switches, wires, junction boxes, risers and/or lids, sprinkler heads, chlorinators, etc.

Below are some recommendations that will help you keep maintenance costs down and will help your aerobic system function properly.

- RED LIGHT ALARMS: if your alarm turns on, don't be alarmed (it usually isn't an emergency) Please call our office and schedule a service call with our office. If we are closed (after hours, weekends or holidays), please leave (1) voicemail at (210) 875-3625. You may also send a text to this number. You may email us to leave a request at mjseptic@mjseptic.com if you are unable to call or text. We will make a work order for the next available business day. During this time, you as the homeowner need to reduce all non-essential water usage. Don't wait days to report red light alarms! Please note, in extreme weather conditions, excessive heavy rains can and will cause your septic alarm and sprinkler heads to discharge, this is normal, the water is being relieved from the tank. If your alarm light stays on well after the rains have ceased, please call us to get a technician out to your property.
- POWER: In the event of a red-light alarm or at any other time NEVER shut off the power to your system!
- IRRIGATION SYSTEMS (lawn care) & ALTERATIONS TO THE SYSTEM: Avoid spraying your irrigation system in the same areas as your septic spray areas. This will cause over saturation to the lawn. Homeowners, landscapers, irrigation and pool companies should NEVER replace or tamper with your aerobic system, including the spray heads. Doing so will void any warranties (if applicable) and may result in additional costs to the homeowner for necessary repairs to bring the system back into compliance. For any changes wanted or needed for swimming pools, decks, sport courts, patios or irrigation systems, it is the homeowner's responsibility to call MJ Septic, LLC at (210) 875-3625 to assist in taking the necessary measures to have alterations made. This usually requires the system to be redesigned by one of our septic designers and re-permitted with your respective county. Do not build over any part of the aerobic system (the sprinklers can only be applied to natural vegetation surfaces!) Do not landscape over any part of the aerobic system (trees, plants, flowers, etc.) Do not allow ants to mound by any part of the aerobic system. Ant killers can be used to treat if mounds occur. (Ants will ruin electrical components and void any warranties if applicable) Keep all vegetation mowed and trimmed around the entire system, including the spray heads & spray area. If the technician cannot access the system due to overgrown grass, weeds, bushes, etc. there will be a service call charge assessed to return for inspection.
- CHLORINE (tablets & liquid): Never store your tablets near water heaters or in your water heater closet. Keep chlorine away from gas and electricity. It is always best to store it in a cool, dry and well-ventilated area.
 - ** For tablet chlorinators: use only chlorine that is designed to treat wastewater! Calcium Hypochlorite tablets are available at your local Home Depot or Lowe's. We do not sell them. NEVER USE SWIMMING POOL TABLETS! (mixing pool tablets with wastewater tablets could cause a dangerous volatile reaction. When the chlorinator is completely empty, do not add more than 4-5 tablets at a time to prevent the chlorinator from clogging.
 - ** For liquid chlorinators: you may use liquid chlorine/bleach (same bleach used to wash whites) When the chlorinator is completely empty, add no more than 3 ½ gallons of liquid chlorine bleach at a time. We recommend 2-3 gallons monthly (this will vary depending on how much water is used in the home per month) Do not tamper with chlorinators! This will void any warranties (if applicable).
- MISC INFO I: An aerobic system should not be treated as a city sewer. Economy in the use of water helps prevent overloading the system. Leaky faucets, running commodes, etc. should be guarded against as well. Avoid doing all your laundry in the same day (you must space out 1-2 loads daily); surges of water entering the system can and will hydraulically overload the system and throw off the balance of bacteria, which will not allow your waste to break down properly.
- MISC INFO II: Items flushed down commodes and/or poured down the drains DO NOT disappear; they must be treated by the system! Aerobic systems are designed to treat domestic wastewater and most toilet paper (read labels). Things that can harm your system include, but are not limited to are: excessive use of garbage disposal (very light use is okay, only if necessary, otherwise it is strongly recommended against!) fat, grease, oils, too many harsh cleaners, excessive use of fabric softener, excessive use of bleach, cigarette butts, feminine wipes, baby wipes, facial wipes, cleaning wipes, any type of wipes, feminine products, paper towels, condoms, q-tips, paint and/or paint thinners, varnishes, drain cleaners, automatic toilet bowl cleaners, hair combings, pet hair, coffee grounds, fruit, fruit peels, dental floss, any type of diapers, kitty litter, gauze bandages, unused medications, etc. Items such as these even though they may say "flushable" or "septic safe" still may not be ultimately safe for your aerobic treatment unit and cannot potentially cause the homeowner additional expenses for repairs and pumping.
- MISC INFO III: We take sludge level readings at every routine inspection (every four months) unless the system has been shut off/power failure or
 the system is overflowing. We always recommend cleaning/pumping of the system when levels reach 10-12" of sludge. *A typical/average
 household will need to have their system cleaned/pumped every 2-5 years; this all depends on usage and WILL VARY per HOUSEHOLD! This fee is
 NOT included in your annual maintenance contract agreement.

Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

January 13, 2022

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RE- SEPTIC DESIGN
985 JENNY LEIGH TRAIL
BELLE OAKS RANCH, PHASE 2, BLOCK 3, LOT 29
BULVERDE, TX 78163
GEAUX LOCO ENTERPRISES, LLC

Wes/Brenda,

The referenced property is located within the Edwards Aquifer Contributing Zone. This OSSF design will comply with requirements in the CZP.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40,285.41, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

Greg W. Johnson, P.E.

No. 67587 / F#2585

170 Hollow Oak

New Braunfels, Texas 78132 - 830/905-2778

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	January 12, 2022	-	
Site Location:	BEL	LE OAKS RANCH, PHASE 2, BLOCK 3, LOT 29	
Proposed Excavation Depth: _	N/A		
Requirements:			

At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area.

Locations of soil boring or dug pits must be shown on the site drawing.

For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the

proposed excavation depth. For surface disposal, the surface horizon must be evaluated.

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
10"	IV	CLAY	N/A	NONE OBSERVED	LIMESTONE @ 10"	DRK. BROW
			-			

Texture	Soil	Gravel	Drainage	Restrictive	Observations
Class	Texture	Analysis	(Mottles/	Horizon	
			water lable)		
CABATE		46		ADOVE	
SAIVIE		AS		ABUVE	
	Texture Class	Class Texture	Class Texture Analysis	Class Texture Analysis (Mottles/ Water Table)	Class Texture Analysis (Mottles/ Horizon Water Table)

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability. 01/1410W Date


Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

OSSF SOIL EVALUATION REPORT INFORMATION

REVISED 9:49 am, Dec 16, 2022

Date: January 13, 2022
Applicant Information:

The state of the s	Site Evaluator Information:
Name:GEAUX LOCO ENTERPRISES, LLC.	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address: 28503 HOFFMAN SPRING LANE	Address: 170 Hollow Oak
City: FULSHEAR State: TEXAS	City: New Braunfels State: Texas
Zip Code: 77441 Phone: (210) 875-0703	Zip Code: 78132 Phone & Fax (830)905-2778
Property Location:	Installer Information:
Lot 29 Unit 2 Blk 3 Subd. BELLE OAKS RANC	
Street Address: 985 JENNY LEIGH TRAIL	Company:
City: BULVERDE Zip Code: 78163	Address:
Additional Info.:	City: State:
Tonography: Clone within proposed disposel cross	Zip Code:Phone
Topography: Slope within proposed disposal area:	4 %
Presence of 100 yr. Flood Zone:	YES NO X
Existing or proposed water well in nearby area. Presence of adjacent ponds, streams, water impoundments	YESNO_X YESNO_X
Presence of upper water shed	YESNO_X
Organized sewage service available to lot	YES NO X
Design Calculations for Aerobic Treatment with Spr	ay Irrigation:
<u>Commercial</u>	
O=GPD	
Residential Water conserving fixtures to be utilized? Ye	es <u>X</u> No
Number of Bedrooms the septic system is sized for:	
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction	for water conserving fixtures)
Q = (<u>4</u> +1)*75-(20%)= <u>300</u>	,
Trash Tank Size Gal.	
TCEQ Approved Aerobic Plant Size600 G	i.P.D.
	164 = 4688 sq. ft.
Application Area Utilized = 5326 sq. ft.	
Pump Requirement 12 Gpm @ 41 Psi (Rec	ijacket 0.5 HP 18 G.P.M. series or equivalent)
Dosing Cycle:ON DEMAND orX T Pump Tank Size = <u>つい</u> Gal. <u>13.3</u> Ga	IMED TO DOSE IN PREDAWN HOURS
$Fump \ 1 ank \ Size = \frac{160}{160} Gal. \frac{13.3}{160} Ga$	d/inch.
Reserve Requirement = 100 Gal. 1/3 day flow.	44.75
Alarms: Audible & Visual High Water Alarm & Visual	Air Pump malfunction
With Chlorinator NSF/TCEQ APPROVED SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout	
Pop-up rotary sprinkler heads w/ purple non-potable lids	
1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED AND	
EXPOSED ROCK WILL BE COVERED WITH SOII	L OR MULCH.
HAVE PERFORMED A THOROUGH INVESTIGATION	
AND SITE EVALUATOR IN ACCORDANCE WITH CHA	
REGARDING RECHARGE FEATURES), TEXAS CO	MMISSION OF ENVIRONMENTAL QUALITY
EFFECTIVE DECEMBER 29, 2016)	TE OF TEL
\mathcal{M}	12/2 20 65 1
\mathcal{L}	19WV y * / X
GREG W. JOHNSON P.E. F#002585 - S.E. 11561	DATE GREG W. JOHNSON
•	67687
	FIRM #2685
	WOONAL ENGL






TANK NOTES:


Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks






TYPICAL PUMP TANK CONFIGURATION PRO-FLO 768 GAL PUMP TANK

REVISED

9:50 am, Dec 16, 2022

Pro Flo 5060HCSP GPD Unit with 397 Gallon Pretreatment and 768 Gallon Pump Tank Affixed



All Gallonage Approximate Drawing Not to Scale Configuration May Vary

Note: Unit Tested Did Not Have Affixed Pretreatment or Pump Tank


Note: If the wall between the clarifier and aeration chamber is a drop in wall, the thickness shall be 2-1/2"

Overall Length -Top 159" Bottom 155"
Overall Width - Top 68" Bottom 64"
Height Without Risers - 71"
Exterior Wall Thickness - 3"
Interior Wall Thickness - Top 2" Bottom 3"
Top & Bottom Thickness - Top 5" Bottom 3"
Pretreatment Length - Top 29-1/4" Bottom 26-3/4"
Aeration Length - Top 44" Bottom 43"
Clarifier Length - Top 18-1/2" Bottom 17-1/2"
Pump Tank Length - Top 55-1/4" Bottom 52-3/4"
Water Level - 55"
Air Diffuser - 27"
Bottom of Inlet to Bottom of Tank - 60-1/2"
Total Tank Weight (Empty) - 17,710#*
(*actual scaled weight)



Revised 7/19/13 5060HCSP.KEY

Pro Flo 5060HCSP





RECEIVED

BB 3170

By Brenda Ritzen at 8:36 am, Feb 25, 2022

DATE ISSUED

NOTES: Updated site plan okay.

Form survey required.

CITY OF BULVERDE New Single Family (Residential) Permit

PERMIT# 2022-92

PROJECT ADDRESS: 985 Jenny Leigh Trail Bulverde, TX 78163

LOCATION NAME: NSFR SUBDIVISION: Belle Oaks

OWNER: Geaux Loco Enterprises Inc

CONTRACTOR: A & E Custom Homes - Chuck Bartholomew

ADDRESS: 28503 Hoffman Spring Lane CITY, STATE, ZIP: Fulshear, TX 77441

PHONE: (210) 391-1419

EMAIL ADDRESS: chuck_bartholomew@yahoo.com

CONTACT NAME: Taylor Bartholomew

ALT PHONE: (210) 391-1419

SQ FT: 0.00

PROJECT VALUATION: 0.00

PERMIT TYPE

AMOUNT DUE

2/22/2022

New Single-Family Residential

\$0.00

TOTAL:

\$2900.46

PLAN REVIEW BY:

NOTES: Schedule by 2pm for next day inspections

NOTICE

THIS PERMIT BECOMES NULL AND VOID IF WORK OR CONSTRUCTION AUTHORIZED IS NOT COMMENCED WITHIN 180 DAYS, OR IF CONSTRUCTION OR WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AT ANY TIME AFTER WORK IS STARTED. SEPARATE PERMITS FOR ELECTRICAL, PLUMBING, MECHANICAL, AND PAVING ARE REQUIRED. ALL PERMITS REQUIRE FINAL INSPECTION.

I HEREBY CERTIFY THAT I HAVE READ AND EXAMINED THIS DOCUMENT AND KNOW THE SAME TO BE TRUE AND CORRECT. ALL PROVISIONS OF LAWS AND ORDINANCES GOVERNING THIS TYPE OF WORK WILL BE COMPLIED WITH WHETHER SPECIFIED HEREIN OR NOT. GRANTING OF A PERMIT DOES NOT PRESUME TO GIVE AUTHORITY TO VIOLATE OR CANCEL THE PROVISION OF ANY OTHER STATE OR LOCAL LAW REGULATING CONSTRUCTION OR THE PERFORMANCE OF CONSTRUCTION.

(SIGNATURE OF CONTRACTOR OR AUTHORIZED AGENT)

PRINTED NAME

A & E Custom Homes

INTED COMPANY NAME

ISSUED BY

CITY OF BULVERDE

30360 Cougar Bend, Bulverde Texas 78163 830.438.3612 / 830.980.8832 metro / 830.438.4339 fax www.bulverdetx.gov

From:Ritzen, BrendaTo:"Greg Johnson"Cc:Catherine Jefferson

Subject: RE: 985 JENNY LEIGH - GEAUX LOCO #113935

Date: Friday, December 16, 2022 9:51:00 AM

Attachments: <u>image001.png</u>

Greg,

The permit file has been updated.

Thank you,



Brenda Ritzen

Environmental Health Coordinator 195 David Jonas Dr. New Braunfels, TX 78132 DR:OS00007722 830-608-2090 www.cceo.org

From: Greg Johnson <gregjohnsonpe@yahoo.com>

Sent: Friday, December 16, 2022 8:25 AM **To:** Ritzen, Brenda <rabbjr@co.comal.tx.us> **Cc:** Catherine Jefferson <cat@mjseptic.com>

Subject: 985 JENNY LEIGH - GEAUX LOCO #113935

This email originated from outside of the organization.

Do not click links or open attachments unless you recognize the sender and know the content

- Comal IT

REVISED TANK. THX, GREG

Send for Greg W. Johnson, P.E., R.S.)

170 Hollow Oak

New Braunfels, TX 78132


* * * COMAL COUNTY OFFICE OF ENVIRONMENTAL HEALTH * * * APPLICATION FOR PERMIT ON-SITE SEWAGE FA ON-SITE S

Planning Materials & Site Evaluation as Required Completed By <u>GREG W. JOHNSON, P.E.</u>					
System Description PROPRIETARY; AEROBIC TREATMENT AND SURFACE IRRIGATION					
Size of Septic System Required Based on Planning Materials & Soil Evaluation					
Tank Size(s) (Gallons)NU	WATER B-550-PC	Absorption/Application Area (Sq Ft)	5326		
Gallons Per Day (As Per TCEQ Table III)					
Is the property located over the E	•	☐ Yes No d Sanitarian (R.S.) or Professional Engineer (l	P.E.))		
Is there an existing TCEQ approve	ed WPAP for the property	/? ☐ Yes 🛛 No			
(if yes, the R. S. or P. E. shall certify t	hat the OSSF design complic	es with all provisions of the existing WPAP.)			
If there is no existing WPAP, does	the proposed developm	ent activity require a TCEQ approved Wi	PAP? Yes No		
(If yes, the R.S. or P. E. shall certify that the OSSF design will comply with all provisions of the proposed WPAP. A Permit to Construct will not be issued for the proposed OSSF until the proposed WPAP has been approved by the appropriate regional office.)					
Is the property located over the Edwards Contributing Zone? Yes No					
Is there an existing TCEQ approval CZP for the property (if yes, the P.E. or R.S. shall certify that the OSSF design complies with all provisions of the existing CZP)					
If there is no existing CZP, does the proposed development activity require a TCEQ approved CZP? Yes No (if yes, the P.E. or R.S. shall certify that the OSSF design will comply with all provisions of the proposed CZP. A Permit to construct will) not be issued for the proposed OSSF until the CZP has been approved by the appropriate regional office.)					
Is this property within an inco	prporated city? 🛛 Yes	s No	3.		
If yes, indicate the city:	Bulverde	GREG W. JOHNS	Non Parties of the Pa		
		FOYONAL EN	FIRM #2585		
By signing this application, I certify that - The information provided above is tru - I affirmatively consent to the online po	e and correct to the best of r	my knowledge. mail address associated with this permit applic January 13, 2022	ation, as applicable		
Signature of Designer		Date	Page 2 of 2		

OSSF SOIL EVALUATION REPORT INFORMATION

Date:January 13, 2022				
Applicant Information:				
VO Duator Information:				
Name: GEAUX LOCO ENTERPRISES, LLC. Name: Greg W. Johnson, P.E., R.S., S.E. 11561				
Address: 28503 HOFFMAN SPRING LANE Address: 170 Hollow Oak				
City: FULSHEAR State: TEXAS City: New Braunfels State: Texas Zip Code: 77441 Phone: (210) 875-0703 Zip Code: 78132 Phone & Fax (830)905-2778				
Zip Code: 77441 Phone: (210) 875-0703 Zip Code: 78132 Phone & Fax (830)905-2778				
Property Location: Installer Information:				
Lot 29 Unit 2 Blk 3 Subd. BELLE OAKS RANCH Name:				
Street Address: 985 JENNY LEIGH TRAIL Company:				
City: BULVERDE Zip Code: 78163 Address:				
Additional Info.: State:				
Zip Code: Phone				
Topography: Slope within proposed disposal area:				
Presence of 100 yr. Flood Zone: YES NO X				
Existing or proposed water well in nearby area. YES NO X				
Presence of adjacent ponds, streams, water impoundments YESNO_X NO_X				
Presence of upper water shed YESNO_X NO_X				
Organized sewage service available to lot YESNO_X				
Design Calculations for Aerobic Treatment with Spray Irrigation:				
Commercial				
Q = GPD				
Residential Water conserving fixtures to be utilized? Yes X No				
Number of Bedrooms the septic system is sized for: 4 Total sq. ft. living area 3204				
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction for water conserving fixtures)				
Q = (4 +1)*75-(20%) = 300				
Trash Tank Size 353 Gal.				
TCEQ Approved Aerobic Plant Size 600				
Req'd Application Area = $Q/Ri = 300$ / 4688 sq. ft.				
Application Area Utilized = 5326 sq. f				
Pump Requirement Gpm @41 Psi (Redjacket 0.5 HP 18 G.P.M. series or equivalent)				
Dosing Cycle:ON DEMAND orX TIMED TO DOSE IN PREDAWN HOURS				
Pump Tank Size = 768 Gal. 14.5 Gal/inch.				
Reserve Requirement = 100 Gal. 1/3 day flow.				
Alarms: Audible & Visual High Water Alarm & Visual Air Pump malfunction With Chlorinator NSF/TCEQ APPROVED				
SCH-40 or SDR-26 3" or 4" sewer line to tank				
Two way cleanout				
Pop-up rotary sprinkler heads w/ purple non-potable lids				
1" Sch-40 PVC discharge manifold				
APPLICATION AREA SHOULD BE SEEDED AND MAINTAINED WITH VEGETATION.				
EXPOSED ROCK WILL BE COVERED WITH SOIL OR MULCH.				
I HAVE PERFORMED A THOROUGH INVESTIGATION BEING A REGISTERED PROFESSIONAL ENGINEER				
AND SITE EVALUATOR IN ACCORDANCE WITH CHAPTER 285, SUBCHAPTER D, §285.30, & §285.40				
(REGARDING RECHARGE FEATURES), TEXAS COMMISSION OF ENVIRONMENTAL QUALITY (EFFECTIVE DECEMBER 29, 2016)				
TE OF TEX				
112/2m2 6 30				
orno vi vorno da a a a a a a a a a a a a a a a a a a				
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561 DATE GREG W. JOHNSON				

FIRM #2585






TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks



TYPICAL PUMP TANK CONFIGURATION NU-WATER 550PC -400PT 768 GAL PUMP TANK

From: <u>Ritzen, Brenda</u>

To: "Catherine Jefferson"; Olvera, Brandon; Allen, Corey; Connor, James F; Aguirre, Joseph; Griffin, Kathy

Cc: STEPHANIE PEREZ; Audrey Miller
Subject: RE: Contract for Permit #113935
Date: Friday, December 16, 2022 9:18:00 AM

Attachments: <u>image001.png</u>

Catherine,

The permit file has been updated.

Thank you,



Brenda Ritzen

Environmental Health Coordinator 195 David Jonas Dr. New Braunfels, TX 78132 DR:OS00007722 830-608-2090 www.cceo.org

From: Catherine Jefferson <cat@mjseptic.com> Sent: Thursday, December 15, 2022 4:32 PM

To: Olvera,Brandon <Olverb@co.comal.tx.us>; Allen,Corey <Allenc@co.comal.tx.us>; Connor,James F <connoj@co.comal.tx.us>; Aguirre,Joseph <aguirj@co.comal.tx.us>; Ritzen, Brenda <rabbjr@co.comal.tx.us>; Griffin, Kathy <griffk@co.comal.tx.us>

Cc: STEPHANIE PEREZ <mjseptic@mjseptic.com>; Audrey Miller <adminassist@mjseptic.com>

Subject: Contract for Permit #113935

This email originated from outside of the organization.

Do not click links or open attachments unless you recognize the sender and know the content is safe.

- Comal IT

Please see attached, MJ is doing this installation. Thank you and please let me know if you need anything additional.

--

Ritzen, Brenda

From: Ritzen, Brenda

Sent: Wednesday, January 26, 2022 9:36 AM To: 'taylorbartholomew@yahoo.com'

Cc: 'Greg Johnson' Permit 113935 **Subject:**

Geaux Loco Enterprises, LLC Re:

Belle Oaks Ranch Phase 2 Lot 29 Block 3

Application for Permit for Authorization to Construct an On-Site Sewage Facility

Owner / Agent :

The following information is needed before I can continue processing the referenced permit submittal:



Y. Submit a copy of the approved building permit from the City of Bulverde.

2. Revise as needed and resubmit.

Thank you,



Brenda Ritzen

Environmental Health Coordinator 195 David Jonas Dr. New Braunfels, TX 78132 DR:OS00007722 830-608-2090 www.cceo.org

1/21/22



15188 FM 306 Canyon Lake, TX 78133 Phone (830)964-2365 Fax (830) 964-2659



Routine Maintenance and Inspection Agreement

General

This Work for Hire Agreement (hereinafter referred to as this "Agreement") is entered into by and between (referred to as "Client") and Aerobic Services of South Texas (Thomas W. GEAUX LOCO ENTERPRISES, LLC Hampton MP 349) (hereinafter referred to as "Contractor") located at 15188 FM 306, Texas 78133 (830) 964-2365. By this Agreement the Contractor agrees to render professional service, as described herein, and the Client agrees to fulfill the terms of this Agreement as described herein.

This contract will provide for all required inspections, testing and service for your Aerobic Treatment System. The policy will include the following:

- 1. 3 inspections a year/services calls (at least one every 4 months), for a total of 6 over the two year period including inspection, adjustment and servicing of the mechanical, electrical and other applicable component parts to ensure proper function. This includes inspecting control panel, air pumps, air filters, diffuser operation, Any alarm situation affecting the proper function of the Aerobic process will be address within a 48-hour time Frame. Repair work on non-warranty parts will include price for parts & labor. The prices will be quoted before work is performed.
- color, turbidity, scum overflow and VOID color, turbidity, scum dreported as necessary. 2. An effluent quality inspection consisting of a examination for odors. A test for chlorine residual an
- 3. If any improper operation is observed, which cannot be corrected at the time of the service visit, you will be notified immediately in writing of the conditions and estimated date of correction.
- 4. The customer is responsible for the chlorine tablets; they must be filled before or during the service visit.
- 5. Any additional visits, inspections or sample collection required by specific Municipalities, Water/River Authorities, and County Agencies the TCEQ or any other authorized regulatory agency in your jurisdiction will be covered by this policy.

The Homeowners Manual must be strictly followed or warranties are subject to invalidation. Pumping of sludge build-up is not covered by this policy and will result in additional charges.

ACCESS BY CONTRACTOR

The Contractor or anyone authorized by the Contractor may enter the property at reasonable times without prior notice for the purpose of the above described Services. The contractor may access the System components including the tanks by means of excavation for the purpose of evaluations if necessary. Soil Is to be replaced with the excavated material as best as possible.



Termination of Agreement

Either party may terminate this agreement within ten days written notice in the event of substantial failure to perform in accordance with its terms by the other party without fault of the terminating party. If this Agreement is so terminated, the Contractor will immediately notify the appropriate health authority of the termination.

Limit of Liability

In no event shall the Contractor be liable for indirect, consequential, incidental or punitive damages, whether in contract tort or any other theory. In no event shall the Contractor's liability for direct damages exceed the price for the services described in this Agreement.

Dispute Resolution

If a dispute between the Client and the Designer arises that cannot be settled in good faith negotiations then the parties shall choose a mutually acceptable arbitrator and shall share the cost of the arbitration services equally.

Entire Agreement

This Agreement contains the entire agreement of the parties, and there are no other promises or conditions in any other agreement either oral or written.

Severability

If any provision of this Agreement shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of this agreement is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

Legal Description: BELLE OAKS RANCH, PHASE 2, BL	/OID
Property Address: 985 JENNY LEIGH TRAIL	
HOME OWNER	SERVICE PROVIDER
A&E CUSTOM HOMES	Aerobic Services of South Texas Inc. Name
Name 28503 HOFFMAN SPRING LANE	15188 FM 306 Address
Address FULSHEAR, TX 77441	Canyon Lake, Texas 78133 City, State
City, State 210-875-0703	(830) 964 - 2365 Phone 14 DTO A 950024597/MP349
Signature of Home Owner	Thomas Hampton Signature of Service Provider and License #
EFFECTIVE DATEEXPIRED DAT	EINSTALLED
Model #	Blower/Panel Serial #

The effective date of this initial maintenance contract shall be the date license to operate is issued.

Independence Title/GF# 2164950-SOSA-SCT

Notice of confidentiality rights: If you are a natural person, you may remove or strike any or all of the following information from this instrument before it is filed for record in the public records: your Social Security number or your driver's license number.

CASH WARRANTY DEED

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF COMAL

THAT STEVEN WAYNE RUSSELL AND KERIN JODY RUSSELL-MRAZ, for and in consideration of the sum of TEN AND NO/100 Dollars (\$10.00) and other good and valuable consideration to the undersigned paid by the Grantee, GEAUX LOCO ENTERPRISES, LLC, herein named, the receipt of which is hereby acknowledged, has GRANTED, SOLD and CONVEYED, and by these presents do GRANT, SELL and CONVEY unto GEAUX LOCO ENTERPRISES, LLC, all of the following described real property in Comal County, Texas, to-wit:

Lot 29, Block 3, BELLE OAKS RANCH, PHASE II, situated in the City of Bulverde, Comal County, Texas, according to the map or plat thereof, recorded in Document No. 201906029154, Map and Plat Records, Comal County, Texas.

TO HAVE AND TO HOLD the above-described premises, together with all and singular the rights and appurtenances thereto in anywise belonging unto the said Grantee, their heirs and assigns forever; and we do hereby bind ourselves, our heirs, executors and administrators to WARRANT AND FOREVER DEFEND all and singular the said premises unto the said Grantee, their heirs and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof.

This conveyance is made and accepted subject to the following matters, to the extent same are in effect at this time: Any and all restrictions, covenants, conditions, easements, set back lines, agreements, and outstanding royalty and mineral reservations, if any, relating to the hereinabove described property, but only to the extent they are still in effect, shown of record in the hereinabove mentioned County and State; and to all zoning laws, regulations and ordinances of municipal and/or other governmental authorities, if any, but only to the extent that they are still in effect, relating to the hereinabove described property.

Grantee herein assumes the payment of all taxes for the year of 2021 and subsequent years.

EXECUTED this 25th day of October 2021.

GRANTOR:

Steven Wayne Zussell

STEVEN WAYNE RUSSELL

GRANTOR:

Kurin July Regulling

KERIN JODY RUSSELL-MRAZ

MAILING ADDRESS OF GRANTEE:
GEAUX LOCO ENTERPRISES, LLC
250
KATU, N. 17494

ACKNOWLEDGMENT

STATE OF TEXAS

COUNTY OF BIRZOIL

This instrument was acknowledged before me on the 25th day of October 2021, by STEVEN WAYNE RUSSELL.

Tamio Nichole Mason

ID NUMBER
132096765
COMMISSION EXPIRES
July 22, 2023

Jamie Metrole Maron

Notary Public In and for the State of Texas
Tamle Nichole Mason

07/22/2023

Notarized online using audio-video communication

2

ACKNOWLEDGMENT

STATE OF TEXAS

COUNTY OF BEXAR

This instrument was acknowledged before me on the 25th day of October 2021, by KERIN JODY RUSSELL-MRAZ.

Tamle Nichole Mason

ID NUMBER 132096765 DIOHISSION EXPIRES July 22, 2023

Notary Public In and for the State of Texas

Jamie Machole Mason

Tamle Nichole Mason 07/22/2023

Notarized online using audio-video communication PREPARED IN THE LAW OFFICE OF:

Jackie Lynn Ward, Attorncy at Law 3714 Newrock Drive San Antonio, Texas 78230

PLEASE RETURN TO:

3

Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 10/26/2021 12:54:06 PM CHRISTY 3 Pages(s) 202106055665



RECEIVEDBy KG at 9:42 am, Jan 24, 2022



OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

Initials

Date Received

113935

Permit Number

Instructions: Place a check mark next to all items that apply. For items that do not a Checklist <u>must</u> accompany the completed application.	apply, place "N/A". This OSSF Development Application		
OSSF Permit			
Completed Application for Permit for Authorization to Construct a	an On-Site Sewage Facility and License to Operate		
Site/Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer			
Planning Materials of the OSSF as Required by the TCEQ Rules of a scaled design and all system specifications.	s for OSSF Chapter 285. Planning Materials shall consist		
Required Permit Fee - See Attached Fee Schedule			
Copy of Recorded Deed			
Surface Application/Aerobic Treatment System			
Recorded Certification of OSSF Requiring Maintenance/Ai	ffidavit to the Public		
Signed Maintenance Contract with Effective Date as Issua	nce of License to Operate		
I affirm that I have provided all information required for my OSSF constitutes a completed OSSF Development Application. Signature of Applicant	Development Application and that this application		
Check No Receipt No	INCOMPLETE APPLICATION —— (Missing Items Circled, Application Refeused)		
	Revised: September 2019		