Installer Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Permit#: Address: No. Description Answer Citations 1st Insp. 2nd Insp. 3rd Insp. Notes SITE AND SOIL CONDITIONS & 285.31(a) SETBACK DISTANCES Site and Soil 285.30(b)(1)(A)(iv) Conditions Consistent with Submitted Planning Materials 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i) SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback 285.91(10) Distances 285.30(b)(4) Meet Minimum Standards 285.31(d) SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, 285.32(a)(1) SDR 26) 3 SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per 285.32(a)(3) Foot SEWER PIPE Two Way Sanitary -Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 285.32(a)(5) degree bends) PRETREATMENT Installed (if required) TCEQ Approved List 285.32(b)(1)(G) PRETREATMENT Septic Tank(s) 285.32(b)(1)(E)(iii) Meet Minimum Requirements 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(A) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(i) 285.32(b)(1)(E)(ii)(I) 6 PRETREATMENT Grease Interceptors if required for 285.34(d) commercial


Inspector Notes:

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	SEPTIC TANK Tank(s) Clearly Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and " T " Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (i)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
	PUMP TANK Volume Installed						
	AEROBIC TREATMENT UNIT Size Installed						
14	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation						
			285.33(c)(3)(A)-(F)				
19							
	DISPOSAL SYSTEM Soil		205 22(4)(4)				
20	Substitution		285.33(d)(4)				
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4)				
			285.33(a)(3) 285.33(a)(1)				
24			285.33(a)(1) 285.33(a)(2)				
21	DISPOSAL SYSTEM Gravelless Pipe						
			285.33(a)(3)				
			285.33(a)(2)				
			285.33(a)(4) 285.33(a)(1)				
22							
	DISPOSAL SYSTEM Mound		285.33(a)(3)				
			285.33(a)(1)				
			285.33(a)(2) 285.33(a)(4)				
23	DISPOSAL SYSTEM Other						
	(describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24			265.55(0)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC						
	or 4" PVC						
25	DRAINFIELD Area Installed						
26							
	DRAINFIELD Level to within 1 inch						
	per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
27							
	DRAINFIELD Excavation Width						
	DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation						
	DRAINFIELD Depth of Porous Media						
	DRAINFIELD Type of Porous Media						
28							
	DRAINFIELD Pipe and Gravel -		205 22/5//4//5/				
29	Geotextile Fabric in Place		285.33(b)(1)(E)				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End						
	Plates w/Splash Plate, Inspection						
	Port & Closed End Plates in Place		285.33(c)(2)				
	(per manufacturers spec.)						
30							
	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length						
	& Width, and Adequate		285.33(d)(1)(C)(i)				
	Separation Distance between						
31	Trenches						

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
33	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
34	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
37	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
42	APPLICATION AREA Area Installed						
	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number:	115902
Issued This Date:	03/23/2023
This permit is hereby given to:	FERRIL M. & GAYLA L SORENSON, II

To start construction of a private, on-site sewage facility located at:

1225 CLOVE HITCH NEW BRAUNFELS, TX 78132


Subdivision:	VINTAGE OAKS AT THE VINEYARD
Unit:	17
Lot:	1663
Block:	0
Acreage:	1.9800

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.



OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

115902

Date Received Initials

•

Permit Number

Instructions:

Place a check mark next to all items that apply. For items that do not apply, place "N/A". This OSSF Development Application Checklist <u>must</u> accompany the completed application.

oss	F Permit
Х	Completed Application for Permit for Authorization to Construct an On-Site Sewage Facility and License to Operate
\times	Site/Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer
\times	Planning Materials of the OSSF as Required by the TCEQ Rules for OSSF Chapter 285. Planning Materials shall consist of a scaled design and all system specifications.
\times	Required Permit Fee - See Attached Fee Schedule
\times	Copy of Recorded Deed
\boxtimes	Surface Application/Aerobic Treatment System
	Recorded Certification of OSSF Requiring Maintenance/Affidavit to the Public
	Signed Maintenance Contract with Effective Date as Issuance of License to Operate

I affirm that I have provided all information required for my OSSF Development Application and that this application constitutes a completed OSSF Development Application.

Signature of Applicant

	COMPL	ETE APPLICATION
Check No.		Receipt No

03/02/2023

Date



Revised: September 2019

REVISED	
8:55 am, Mar 23, 2023	

COMAL COUNTY ENGINEER'S OFFICE

ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Date Ja	nuary 11, 2023		Permit Nu	mber <u>115</u>	902	
1. APPLICANT /	AGENT INFORMATION					
Owner Name	FERRIL MAYNE SORENSON, II & GAYLA LOUISE MOSS SORENSON	Agent Name	(GREG JOHNSON, P.E.		
Mailing Address	c/o PO BOX 20	Agent Address		170 HOLLOW C	DAK	
City, State, Zip	BULVERDE TEXAS 78163	City, State, Zip	NEW	BRAUNFELS TE	XAS 78132	
Phone #	830-438-3240	Phone #		830-905-2778	8	
Email	marie@bradmoorebuilders.com	Email	gre	egjohnsonpe@yah	ioo.com	
2. LOCATION						
Subdivision Nam	VINTAGE OAKS AT THE VINE	YARD Un	nit <u>17</u>	Lot 1663	Block	
	Abstract Number					
Address	1225 CLOVE HITCH	City NEW BRA	UNFELS	StateTX	Zip78132	
3. TYPE OF DEV	ELOPMENT					
🔀 Single Fam	nily Residential					
Type of Co	onstruction (House, Mobile, RV, Etc.)	HOUSE				
Number of	f Bedrooms 5					
Indicate S	q Ft of Living Area 3920					
Non-Single	Family Residential					
(Planning m	aterials must show adequate land area for doubling	the required land need	ed for treatm	ent units and dispo	osal area)	
Type of Fa	acility					
	actories, Churches, Schools, Parks, Etc Indic		pants			
Restauran	ts, Lounges, Theaters - Indicate Number of Se	ats				
	el, Hospital, Nursing Home - Indicate Number					
	iler/RV Parks - Indicate Number of Spaces					
	eous					
Estimated Cos	st of Construction: \$ 800,000	(Structure Only)				
Is any portion	of the proposed OSSF located in the United S	tates Army Corps of E	Engineers (l	JSACE) flowage	easement?	
🗌 Yes 🔀	No (If yes, owner must provide approval from USACE for	or proposed OSSF improve	ements within	the USACE flowage	easement)	
Source of Wate	er 🔀 Public 🗌 Private Well 🗌 Rainwater	Collection				
4. SIGNATURE	OF OWNER					
- The completed ap	plication, I certify that: pplication and all additional information submitted do at I am the property owner or I possess the appropria					
 Authorization is h site/soil evaluatio I understand that 	nereby given to the permitting authority and designal on and inspection of private sewage facilities a permit of authorization to construct will not be issue with Flood Permit and Permitting Potential					
- I affirmatively cor	unty Flood Damage Prevention Order. Issent to the online posting/public release of my e-ma	il address associated w	ith this permi	it application, as ap	oplicable.	
Ken	All Sunoy of	1/23/	2023	3		
Signature of O		Date			Page 1 of 2	

Page 1 of 2 Revised January 2021

REVISED	VINTAGE OAKS AT THE VINEYARD, UNIT 17, LOT 1663
3:55 am, Mar 23, 2023	* COMAL COUNTY OFFICE OF ENVIRONMENTAL HEALTH * * *
	APPLICATION FOR PERMIT FOR AUTHORIZATION TO CONSTRUCT AN ON-SITE SEWAGE FACILITY AND LICENSE TO OPERATE
Planning Materials & S	Site Evaluation as Required Completed By <u>GREG W. JOHNSON, P.E.</u>
System Description	PROPRIETARY; AEROBIC TREATMENT AND SURFACE IRRIGATION
Size of Septic System	Required Based on Planning Materials & Soil Evaluation
Tank Size(s) (Gallons)	NUWATER B-550-PC Absorption/Application Area (Sq Ft)
Gallons Per Day (As I (Sites generating more the	Per TCEQ Table III) 360 han 5000 gallons per day are required to obtain a permit through TCEQ)
(If yes, the planning mate	I over the Edwards Recharge Zone? X Yes No erials must be completed by a Registered Sanitarian (R.S.) or Professional Engineer (P.E.)) EQ approved WPAP for the property? X Yes No shall certify that the OSSF design complies with all provisions of the existing WPAP.)
(If yes, the R.S. or P. E.	WPAP, does the proposed development activity require a TCEQ approved WPAP? Yes No shall certify that the OSSF design will comply with all provisions of the proposed WPAP. A Permit to Construct will posed OSSF until the proposed WPAP has been approved by the appropriate regional office.)
is the property located	over the Edwards Contributing Zone? 🗌 Yes 🛛 No
Is there an existing TC	EQ approval CZP for the property? 🔲 Yes 🛛 No
(if yes, the P.E. or R.S. s	hall certify that the OSSF design complies with all provisions of the existing CZP)
(if yes, the P.E. or R.S. s	CZP, does the proposed development activity require a TCEQ approved CZP? Yes No hall certify that the OSSF design will comply with all provisions of the proposed CZP. A Permit to construct will) oposed OSSF until the CZP has been approved by the appropriate regional office.)
	hin an incorporated city? Yes No
If yes, indicate the	city:GREG W. JOHNSON GREG W. JOHNSON B P G7587 C G/STERE S S/ONAL ENO FIRM #2585

By signing this application, I certify that:

- The information provided above is true and correct to the best of my knowledge.

- I affirmatively consent to the online posting/public release of my e-mail address associated with this permit application, as applicable

Signature of Designer

January 15, 2023 Date

Page 2 of 2 Revised July 2018

195 David Jonas Dr., New Braunfels, Texas 78132-3760 (830) 608-2090 Fax (830) 608-2078

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

[

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

(UNITO PRASEASECTION BLOCK	LOT VINTAGE OAKS AT THE VINEYARD SUBDIVISION			
IP NO	T IN SUBDIVISION: ACREAGE	SURVEY			
	The property is owned by (insert owner's full nam	FERRIL MAYNE SORENSON, II & GAYLA LOUISE MOSS BC):SORENSON			
	This OSSF must be covered by a continuous maintenance contract for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally.				
	Upon sale or transfer of the above-described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for the OSSF can be obtained from the Comal County Engineer's Office.				
	WITNESS BY HANDESTON THIS 16 DAY OF	Ferril M. Brenson H			
	Owner(s) signature(s)	Gayla Sorenser			
Ferrila	<u>999 y /a Sorenson</u> sworn to and subscribed before me on this //a DAY OF				
	Chustin A Wagner Notary Public Signature	Filed and Recorded Official Public Records			
	ANAICH OF INDIANA Notary Public Seal Christing S. Wagner	Bobbie Koepp, County Clerk Comal County, Texas 02/27/2023 08:09:07 AM LOUISA 1 Pages(s)			

202306005885



VINTAGE OAKS AT THE VINEYARD, UNIT 17, LOT 1663

SITE ADDRESS	INSTALLER	DATE
1225 CLOVE HITCH, NEW BRAUNFELS, TX 78132	J.R. AVILA	1/16/2023

Routine Maintenance and Inspection Agreement

This Work for Hire Agreement (hereinafter referred to as this "Agreement") is entered into by and between
FERRIL M. & GAYLA L. SORENSON (referred to as "Client") and Aerobic Services of South Texas (Thomas W. Hampton MP349) (hereinafter referred to as "Contractor") located at 15188 FM 306 Canyon Lake, Texas 78133 (830)
964-2365. By this Agreement the Contractor agrees to render professional service, as described herein, and the Client agrees to fulfill the terms of this Agreement as described herein.

This contract will provide for all required inspections, testing and service for your Aerobic Treatment System. The policy will include the following:

1. 3 inspections a year/services calls (at least one every 4 months), for a total of 6 over the **two year period** including inspection, adjustment and servicing of the mechanical, electrical and other applicable component parts to ensure proper function. This includes inspecting the control panel, air pumps, air filters, diffuser operation. Any alarm situation affecting the proper function of the Aerobic process will be addressed within a 48-hour time frame. Repair work on non-warranty parts will include price for parts & labor. The prices will be quoted before work is performed.

2. An effluent quality inspection consisting of a visual check for color, turbidity, seum overflow and examination for odors. A test for chlorine residual and pH will be taken and reported as necessary.

3. If any improper operation is observed, which cannot be corrected at the time of the service visit, you will be notified immediately in writing of the conditions and estimated date of correction.

4. The customer is responsible for the chlorine; it must be filled before or during the service visit.

5. Any additional visits, inspections or sample collection required by specific Municipalities, Water/River Authorities, and County Agencies the TCEQ or any other authorized regulatory agency in your jurisdiction will be covered by this policy. BOD and TSS testing is covered by this contract.

The Homeowners Manual must be strictly followed or warranties are subject to invalidation. Pumping of sludge build-up is not covered by this policy and will result in additional charges.

ACCESS BY CONTRACTOR

The Contractor or anyone authorized by the Contractor may enter the property at reasonable times without prior notice for the purpose of the above described Services. The contractor may access the System components including the tanks by means of excavation for the purpose of evaluations if necessary. Soil Is to be replaced with the excavated material as best as possible.

Termination of Agreement

Either party may terminate this agreement within ten days with a written notice in the event of substantial failure to perform in accordance with its terms by the other party without fault of the terminating party. If this Agreement is so terminated, the Contractor will immediately notify the appropriate health authority of the termination.



Limit of Liability

In no event shall the Contractor be liable for indirect, consequential, incidental or punitive damages, whether in contract tort or any other theory. In no event shall the Contractor's liability for direct damages exceed the price for the services described in this Agreement.

Dispute Resolution

If a dispute between the Client and the Contractor arises that cannot be settled in good faith negotiations then the parties shall choose a mutually acceptable arbitrator and shall share the cost of the arbitration services equally.

Entire Agreement


This Agreement contains the entire agreement of the parties, and there are no other promises or conditions in any other agreement either oral or written.

Severability

If any provision of this Agreement shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of this agreement is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

HOME OWNER

FERRIL M. & GAYLA L. SORENSON



SERVICE PROVIDER

Aerobic Services of South Texas Inc.

15188 FM 306, Canyon Lake TX 78133

TOM HAMPTON

Signature of Service Provider and License # [Thomas Hampton, OS0024597 / MP0000349]

EFFECTIVE DATE

EXPIRED DATE

INSTALLED

Model #

Blower/Panel Serial #

The effective date of this initial maintenance contract shall be the date license to operate is issued.

Greg W. Johnson, P.E. 170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

January 15, 2023

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RE-SEPTIC DESIGN 1225 CLOVE HITCH VINTAGE OAKS AT THE VINEYARD, UNJIT 17, LOT 1663 NEW BRAUNFELS, TX 78132 SORENSON RESIDENCE

Brandon /Brenda,

The referenced property is located within the Edwards Aquifer Recharge Zone. This OSSF design will comply with requirements in the WPAP.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40,285.41, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

1/15/2023

Greg W. Johnson, P.E. No. 67587 / F#2585 170 Hollow Oak New Braunfels, Texas 78132 - 830/905-2778



ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed: January 13, 2023

Site Location:

VINTAGE OAKS at the VINEYARD, UNIT 17, LOT 1663

Proposed Excavation Depth: _____ N/A

Requirements:

At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. Locations of soil boring or dug pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. For surface disposal, the surface horizon must be evaluated. Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

SOIL BORING	NUMBER SUR	FACE EVALUAT	<u>'ION</u>			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0 6" 1 2	IV	CLAY	N/A	NONE OBSERVED	LIMESTONE @ 6"	BROWN
3	-					
4	-					
5						

SOIL BORING	NUMBER SUR	FACE EVALUAT	ION			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0	SAME		AS		ABOVE	
3						
4 5	-					

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.

Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

01/13/2023


Date


OSSF SOIL EVALUATION REPORT INFORMATION

Date: January 16, 2023

Applicant Information:

	Site Evaluator Information:
Name: LOUISE MOSS SORENSON	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address:P.O. BOX 20City:BULVERDEState:City:City:City:	Address: 170 Hollow Oak
City: BULVERDE State: TEXAS	City: <u>New Braunfels</u> State: Texas
Zip Code:78163Phone:(830) 388-9435	Zip Code: <u>78132</u> Phone & Fax (830)905-2778
Property Location: Lot <u>1663</u> Unit <u>17</u> Blk Subd. <u>VINTAGE OAKS at the VINEY</u> . Street Address: <u>1225 CLOVE HITCH</u>	
City: NEW BRAUNFELS Zip Code: 78132	
Additional Info	Address: State:
Additional Info.:	State State Zip Code: Phone
Topography: Slope within proposed disposal area:	
Presence of 100 yr. Flood Zone: Existing or proposed water well in nearby area. Presence of adjacent ponds, streams, water impoundments Presence of upper water shed Organized sewage service available to lot Design Calculations for Aerobic Treatment with Spr	YESNO_X YESNO_X YESNO_X YESNO_X YESNO_X
<u>Commercial</u> Q = GPD	
$Q = \GID$ \GID ResidentialWater conserving fixtures to be utilized? YeNumber of Bedrooms the septic system is sized for: \GID Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction $Q = (_5_+1)*75-(20\%) = \GID$ $Q = (_5_+1)*75-(20\%) = \GID$ 360Trash Tank Size \GID Gal.TCEQ Approved Aerobic Plant Size \GID 600Req'd Application Area = Q/Ri = \GID 360Application Area Utilized = \GID 6433Sq. ft.Pump Requirement \GDD Dosing Cycle:ON DEMAND or \X Pump Tank Size = $\768$ Gal. $\I45$ Reserve Requirement = $\I20$ Gal. 1/3 day flow.Alarms: Audible & Visual High Water Alarm & VisualWith Chlorinator NSF/TCEQ APPROVEDSCH-40 or SDR-26 3" or 4" sewer line to tankTwo way cleanout	5 Total sq. ft. living area <u>3920</u> for water conserving fixtures) G.P.D. <u>964</u> = <u>5625</u> sq. ft. djacket 0.5 HP 18 G.P.M. series or equivalent) TMED TO DOSE IN PREDAWN HOURS al/inch.
Pop-up rotary sprinkler heads w/ purple non-potable lids	
1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED AND EXPOSED ROCK WILL BE COVERED WITH SOII	
I HAVE PERFORMED A THOROUGH INVESTIGATION	
AND SITE EVALUATOR IN ACCORDANCE WITH CHA (REGARDING RECHARGE FEATURES), TEXAS CO (EFFECTIVE DECEMBER 29, 2016)	PTER 285, SUBCHAPTER D, §285.30, & §285.40
<u>OI</u> GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	116/23 DATE GREG W. JOHNSON B FT687 GISTERED FIRM #2585






TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks



TYPICAL PUMP TANK CONFIGURATION NU-WATER 550PC -400PT 768 GAL PUMP TANK

ENGINEER'S O		CILITY APPLIC	ATION	NEW BRAUNFELS, TX 78132 (830) 608-2090 <u>WWW, CCEO, ORG</u>
Date January	11, 2023		Permit Number	115902
1. APPLICANT / AGE	INT INFORMATION			
FER Owner Name	RIL MAYNE SORENSON, II & GAYLA LOUISE MOSS SORENSON	Agent Name	GREG I	OHNSON, P.E.
	c/o PO BOX 20		170 HC	
internet internet internet	BULVERDE TEXAS 78163			FELS TEXAS 78132
Phone #	BOLVERDE TEXAS 76105			005 0550
Email				onpe@yahoo.com
2. LCCATION				
Sub vision Name	VINTAGE OAKS AT THE VINEY		it 17 Lot	Block 1663
Survey Name / Abstra			A	creage
Add	25 CLOVY H	NEV	UNF	X Zip 78132
3. T PE OF DEVELO				
Single Family R	les al			
Type of Constru	uc douy bile, F	НС		
Number of Bed	Iroc 5			
Indicate Sq Ft o	of L 3920			
Non-Single Fam	nily			
(Planning materia	als must show adequate land area for doubling t	the required land need	ed for treatment units	and disposal area)
Type of Facility				
Offices, Factor		ate Number Of Occu		
Re surants, L	ounges, Theaters - Indicate Number of Sea	ats		
Hotel, Motel, H	ospital, Nursing Home - Indicate Number o	f Beds		
	RV Parks - Indicate Number of Spaces			
Miscellaneous				
	Construction: \$ 800,000			
a manufacture and a second	e proposed OSSF located in the United Sta			
	If yes, owner must provide approval from USACE for		ements within the USA	CE flowage easement)
Source of Water	Public Private Well Rainwater	Collection		
4. SIGNATURE OF C				
By signing this application - The completed application facts. I certify that I are property.	on, I certify that: ation and all additional information submitted do n the property owner or I possess the appropria	es not contain any fals te land rights necessar	e information and doe y to make the permit	es not conceal any material ted improvements on said
- Authorization is hereby	y given to the permitting authority and designate	ed agents to enter upor	n the above described	d property for the purpose of
- I understand that a pe	d inspection of private sewage facilities rmit of authorization to construct will not be issu	ed until the Floodplain	Administrator has pe	rformed the reviews required
by the Comal County	Flood Damage Prevention Order. to the online posting/public release of my e-ma			
- I animatively consent	To the online posting/public release of my e-fila			ation, do applicable.
Signature of Owner	Conneut		2023	Page 1 of
Signature of Owner		Outo		Revised January 202

Page 1 of 2 Revised January 2021

* * * COMAL COUNTY OFFICE OF ENVIRONMENTAL HEALTH * * *

APPLICATION FOR PERMIT FOR AUTHORIZATION TO CONSTRUCT AN ON-SITE SEWAGE FACILITY AND LICENSE TO OPERATE

Planning Materials & Site	Evaluation as Required Comp	leted By <u>GREG W. JOHNSON, J</u>	Р.Е		
System Description PROPRIETARY; AEROBIC TREATMENT AND SURFACE IRRIGATION					
Size of Septic System Rec	quired Based on Planning Mate	rials & Soil Evaluation			
Tank Size(s) (Gallons)	NUWATER B-550-PC	Absorption/Application Area (Sq F	5654		
Gallons Per Day (As Per (Sites generating more than		to obtain a permit through TCEQ)			
is the property in the interview					
	s must be completed by a Registe	red Sanitarian (R.S.) or Professional Eng	jineer (P.E.))		
(if es, the R. S. or P. E. shal	approved WPAP for the prope Il certify that the OSSF design com AP, does the poser certify the OSS7 and a will	plies with all provisions of the existing Wi	PAP.) Yes No WPA mit to Construct with		
Is he property locate Is here an existing TC (if es, the P.E. or R.S. s	d OSSF whe pr WPAP	r has the oprover the appendix te r	regional		
If there is no existing CZP (if) is, the P.E. or R.S. shall	certify that the OSSF design will co	ent activity require a TCEQ approve omply with all provisions of the proposed on approved by the appropriate regional	CZP. A Permit to construct will)		
Is this property within If yes, indicate the city	an incorporated city?	GREG W.J	IOHNSON		

By signing this application, I certify that:

- The information provided above is true and correct to the best of my knowledge.

- I affirmatively consent to the online posting/public release of my e-mail address associated with this permit application, as applicable

Signature of Designer

January 15, 2023 Date

Page 2 of 2 Revised July 2018

195 David Jonas Dr., New Braunfels, Texas 78132-3760 (830) 608-2090 Fax (830) 608-2078

Olvera, Brandon

From:	Olvera, Brandon
Sent:	Tuesday, March 21, 2023 1:41 PM
То:	Greg Johnson; Marie Quanz
Subject:	115902

RE: 1225 Clove Hitch Vintage Oaks at the Vineyard 17 Lot 1663

Property Owner & Agent,

We received planning materials for the referenced permit application on 03-02-2023 and found those planning materials to be deficient. In order to continue processing this permit, we need the following:

Application Page 1
a. Legal description, Lot number is in the incorrect location

Appliaction page 2


- a. Absorption/Application Area says 5654sq.ft., all planning materials are for 6433sq.ft.
- 3. Revise accordingly and resubmit.

If you have any questions, you can email me or call the office.

Thank You,

 Brandon Olvera
 Designated Representative
 Comal County
 www.cceo.org

 195 David Jonas Dr, New Braunfels, TX-78132
 t: 830-608-2090
 f: 830-608-2078
 e: olverb@co.comal.tx.us



Olvera, Brandon

From: Sent: To: Cc: Subject: Olvera,Brandon Tuesday, April 4, 2023 2:30 PM 'Greg Johnson' jravila@gvtc.com RE: 1226 CLOVE HITCH - SORENSON #115902

Good Afternoon, File has been updated.

Thank You,

Brandon Olvera | Designated Representative | Comal County | www.cceo.org

195 David Jonas Dr, New Braunfels, TX-78132 | t: 830-608-2090 | f: 830-608-2078 | e: olverb@co.comal.tx.us

From: Greg Johnson <gregjohnsonpe@yahoo.com>
Sent: Friday, March 31, 2023 9:53 AM
To: Olvera,Brandon <Olverb@co.comal.tx.us>
Cc: jravila@gvtc.com
Subject: 1226 CLOVE HITCH - SORENSON #115902

This email originated from outside of the organization.

Do not click links or open attachments unless you recognize the sender and know the content is safe.

- Comal IT

REVISED. THX, GREG

Send for Greg W. Johnson, P.E., R.S.)

170 Hollow Oak

New Braunfels, TX 78132

Office/Fax (830) 905-2778

Email: gregjohnsonpe@yahoo.com

2-184714 BD Filed By

201806005810 02/13/2018 03:40:46 PM 1/3

Presidio Title

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

SPECIAL WARRANTY DEED

ş ş

§

THE STATE OF TEXAS	
COUNTY OF COMAL	

KNOW ALL MEN BY THESE PRESENTS:

GRANTOR: SOUTHSTAR AT VINTAGE OAKS, LLC 1114 Lost Creek Blvd., Suite 270 Austin, Texas 78746

GRANTEE: FERRIL MAYNE SORENSON, II and GAYLA LOUISE MOSS SORENSON 302 Chestnut Forest Cove Fort Wayne, Indiana 46814

That Grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) cash and other good and valuable consideration to it in hand paid by Grantee, the receipt of which is hereby acknowledged and confessed has GRANTED, SOLD and CONVEYED, and by these presents does GRANT, SELL and CONVEY, unto the said Grantees, the following described property, to-wit:

Lot 1663, VINTAGE OAKS AT THE VINEYARD, UNIT 17, Comal County, Texas, according to plat thereof recorded in Document #201706036819, Map and Plat Records of Comal County, Texas (hereinafter referred to as the "Property").

TO HAVE AND TO HOLD the Property, together with all and singular the rights and appurtenances thereto in anyway belonging to Grantor, unto Grantee, its heirs and assigns forever; and Grantor does hereby bind itself, its heirs, successors and assigns, to WARRANT AND FOREVER DEFEND all and singular the Property unto the Grantee, its heirs and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof, when the claim is by, through or under Grantor, but not otherwise.

IT IS expressly UNDERSTOOD, ACKNOWLEDGED and AGREED that Grantor hereby RESERVES and EXCEPTS from this conveyance all oil, gas and other minerals of any type or form including all rights to ingress and egress as well as other rights appurtenant to the minerals and the mineral estate owned by Grantor, and does not transfer the minerals and the appurtenant rights thereto to Grantee.

THIS CONVEYANCE IS MADE AND ACCEPTED by Grantee SUBJECT TO (i) taxes for the current year, which have been prorated as of the date of closing, the payment of which Grantee assumes; (ii) all subsequent tax assessments for the current year the payment of which Grantee assumes; (iii) the Declaration of Conditions, Covenants and Restrictions for Vintage Oaks at the Vineyard filed in the Official Real Property Records, Comal County, Texas, all other restrictions, covenants, conditions, easements, reservations, leases, mineral severances, and other instruments that affect the Property and as may or may not be shown in the public records of Comal County, Texas; (iv) all zoning laws, regulations and ordinances of municipal and/or other governmental authorities that affect the Property and (v) the items listed below as Permitted Exceptions: 1. Subject to the Declaration of Conditions, Covenants and Restrictions for Vintage Oaks at the Vineyard, recorded at Clerk's Document #200706000771, annexed by Document #201706037155, amended or supplemented by Document #201106044284, Document #201206032310, Document #201406032083; Document #201406037322, Document #201606000890, Document #201706008119; Document #201706014965 and the Assignment of Declarant Rights filed at Document #201206016339, Official Real Property Records, Comal County, Texas.

2. Subject to those items, restrictions, building setback lines, easements and Notes shown on the plat recorded in Document #201706036819, Official Map and Plat Records of Comal County, Texas as well as those setbacks included/described in the Declaration of Conditions, Covenants and Restrictions for Vintage Oaks at the Vineyard and contained in the Architectural and Site Guidelines for Vintage Oaks recorded at Document #201606020343, and as amended in Document #201606034595, both in the Official Public Records, Comal County, Texas:

- a. Subject to a 50-foot building setback line from the front and rear property lines.
- b. Subject to a 10-foot side property line building setback except on corner lots wherein the street-side corner shall have a 25-foot setback;
- c. Subject to a 10-foot wide Public Utility and Drainage easement adjacent to all non-street lot lines.
- d. Subject to Public Utility Easement, 20 feet from the front property line and 10 feet from the side and rear property lines.

3. Edwards Aquifer Protection Plan recorded in Document #201406018500 and Document #201606011941, Official Public Records of Comal County, Texas.


When the context requires, singular nouns and pronouns include the plural.

EXECUTED on the <u>G</u> day of <u>Februen</u>, 2017. SOUTHSTAR AT VINFAGE OAKS, LLC Bv: Thad Rutherford, Senior Vice President-Operations

ACKNOWLEDGMENT

STATE OF TEXAS § COUNTY OF I RAVIS

This Special Warranty Deed was acknowledged before me on the _____ day of Tebrush_____, 2017, by Thad Rutherford, Sr. Vice President-Operations of SOUTHSTAR AT VINTAGE OAKS, LLC, Grantor in the above instrument on behalf of said entity.



NOTARY PUBLIC STATE OF TEXAS

SPECIAL WARRANTY DEED - VINTAGE OAKS AT THE VINEYARD, UNIT 17 - PAGE -2 OF 2-

Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 02/13/2018 03:40:46 PM LAURA 3 Pages(s) 201806005810

.

Babbie Koepp

