

Comal County Environmental Health OSSF Inspection Sheet

Installer Name: _____

OSSF Installer #: _____

1st Inspection Date: _____

2nd Inspection Date: _____

3rd Inspection Date: _____

Inspector Name: _____

Inspector Name: _____

Inspector Name: _____

Permit#:		Address:					
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(A) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(i) 285.32(b)(1)(E)(ii)(I)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				

Inspector Notes:

**Comal County Environmental Health
OSSF Inspection Sheet**

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	SEPTIC TANK Tank(s) Clearly Marked SEPTIC TANK If Single Tank, 2 Compartments Provided with Baffle SEPTIC TANK Inlet Flowline Greater than 3" and " T " Provided on Inlet and Outlet SEPTIC TANK Septic Tank(s) Meet Minimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (II)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1) (D)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (i)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
9	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
10	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system provided SEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
12	SEPTIC TANK Tank Volume Installed						
13	PUMP TANK Volume Installed						
14	AEROBIC TREATMENT UNIT Size Installed						
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo-transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

**Comal County Environmental Health
OSSF Inspection Sheet**

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)				
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)				
21	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)				
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)				
23	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)				
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
25	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC						
26	DRAINFIELD Area Installed						
27	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
28	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media						
29	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
30	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)				
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)				

**Comal County Environmental Health
OSSF Inspection Sheet**

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
33	AEROBIC TREATMENT UNIT Is Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
34	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
37	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
39	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

**Comal County Environmental Health
OSSF Inspection Sheet**

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
40	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii)(I)				
41	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
42	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



COMAL COUNTY

ENGINEER'S OFFICE

Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 117082
Issued This Date: 01/25/2024
This permit is hereby given to: Howard & Michelle Stone

To start construction of a private, on-site sewage facility located at:

894 BINGHAM LN
NEW BRAUNFELS, TX 78132

Subdivision: Oxbow on the Guadalupe
Unit: 0
Lot: 30
Block: 0
Acreage: 0.0000

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic
Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.

RECEIVED

By Kathy Griffin at 1:45 pm, Jan 11, 2024



COMAL COUNTY

ENGINEER'S OFFICE

OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

--	--

Date Received

Initials

117082

Permit Number

Instructions:

Place a check mark next to all items that apply. For items that do not apply, place "N/A". This OSSF Development Application Checklist **must** accompany the completed application.

OSSF Permit

- Completed Application for Permit for Authorization to Construct an On-Site Sewage Facility and License to Operate
- Site/Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer
- Planning Materials of the OSSF as Required by the TCEQ Rules for OSSF Chapter 285. Planning Materials shall consist of a scaled design and all system specifications.
- Required Permit Fee - See Attached Fee Schedule
- Copy of Recorded Deed
- Surface Application/Aerobic Treatment System
 - Recorded Certification of OSSF Requiring Maintenance/Affidavit to the Public
 - Signed Maintenance Contract with Effective Date as Issuance of License to Operate

I affirm that I have provided all information required for my OSSF Development Application and that this application constitutes a completed OSSF Development Application.

Howard K. Stone Michelle Stone
Signature of Applicant

1/11/2024
Date

___ COMPLETE APPLICATION
Check No. _____ Receipt No. _____

INCOMPLETE APPLICATION (Missing Items Circled, Application Refused)
--



ON-SITE SEWAGE FACILITY APPLICATION

Date 1/10/2024

Permit Number 117082

1. APPLICANT / AGENT INFORMATION

Owner Name Howard & Michelle Stone

Agent Name Brian Erxleben, R.S.

Mailing Address 894 Bingham Lane

Agent Address 562 S. Hwy 123 Bypass #128

City, State, Zip New Braunfels, Texas 78132

City, State, Zip Seguin, Texas 78155

Phone # 832-244-2113

Phone # 830-660-9133

Email howardstone@gmail.com

Email bandverx@gmail.com

2. LOCATION

Subdivision Name Oxbow on the Guadalupe Unit NA Lot 30 Block NA

Survey Name / Abstract Number _____ Acreage _____

Address 894 Bingham Lane City New Braunfels State Texas Zip 78132

3. TYPE OF DEVELOPMENT

Single Family Residential

Type of Construction (House, Mobile, RV, Etc.) House/Casita as a single family dwelling

Number of Bedrooms 3/2

Indicate Sq Ft of Living Area 2364/997

Non-Single Family Residential

(Planning materials must show adequate land area for doubling the required land needed for treatment units and disposal area)

Type of Facility _____

Offices, Factories, Churches, Schools, Parks, Etc. - Indicate Number Of Occupants _____

Restaurants, Lounges, Theaters - Indicate Number of Seats _____

Hotel, Motel, Hospital, Nursing Home - Indicate Number of Beds _____

Travel Trailer/RV Parks - Indicate Number of Spaces _____

Miscellaneous _____

Estimated Cost of Construction: \$ 650,000 (Structure Only)

Is any portion of the proposed OSSF located in the United States Army Corps of Engineers (USACE) flowage easement?

Yes No (If yes, owner must provide approval from USACE for proposed OSSF improvements within the USACE flowage easement)

Source of Water Public Private Well

4. SIGNATURE OF OWNER

By signing this application, I certify that:

- The completed application and all additional information submitted does not contain any false information and does not conceal any material facts. I certify that I am the property owner or I possess the appropriate land rights necessary to make the permitted improvements on said property.
- Authorization is hereby given to the permitting authority and designated agents to enter upon the above described property for the purpose of site/soil evaluation and inspection of private sewage facilities.
- I understand that a permit of authorization to construct will not be issued until the Floodplain Administrator has performed the reviews required by the Comal County Flood Damage Prevention Order.
- I affirmatively consent to the online posting/public release of my e-mail address associated with this permit application, as applicable.

X Howard X Stone Michelle Stone
Signature of Owner

1/11/2024
Date

Planning Materials & Site Evaluation as Required Completed By Brian Erxleben, R.S. 3637

System Description Aerobic Treatment/Surface Application

Size of Septic System Required Based on Planning Materials & Soil Evaluation

Tank Size(s) (Gallons) 600 gpd Absorption/Application Area (Sq Ft) 5886

Gallons Per Day (As Per TCEQ Table III) 360

(Sites generating more than 5000 gallons per day are required to obtain a permit through TCEQ.)

Is the property located over the Edwards Recharge Zone? Yes No

(If yes, the planning materials must be completed by a Registered Sanitarian (R.S.) or Professional Engineer (P.E.))

Is there an existing TCEQ approved WPAP for the property? Yes No

(If yes, the R.S. or P.E. shall certify that the OSSF design complies with all provisions of the existing WPAP.)

If there is no existing WPAP, does the proposed development activity require a TCEQ approved WPAP? Yes No

(If yes, the R.S. or P.E. shall certify that the OSSF design will comply with all provisions of the proposed WPAP. A Permit to Construct will not be issued for the proposed OSSF until the proposed WPAP has been approved by the appropriate regional office.)

Is the property located over the Edwards Contributing Zone? Yes No

Is there an existing TCEQ approval CZP for the property? Yes No

(If yes, the P.E. or R.S. shall certify that the OSSF design complies with all provisions of the existing CZP.)

If there is no existing CZP, does the proposed development activity require a TCEQ approved CZP? Yes No

(If yes, the R.S. or P.E. shall certify that the OSSF design will comply with all provisions of the proposed CZP. A Permit to Construct will not be issued for the proposed OSSF until the CZP has been approved by the appropriate regional office.)


Is this property within an incorporated city? Yes No

If yes, indicate the city: _____

By signing this application, I certify that:

- The information provided above is true and correct to the best of my knowledge.

- I affirmatively consent to the online posting/public release of my e-mail address associated with this permit application, as applicable.



Signature of Designer

1-10-24

Date

2/c



202206012713 03/17/2022 02 23 59 PM 1/2

THE COUNTY OF COMAL *
STATE OF TEXAS *

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities, this document is filed in the Deed Records of COMAL COUNTY, TEXAS.

I

The Texas Health and Safety Code, Chapter 366, authorizes the Texas Commission on Environmental Quality (commission) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the TCEQ primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety Code, requires owners to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission that the appropriate OSSF was installed.

II

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as:

UNIT BLOCK LOT 30 SUBDIVISION *Oxbow on the Guadalupe*

IF NOT IN SUBDIVISION: ACRES SURVEY

The property is owned by Howard & Michelle Stone.

This OSSF shall be covered by a continuous maintenance contract for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally.

Upon sale or transfer of the above-described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for the OSSF can be obtained from **the Comal County Environmental Health Department**.

WITNESS MY HAND ON THIS 17th DAY OF MARCH, 2022.

Howard K Stone
OWNER/AGENT NAME (SIGNATURE)

Michelle Stone
OWNER/AGENT NAME (SIGNATURE)

Howard K Stone
OWNER/AGENT NAME (PRINTED)


Michelle Stone
OWNER/AGENT NAME (PRINTED)

SWORN TO AND SUBSCRIBED BEFORE ME ON THIS 17th DAY OF MARCH, 2022

Stefanie Burkett
Notary Public, State of Texas

Notary's Printed Name: Stefanie Burkett

Commission Expires: 10/26/2022





This page has been added to comply with the statutory requirement that the clerk shall stamp the recording information at the bottom of the last page.

This page becomes part of the document identified by the file clerk number affixed on preceding pages.


Filed and Recorded
Official Public Records
Bobbie Koepf, County Clerk
Comal County, Texas
03/17/2022 02:23:59 PM
JESSICA 2 Page(s)
202206012713



Bobbie Koepf

2/15/22
894 Bingham Lane
ASST

15188 FM 306
Canyon Lake, TX 78133
Phone (830) 964-2365 Fax (830) 964-2659



Routine Maintenance and Inspection Agreement

General

This Work for Hire Agreement (hereinafter referred to as this "Agreement") is entered into by and between Howard + Michele Stone (referred to as "Client") and Aerobic Services of South Texas (Thomas W. Hampton MP 349) (hereinafter referred to as "Contractor") located at 15188 FM 306, Texas 78133 (830) 964-2365. By this Agreement the Contractor agrees to render professional service, as described herein, and the Client agrees to fulfill the terms of this Agreement as described herein.

This contract will provide for all required inspections, testing and service for your Aerobic Treatment System. The policy will include the following:

1. 3 inspections a year/services calls (at least one every 4 months), for a total of 6 over the **two year period** including inspection, adjustment and servicing of the mechanical, electrical and other applicable component parts to ensure proper function. This includes inspecting control panel, air pumps, air filters, diffuser operation. Any alarm situation affecting the proper function of the Aerobic process will be address within a 48-hour time Frame. Repair work on non-warranty parts will include price for parts & labor. The prices will be quoted before work is performed.
2. An effluent quality inspection consisting of a visual check for color, turbidity, scum overflow and examination for odors. A test for chlorine residual and pH will be taken and reported as necessary.
3. If any improper operation is observed, which cannot be corrected at the time of the service visit, you will be ~~notified immediately in writing of the conditions and estimated date of correction.~~
4. The customer is responsible for the chlorine tablets; they must be filled before or during the service visit.
5. Any additional visits, inspections or sample collection required by specific Municipalities, Water/River Authorities, and County Agencies the TCEQ or any other authorized regulatory agency in your jurisdiction will be covered by this policy.

The Homeowners Manual must be strictly followed or warranties are subject to invalidation. **Pumping of sludge build-up is not covered by this policy and will result in additional charges.**

ACCESS BY CONTRACTOR

The Contractor or anyone authorized by the Contractor may enter the property at reasonable times without prior notice for the purpose of the above described Services. The contractor may access the System components including the tanks by means of excavation for the purpose of evaluations if necessary. Soil Is to be replaced with the excavated material as best as possible.

Termination of Agreement

Either party may terminate this agreement within ten days written notice in the event of substantial failure to perform in accordance with its terms by the other party without fault of the terminating party. If this Agreement is so terminated, **the Contractor will immediately notify the appropriate health authority of the termination.**

Limit of Liability

In no event shall the Contractor be liable for indirect, consequential, incidental or punitive damages, whether in contract tort or any other theory. In no event shall the Contractor's liability for direct damages exceed the price for the services described in this Agreement.

Dispute Resolution

If a dispute between the Client and the Contractor arises that cannot be settled in good faith negotiations then the parties shall choose a mutually acceptable arbitrator and shall share the cost of the arbitration services equally.

Entire Agreement

This Agreement contains the entire agreement of the parties, and there are no other promises or conditions in any other agreement either oral or written.

Severability

If any provision of this Agreement shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of this agreement is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

OWNER

Howard & Michelle Stone

Name
894 Bingham Lane

Address
New Braunfels, Tx 78132

City, State
832-244-2113

Phone
Howard & Michelle Stone

Signature of Home Owner

SERVICE PROVIDER

Aerobic Services of South Texas Inc.

Name
15188 FM 306

Address
Canyon Lake, Texas 78133

City, State
(830) 964 - 2365

Phone
OS24597/MP349

Signature of Service Provider and License #

TOM HAMPTON
Thomas Hampton

EFFECTIVE DATE _____ EXPIRED DATE _____ INSTALLED _____

Model # _____

Blower/Panel Serial # _____

The effective date of this initial maintenance contract shall be the date license to operate is issued.

State of Texas

County of Comal

This Affidavit is to certify that I, Howard Stone, am the owner of record for the single family dwelling located at : 894 Bingham Lane New Braunfels, Texas 78132

I am installing the septic system on this property as the owner of this single family dwelling, and I am not developing this property for sale or lease.


Howard Stone Michelle Stone
Owner signature

Howard Stone Michelle Stone
Printed name

[Signature]
Notary signature

Jason Edward Pucel
Notary printed name

My commission expires: 9/21/2027



OSSF SOIL EVALUATION REPORT INFORMATION
COMAL COUNTY

DATE: 1-10-24

Applicant Information:

Name: Howard & Michelle Stone
Address: 894 Bingham Lane
City: New Braunfels State: TX Zip: 78132
Ph: (832) 244-2113 Fax:

Site Evaluator Information:

Name: Brian Erxleben
Address: 562 S. Hwy 123 Bypass #128
City: Seguin State: Texas Zip: 78155
Ph: (830) 660-9133 E-mail: bandverx@gmail.com

Property Location:

Lot: 30 Block:
Subdivision: Oxbow on the Guadalupe
Street/Road Address: 894 Bingham Lane
City: New Braunfels State: TX Zip: 78132
Additional:

Installer Information:

Name: Tom Hampton, OS0024597
Company: Aerobics of South Texas
Address: 174 Lost Creek
City: Wimberley State: TX Zip: 78676
Ph: (210) 710-7282 Fax:

SCHEMATIC of LOT of TRACT

Show:

- North arrow, adjacent streets, property lines, dimensions, location of buildings, easements, swimming pools, water lines, and other structures where known.
- Location of existing or proposed water wells within 150 feet of property.
- Indicate slope or provide contour lines from the structure to the farthest location for the proposed soil absorption or irrigation area.
- Location of soil boring or dug pits (show with respect to a known reference point).
- Location of drainage ways, water impoundment areas, cut or fills bank, sharp slopes and breaks.

Lot Size: 1.069 acres

SITE DRAWING

SEE SITE PLAN

FEATURES OF SITE AREA

Presence of 100 year flood zone YES ___ NO X Presence of upper water shed YES ___ NO X
Existing or proposed water well in nearby area YES ___ NO X Organized sewage service available to lot YES ___ NO X
Presence of adjacent ponds, streams, water impoundments YES ___ NO X

Site Evaluator:

NAME: BRIAN ERXLEBEN

Signature: 

License No: 11458

COMAL COUNTY ENVIRONMENTAL HEALTH DEPARTMENT OSSF SOIL EVALUATION FORM

Owners Name: Howard & Michelle Stone
 Physical Address: 894 Bingham Lane New Braunfels, Texas 78132
 Name of Site Evaluator: Brian Erxleben, S.E. #11458
 Date Performed: 10-12-23 Proposed Excavation Depth: NA

Requirements:

At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. Locations of soil evaluation must be shown on the application site drawing or designer's site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. For surface disposal, the surface horizon must be evaluated. Please describe each soil horizon and identify any restrictive features in the space provided below. Draw lines at the appropriate depths.

SOIL BORING NUMBER <u>1 & 2</u>						
Depth (Feet)	Texture Class	Soil Texture	Structure (For Class III-blocky, platy or massive)	Drainage (Mottles/Water Table)	Restrictive Horizon	Observations
0						Aerobic spray due to grade and depth of plumbing
1						
2						
3						
4						
5	Type 3	Clay loam	No Gravel	None	None	

SOIL BORING NUMBER _____						
Depth (Feet)	Texture Class	Soil Texture	Structure (For Class III-blocky, platy or massive)	Drainage (Mottles/Water Table)	Restrictive Horizon	Observations
0						
1						
2						
3						
4						
5						


FEATURES OF SITE AREA

Presence of 100 year flood zone	YES ___ NO <u>X</u>
Presence of adjacent ponds, streams, water impoundments	YES ___ NO <u>X</u>
Existing or proposed water well in nearby area	YES ___ NO <u>X</u>
Organized sewage available to lot or tract	YES ___ NO <u>X</u>
Recharge features within 150 feet	YES ___ NO <u>X</u>

I certify that the above statements are true and are based on my own field observations.

Signature of Site Evaluator

Date



1-10-24

Brian Erxleben, R.S., S.E.
562 S. Hwy 123 Bypass #128
Seguin, Texas 78155
Mobile (830) 660-9133 bandverx@gmail.com

OSSF DESIGN

Owner: **Howard & Michelle Stone**
Location: **894 Bingham Lane New Braunfels, Texas 78132**
Phone: **(832) 244-2113**
Date: **10-12-23**

Development: **Residence with water saving devices** Bedrooms: **5** Sq. Ft: **3361**

Q: **360 gpd** Soil: **Type 4** R_i: **0.064 gall/ft²/day**

System Type: **Aerobic/Surface Application (NuWater B-550, 600 gpd)**

Minimum Required ATU Treatment Capacity: **600 gpd**

Trash Tank: 353 gall Aerobic Tank: 600 gpd Pump Tank: 768 gall

Supply Line: **Sch 40, 1.25" purple (~240')** Check Valve Required: **No**

Minimum Application Area (A): 5625 ft² (A = Q/R_i)

Sprinklers: **K-Rain Proplus Low Angle**

Number	Nozzle	PSI	Pattern	Radius	Area/head	GPM/head	R _i
S1	#3	30	180°	25 ft	981 ft²	3.0	0.064
S2	#3	30	180°	25 ft	981 ft²	3.0	0.064
S3	#3	30	180°	25 ft	981 ft²	3.0	0.064
S4	#3	30	180°	25 ft	981 ft²	3.0	0.064
S5	#3	30	180°	25 ft	981 ft²	3.0	0.064
S6	#3	30	180°	25 ft	981 ft²	3.0	0.064

Overlap Area: 0 ft² Actual Application Area: **5886 ft²** GPM: **18.0 GPM**

TDH Calculations:

$$\text{Friction Head}(H_f) = \frac{1.2(10.4397)(L)(Q)^{1.85}}{(C)^{1.85}(D)^{4.8655}} = 25 \text{ ft}$$

L = Length of equivalent pipe length (D) in feet

C = Hazen – Williams flow coefficient (150 for schedule 40)

Q = Flow rate, gpm


D = Internal pipe diameter, inches



Pressure Head (H_p) = 70 ft (2.31)(psi) Elevation Head (H_e) = 5 ft

TDH = **100 ft** (H_f + H_p + H_e)

Pump Requirements: **18.0 GPM @ 100 ft TDH** Pump Used: **Hydroflow ½ HP 20 GPM**

- **Timer set to spray between 12:00 AM & 5:00 AM**
- **Liquid chlorinator**





RECEIVED
By Brandon Olvera at 11:04 am, Apr 04, 2024

No Sports Court will be built.
Re-route Tightline.



NOTES:

- Design is a modification of an OSSF installed under permit #114212. A 2-bedroom casita is being added to the system. Combined with the existing residence the two structures constitute a single family residence with a total of 5 bedrooms, 3361 ft² of living area and a total wastewater flow of 360 gpd. Existing ATU will be retained and existing sprinklers removed.
- Install a 2-way cleanout in a 3" sch 40 tightline from the casita to the ATU, minimum slope 1/8 in/ft. Additional cleanouts to be located at intervals not to exceed 100'.
- ATU is a NuWater B-550. It will not be modified.
- Supply line to the sprinklers is purple 1.25" sch 40.
- S1-6 are K-Rain Proplus low angle sprinklers with #3 nozzles operating @ 30 psi, 180° pattern, 25' radius. A variance is requested to locate the spray area 10' from the property line. A battery backup shall be installed in the control panel to insure that the timer does not lose power and that the system sprays only between the hours of 12:00 AM & 5:00 AM providing the equivalent protection of a 20' separation between the spray area and the property line.
- There shall be no obstruction within 10' of the sprinkler heads.
- Audible & visual alarms, external disconnect within site of the pump tank, pump & alarms on separate breakers and external wiring in conduit are required.
- Timer set to spray between 12:00 AM & 5:00 AM.
- Liquid chlorinator.
- Any excavations and/or exposed rock in the disposal area shall be covered with topsoil and seasonal grasses shall be seeded over the disposal area in order to minimize run-off & erosion.

LOT 30
OXBOW ON THE GUADALUPE
1.069 ACRES


LOT IS LOCATED OUTSIDE OF THE 100-YEAR FLOODPLAIN AND WITHIN THE CONTRIBUTING ZONE. A CZP FOR THE SUBDIVISION WAS NOT LOCATED. DEVELOPMENT IS A SINGLE FAMILY RESIDENCE WITH <20% IMPERVIOUS COVER AND A CZP IS NOT REQUIRED.

SITE PLAN & OSSF DESIGN:


HOWARD & MICHELLE STONE 894 BINGHAM LANE NEW BRAUNFELS, TEXAS 78132	
BRIAN C. ERXLEBEN, R.S. 562 S. HWY 123 BYPASS #128 SEGUIN, TEXAS 78155 (830) 660-9133	DATE: 10-12-23 SCALE: 1" = 40'

Assembly Details

OSSF



Q'S UP TO 360 GPD
 14.49 GALL/IN
 HIGH WATER ALARM "ON" TO BOTTOM OF INLET: 9" (130 GALL)
 PUMP "ON" TO HIGH WATER ALARM "ON": 25" (362 GALL)



GENERAL NOTES:

1. Plant structure material to be precast concrete and steel.
2. Maximum burial depth is 30" from slab top to grade.
3. Weight = 14,900 lbs.
4. Treatment capacity is 600 GPD. Pump compartment set-up for a 360 GPD Flow Rate (4 bedroom, < 4,000 sq/ft living area). Please specify for additional set-up requirements. BOD Loading = 1.62 lbs. per day.
5. Standard tablet chlorinator or Optional Liquid chlorinator. NSF approved chlorinators (tablet & liquid) available.
6. Bio-Robix B-550 Control Center w/ Timer for night spray application. Optional Micro Dose (min/sec) timer available for drip applications. Electrical Requirement to be 115 Volts, 60 Hz, Single Phase, 30 AMP, Grounded Receptacle.
7. 20" Ø access riser w/ lid (Typical 4). Optional extension risers available.
8. 20 GPM 1/2 HP, high head effluent pump.
9. HIBLOW Air Compressor w/ concrete housing.
10. 1/2" Sch. 40 PVC Air Line (Max. 50 Lft from Plant).
11. 1" Sch. 40 PVC pipe to distribution system provided by contractor.
12. 4" min. compacted sand or gravel pad by Contractor

DIMENSIONS:
 Outside Height: 67"
 Outside Width: 63"
 Outside Length: 164"

MINIMUM EXCAVATION DIMENSIONS:
 Width: 76"
 Length: 176"

**NuWater B-550 (600 GPD)
 Aerobic Treatment Plant (Assembled)**

Model: B-550-PC-400PT

March, 2012 - Rev 1
 By: A.S.

Scales
 * All Dimensions subject to allowable specification tolerances.

Dwg. #: ADV-B550-3



Advantage Wastewater Solutions LLC
 444 A Old Hwy No 9
 Comfort, TX 78013
 830-995-3189
 fax 830-995-4051

SPRINKLER INSTALLATION

7 INSTALL AND BURY

Thread the sprinkler onto the pipe. Bury the sprinkler flush to grade.


POINTING THE LEFT START

8 TURN THE CAN

You can orient the LEFT START position (the point where the sprinkler will begin spraying) by simply turning the entire sprinkler housing can on the pipe. Visually point the nozzle retention screw where you want it to begin spraying.

OR TURN THE LOWER PORTION OF THE RISER

Pull the riser up with your KEY. Grab the LOWER portion of the riser and rotate it to orient the nozzle to the desired LEFT starting position: **IMPORTANT: DO NOT GRAB THE TOP PORTION OF THE RISER.**



9 INSPECTING THE FILTER

Unscrew the top and lift complete sprinkler assembly out of the housing can. The filter is on the bottom of the sprinkler assembly and can easily be pulled out, cleaned and re-installed.

STANDARD NOZZLE PERFORMANCE CHART

Nozzle	PSI	Radius	GPM
#1	30	33'	1.0
	40	35	1.3
	50	38	1.4
	60	38'	1.5
#2	30	38'	2.1
	40	39'	2.5
	50	40'	3.0
	60	41'	3.1
#3	30	41'	2.8
	40	42'	3.3
	50	45'	3.6
	60	46'	4.2
#4	30	43'	3.9
	40	45'	4.5
	50	47'	5.4
	60	52'	5.8
#5	40	49'	6.2
	50	51'	7.0
	60	54'	7.9
	70	55'	8.1
#8	40	47'	8.0
	50	51'	8.9
	60	53'	9.6
	70	55'	10.6

LOW ANGLE NOZZLE PERFORMANCE CHART

Nozzle	PSI	Radius	GPM
#1	30	22'	1.5
	40	24'	1.7
	50	26'	1.8
	60	28'	2.0
#3	30	29'	3.0
	40	32'	3.1
	50	35'	3.5
	60	37'	3.8
#4	30	31'	3.4
	40	34'	3.9
	50	37'	4.4
	60	38'	4.7
#5	40	38'	6.5
	50	40'	7.3
	60	42'	8.0
	70	44'	8.6


DATA REPRESENTS TEST RESULTS IN ZERO WIND. ADJUST FOR LOCAL CONDITIONS. RADIUS MAY BE REDUCED WITH NOZZLE RETENTION SCREW.

© 1998 K-Rain Mfg. Corp.



4" multi-stage submersible pump

PUMP PERFORMANCE



PUMP PERFORMANCE (Capacity in Gallons per Minute)

Pump Model	PSI											
	0	10	20	30	40	50	60	70	80	90	100	110
10DOM05121			15.0	13.7	12.7	11.5	10.2	8.4	6.5	4.3	1.0	
20DOM05121			30.0	26.0	21.5	14.2	4.4					
30DOM05121		38.5	33.3	25.8	16							

PUMP PERFORMANCE (Capacity in Liters per Minute)

Pump Model	Bar											
	0	.69	1.38	2.07	2.76	3.45	4.13	4.82	5.51	6.20	6.89	7.58
10DOM05121			56.8	51.9	48.1	43.5	38.6	31.8	24.6	16.3	3.8	
20DOM05121			113.6	98.4	81.4	53.7	16.7					
30DOM05121		145.7	126.0	97.7	60.6							



COMAL COUNTY
ENGINEER'S OFFICE

License to Operate On-Site Sewage Treatment and Disposal Facility

Issued This Date: **09/02/2022** Permit Number: **114212**

Location Description: **894 BINGHAM LN
NEW BRAUNFELS, TX 78132**

Subdivision: Oxbow on the Guadalupe
Unit: 0
Lot: 30
Block: 0
Acreage: 0.0000

Type of System: Aerobic
Surface Irrigation

Issued to: Howard & Michelle Stone

This license is authorization for the owner to operate and maintain a private facility at the location described in accordance to the rules and regulations for on-site sewerage facilities of Comal County, Texas, and the Texas Commission on Environmental Quality.

The license grants permission to operate the facility. It does not guarantee successful operation. It is the responsibility of the owner to maintain and operate the facility in a satisfactory manner.

Alterations to this permit including, but not limited to:

- Increase in the square feet of living area
- Increase in the number of bedrooms
- A change of use (i.e. residential to commercial)
- Relocation of system components (including the relocation of spray heads)
- Installation of landscaping
- Adding new structures to the system

may require a new permit. **It is the responsibility of the owner to apply for a new permit, if applicable.**

Inspection and licensing of a facility indicates only that the facility meets certain minimum requirements. It does not impede any governmental entity in taking the proper steps to prevent or control pollution, to abate nuisance, or to protect the public health.

This license to operate is valid for an indefinite period. The holder may transfer it to a succeeding owner, provided the facility has not been remodeled and is functioning properly.

Licensing Authority

Comal County Environmental Health

OS0036769

ENVIRONMENTAL HEALTH INSPECTOR


ENVIRONMENTAL HEALTH COORDINATOR

OS0007722

REVISED

10:45 am, Aug 22, 2022

CCEO
COPY



LOT 30
 OXBOW ON THE GUADALUPE
 1.069 ACRES

LOT IS LOCATED OUTSIDE OF THE 100-YEAR FLOODPLAIN AND WITHIN THE CONTRIBUTING ZONE. A CZP FOR THE SUBDIVISION WAS NOT LOCATED. DEVELOPMENT IS A SINGLE FAMILY RESIDENCE WITH <20% IMPERVIOUS COVER AND A CZP IS NOT REQUIRED.

AS-BUILT DESIGN:

HOWARD & MICHELLE STONE
 894 BINGHAM LANE
 NEW BRAUNFELS, TEXAS 78132



BRIAN C. ERXLEBEN, R.S.
 562 S. HWY 123 BYPASS #128
 SEGUIN, TEXAS 78155
 (830) 660-9133

DATE: 8-22-22

SCALE: 1" = 40'

NOTES:

1. Install a 2-way cleanout in a 4" sch 40 tightline from the house to the ATU, minimum slope 1/8 in/ft.
2. ATU is a NuWater B-550.
3. Supply line to the sprinklers is purple 1" sch 40.
4. S1-2 are K-Rain Proplus low angle sprinklers with #3 nozzles operating @ 30 psi, 360° pattern, 29' radius. **A variance is requested to locate the spray area 19' from the property line. A battery backup shall be installed in the control panel to insure that the timer does not lose power and that the system sprays only between the hours of 12:00 AM & 5:00 AM providing the equivalent protection of a 20' separation between the spray area and the property line.**
5. There shall be no obstruction within 10' of the sprinkler heads.
6. Audible & visual alarms, external disconnect within site of the pump tank, pump & alarms on separate breakers and external wiring in conduit are required.
7. Timer set to spray between 12:00 AM & 5:00 AM.
8. Liquid chlorinator.
9. Any excavations and/or exposed rock in the disposal area shall be covered with topsoil and seasonal grasses shall be seeded over the disposal area in order to minimize run-off & erosion.



VOID



NOTES:

1. **Design is a modification of an OSSF installed under permit #114212. A 2-bedroom casita is being added to the system. Combined with the existing residence the two structures constitute a single family residence with a total of 5 bedrooms, 3361 ft² of living area and a total wastewater flow of 360 gpd. Existing ATU will be retained and existing sprinklers removed.**
2. Install a 2-way cleanout in a 3" sch 40 tightline from the casita to the ATU, minimum slope 1/8 in/ft. Additional cleanouts to be located at intervals not to exceed 100'.
3. ATU is a NuWater B-550. It will not be modified.
4. Supply line to the sprinklers is purple 1.25" sch 40.
5. S1-6 are K-Rain Proplus low angle sprinklers with #3 nozzles operating @ 30 psi, 180° pattern, 25' radius. A variance is requested to locate the spray area 10' from the property line. A battery backup shall be installed in the control panel to insure that the timer does not lose power and that the system sprays only between the hours of 12:00 AM & 5:00 AM providing the equivalent protection of a 20' separation between the spray area and the property line.
6. There shall be no obstruction within 10' of the sprinkler heads.
7. Audible & visual alarms, external disconnect within site of the pump tank, pump & alarms on separate breakers and external wiring in conduit are required.
8. Timer set to spray between 12:00 AM & 5:00 AM.
9. Liquid chlorinator.
10. Any excavations and/or exposed rock in the disposal area shall be covered with topsoil and seasonal grasses shall be seeded over the disposal area in order to minimize run-off & erosion.

LOT 30
 OXBOW ON THE GUADALUPE
 1.069 ACRES

LOT IS LOCATED OUTSIDE OF THE 100-YEAR FLOODPLAIN AND WITHIN THE CONTRIBUTING ZONE. A CZP FOR THE SUBDIVISION WAS NOT LOCATED. DEVELOPMENT IS A SINGLE FAMILY RESIDENCE WITH <20% IMPERVIOUS COVER AND A CZP IS NOT REQUIRED.

SITE PLAN & OSSF DESIGN:

HOWARD & MICHELLE STONE 894 BINGHAM LANE NEW BRAUNFELS, TEXAS 78132	
BRIAN C. ERXLEBEN, R.S. 562 S. HWY 123 BYPASS #128 SEGUIN, TEXAS 78155 (830) 660-9133	DATE: 10-12-23 SCALE: 1" = 40'

New Branches Title Co.
355 N. 15th St. 2000
JLB

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

SPECIAL WARRANTY DEED

THE STATE OF TEXAS §
 § **KNOW ALL MEN BY THESE PRESENTS: THAT**
COUNTY OF COMAL §

Oxbow Land Partners, LLC, a Texas limited liability company ("**Grantor**"), for and in consideration of the sum of **TEN AND NO/100 DOLLARS (\$10.00)** and other good and valuable consideration, to Grantor in hand paid by **Howard Stone and Michelle Stone, a married couple** ("**Grantee**"), whose mailing address is 422 South Park Grove, Houston, Texas 77007, the receipt and sufficiency of which consideration is hereby acknowledged and confessed, has **GRANTED, SOLD AND CONVEYED**, and by these presents does **GRANT, SELL AND CONVEY**, unto Grantee, free and clear of all monetary liens and encumbrances, and subject to all of the reservations, exceptions and other matters set forth or referred to herein, the following described real property, together with all improvements thereon, if any (the "**Property**"), to-wit:

HS
MS

Lot 30, Oxbow on the Guadalupe Subdivision, Comal County, Texas, according to the plat recorded under Document No. 201906017559, Map and Plat Records of Comal County, Texas.

TO HAVE AND TO HOLD the Property, together with all and singular the rights and appurtenances thereto in anywise belonging unto Grantee, and Grantee's successors or assigns, forever: and, subject to all of the matters set forth or referred to herein, Grantor does hereby bind itself and its successors to **WARRANT AND FOREVER DEFEND** all and singular the Property unto Grantee, Grantee's successors and assigns, against every person whomsoever lawfully claiming or to claim the same, or any part thereof, by, through, or under Grantor, but not otherwise; provided, however that this conveyance is made by Grantor and accepted by Grantee subject to all matters of record, including, but not limited to, those exceptions set forth on **EXHIBIT "A"** attached hereto and incorporated herein by reference, but only to the extent that such matters are valid, existing, and, in fact, affect the Property.

Ad valorem taxes with respect to the Property for the current year have been prorated as of the date hereof. By acceptance of this deed, Grantee assumes and agrees to pay and indemnifies and agrees to hold Grantor harmless from and against all ad valorem taxes relating to the Property, for the current and all subsequent years.

GRANTOR HAS EXECUTED AND DELIVERED THIS SPECIAL WARRANTY DEED AND HAS CONVEYED THE PROPERTY AND GRANTEE HAS RECEIVED AND ACCEPTED THIS SPECIAL WARRANTY DEED AND HAS PURCHASED THE PROPERTY "AS IS", "WHERE IS", AND "WITH ALL FAULTS" AND WITHOUT

REPRESENTATIONS OR WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED, WRITTEN OR ORAL. WITHOUT LIMITATION ON THE FOREGOING, GRANTEE, BY ACCEPTANCE OF THIS DEED, ACKNOWLEDGES THAT GRANTOR HAS NOT MADE, DOES NOT MAKE AND SPECIFICALLY NEGATES AND DISCLAIMS ANY REPRESENTATIONS, WARRANTIES, PROMISES, COVENANTS, AGREEMENTS OR GUARANTIES OF ANY KIND OR CHARACTER WHATSOEVER, WHETHER EXPRESS OR IMPLIED, ORAL OR WRITTEN, PAST, PRESENT OR FUTURE, OF, AS TO, CONCERNING OR WITH RESPECT TO THE PROPERTY, EXCEPT THE WARRANTY OF TITLE EXPRESSLY SET FORTH HEREIN.

[Signature page follows.]

EXECUTED AND DELIVERED the 15 day of Sept, 2020, to be effective Sept 15, 2020.

GRANTOR:

OXBOW LAND PARTNERS, LLC,
a Texas limited liability company


By: Kona Coast Venture, Ltd.,
a Texas limited partnership, its Managing Member

By: Kona Coast, LLC,
a Texas limited liability company,
its General Partner

By: [Signature]
William Koriath, Manager

THE STATE OF TEXAS §
 §
COUNTY OF COMAL §

This instrument was acknowledged before me this 15 day of Sept, 2020, by William Koriath, as Manager of Kona Coast, LLC, a Texas limited liability company, the General Partner of Kona Coast Venture, Ltd., a Texas limited partnership, the Managing Member of Oxbow Land Partners, LLC, a Texas limited liability company, on behalf of said entities.



[Signature]

Notary Public - State of Texas

(SEAL)

After Recording, Please Return to:
New Braunfels Title Company
243 South Seguin Avenue
New Braunfels, Texas 78130
Attn: Karin Boos
GF No. NBT-1519-2020

EXHIBIT "A"

PERMITTED EXCEPTIONS

1. Those restrictive covenants of record in Document Nos. 201906017560, 201906017561, 201906017562, 201906021183, 201906021188, 201906021216, 201906021218, 201906027152, 201906033548, 201906035504, 201906047073, 202006004107, and 202006019478, Official Public Records, Comal County, Texas; and Document No. 201906017559, Map and Plat Records of Comal County, Texas.
2. Any encroachment, encumbrance, violation, variation, or adverse circumstance affecting the title that would be disclosed by an accurate and complete land survey of the Property.
3. Any portion of the Property lying within the boundaries of road or roadway whether dedicated or not.
4. Interest in and to all coal, lignite, oil, gas and other minerals, and all rights incident thereto, contained in instrument dated August 31, 2017, recorded under Document No. 201706040749, Official Public Records of Comal County, Texas. Reference to which instrument is here made for particulars. No further search of title has been made as to the interest(s) evidenced by this instrument. Grantor waives and conveys to Grantee the right of ingress and egress to and from the surface of the Property relating to the portion of the mineral estate owned by Grantor.
5. Ingress and egress for the property owners within this subdivision shall be by private road designated as Lot 900 on Plat recorded under Document No. 201906017559, Map and Plat Records of Comal County, Texas, and be maintained by the Property Owners Association of Oxbow on the Guadalupe Subdivision.
6. This property will be served by individual on-site sewage facilities as recited in Plat recorded under Document No. 201906017559, Map and Plat Records of Comal County, Texas.
7. Comal County requires a minimum 25 foot building setback line from road frontage as recited in Plat recorded under Document No. 201906017559, Map and Plat Records of Comal County, Texas.
8. 20' front and 10' along side public utility easement as shown on Plat recorded under Document No. 201906017559, Map and Plat Records of Comal County, Texas.
9. 100' building setback line along front lot line, 10' along side lot line and 15' from Natural Bluff along rear lot line as set out in Document No. 201906021183, Official Public Records of Comal County, Texas.
10. Maintenance assessments as set forth in instrument recorded under Clerk's File No. 201906017560 of the Official Public Records of Comal County, Texas. Said lien having therein been subordinated to tax liens and all sums secured by a first mortgage lien

or first deed of trust lien of record and home equity loans or home equity lines of credit which are secured by a second mortgage lien or second deed of trust lien of record.

11. Road Maintenance Plan as set out in Document No. 201906017562, Official Public Records of Comal County, Texas.

Filed and Recorded
Official Public Records
Bobbie Koepp, County Clerk
Comal County, Texas
09/16/2020 09:46:33 AM
L.AURA 5 Pages(s)
202006039651



Bobbie Koepp