staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:	Address:					
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(A) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				


Inspector Notes:

AL.	Di-si	Δ	Citation	N-4	1,41,	2	2
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1) (D)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
9	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume						
12	Installed						
	PUMP TANK Volume Installed						
13	AEROBIC TREATMENT UNIT Size						
14							
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

	Social States St								
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.		
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)						
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)						
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)						
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)						
	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)						
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)						
	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC								
26	DRAINFIELD Area Installed								
27	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)						
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media								
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)						
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)						
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)						

No.	Docorintian	Answer	Citations	Notes	1ct lease	2nd Inco	2rd Inco
NO.	Description EFFLUENT DISPOSAL SYSTEM Utilized	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	1				T		
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
40	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
41	ADDITION ADDITION						
42	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 117897

Issued This Date: 09/24/2024

This permit is hereby given to:

BRETT THOMAS NUSSDORFER

To start construction of a private, on-site sewage facility located at:

3006 ELK RIVER TRL BULVERDE, TX 78163

Subdivision: SADDLERIDGE

Unit: 1
Lot: 82
Block: 1

Acreage: 1.8300

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and County requirements.

Call (830) 608-2090 to schedule inspections.



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW,CCEO,ORG

117897

Date 8 7	12024	Permit Number				
1. APPLICANT /	AGENT INFORMATION					
Owner Name	BRETT THOMAS NUSSDORFER	Agent Name	GRI	EG W. JOHNSON, P.E.		
-	c/o 23011 FM 306	Agent Address	170 Hollow Oak			
City, State, Zip	Canyon Lake, TX 78133			Braunfels, TX 78132		
Phone #	830-935-4936	Phone #		830-905-2778		
Email	traci@psseptics.com	Email	gregjo	hnsonpe@yahoo.com		
2. LOCATION		_				
	eSADDLERIDGE	Uni	1	Lot 82 Block1		
	bstract Number			Acreage		
Address 3006 F	ELK RIDGE TRAIL	City BULVERDE		State TX Zip 78163		
3. TYPE OF DEV						
	ily Residential					
		HOUSE				
Number of						
	Ft of Living Area 2669					
	Family Residential					
	aterials must show adequate land area for doub	ling the required land neede	d for treatr	ment units and disposal area)		
	cility					
35//50	actories, Churches, Schools, Parks, Etc In		ants			
	ts, Lounges, Theaters - Indicate Number of					
	el, Hospital, Nursing Home - Indicate Numb					
	iler/RV Parks - Indicate Number of Spaces	***************************************				
Miscellane						
Estimated Cos	t of Construction: \$ 550,000	(Structure Only)				
	of the proposed OSSF located in the United		ngineers ((USACE) flowage easement?		
	No (If yes, owner must provide approval from USA					
	er N Public Private Well					
4. SIGNATURE						
By signing this app - The completed app facts. I certify tha	olication, I certify that: oplication and all additional information submitte at I am the property owner or I possess the appro	d does not contain any false opriate land rights necessar	e information to make t	on and does not conceal any material he permitted improvements on said		
site/soil evaluation	ereby given to the permitting authority and design and inspection of private sewage facilities					
i understand that	a permit of authorization to construct will not be	issued until the Floodplain.		tol has periorned the reviews required		
by the Comal Co - I affirmatively con	a permit of authorization to construct will not be unty Flood Damage Prevention Order. asent to the online posting/public release of my of	-mail address associated w				



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 <u>WWW CCEO ORG</u>

Planning Materials & Site Ev	aluation as Required C	Completed By	GREG W. JOHNSON, P.E.	
System Description	PROPRIETARY;	AEROBIC TREAT	MENT AND SURFACE IRRIGATION	
Size of Septic System Requi	ired Based on Planning	Materials & Soil Eval	uation	
Tank Size(s) (Gallons)	MAXX AI	R M600	Absorption/Application Area (Sq Ft)	4825
Gallons Per Day (As Per TCE	Q Table 111)	300		
(Sites generating more than 500	00 gallons per day are req	quired to obtain a permit	through TCEQ.)	
	nust be completed by a Re	egistered Sanitarian (R.S	S.) or Professional Engineer (P.E.))	
Is there an existing TCEQ ap (if yes, the R.S. or P.E. shall ce	•		-1	
(ii yes, the N.S. of F.E. shall be	itilly that the OSSI design	Complies with an provis	nois of the existing WEAF.	
Is there at least one acre pe	r single family dwelling	as per 285.40(c)(1)?	Yes No	
(if yes, the R.S or P.E. shall ce	rtify that the OSSF design	will comply with all-pro	quire a TCEQ approved WPAP? Yes visions of the proposed WPAP. A Permit to Cory the appropriate regional office.)	No nstruct will not
Is the property located over	the Edwards Contributi	ng Zone? X Yes	☐ No	-
Is there an existing TCEQ ap	oproval CZP for the pro	perty? TYes	No	
(if yes, the P.E. or R.S. shall ce	rtify that the OSSF design	complies with all provis	ions of the existing CZP.)	
•	rtify that the OSSF design	n will comply with all pro	re a TCEQ approved CZP? Yes X visions of the proposed CZP. A Permit to Const	No truct will not be
Is this property within an inco	orporated city?	es 🔀 No	STATE OF TEXT TO	
If yes, indicate the city:			GREG W. JOHNSON 67587 67587 67587 FIRM #2	!585
By signing this application, I	certify that:			
- The information provided al	boye is true and correct to	the best of my knowled	ge.	
- I affirmatively consent to the	e online posting/public rel	ease of my e-mail addre	ss associated with this permit application, as ap	plicable.
Signature of Designer		Date	August 23, 2024	

Babbie Koepp

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

T

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

П

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

1 UNIT/PHASE/SECTION 1 BLOCK 82	LOT SADDLERIDGE	SUBDIVISION
IF NOT IN SUBDIVISION:ACREAGE		SURVEY
The property is owned by (insert owner's full u	name): BRETT THOMAS NUSSDORFER	
This OSSF must be covered by a continuous me the initial two-year service policy, the owner of residence shall either obtain a maintenance cor- personally.	naintenance contract for the first two years. After an aerobic treatment system for a single family natract within 30 days or maintain the system	r
Upon sale or transfer of the above-described protransferred to the buyer or new owner. A copy obtained from the Comal County Engineer's Office.	of the planning materials for the OSSF can be	
WITNESS BY HAND(S) ON THIS $\overline{7}$ DAY	OF <u>Angust</u> , 2024	
Soll h_	BRETT THOMAS NUSSDORFER	
Owner(s) signature(s)	Owner (s) Printed name (s)	_
Brett Thomas Nusschotter SWORN	TO AND SUBSCRIBED BEFORE ME ON THIS	A DAY OF
August ,20,24	THIS AREA FOR COMAL COUNTY CLERK RECORDING F	
die a Chapell	Filed and Recorded	
Notary Public Signature	Official Public Records	
THE CHARGE	Bobbie Koepp, County C	lerk
W 12302118	Comal County, Texas 09/05/2024 08:06:40 AM	
COMB. ESP. 91-30-2924	U9/U5/2U24 U8:U6:4U AM TRACY 1 Pages(s)	
(Notary Seal Here)	202406026787	

WASTEWATER TREATMENT FACILITY MONITORING AGREEMENT

Regulatory Authority	Permit/License Number Customer_BRETT THOMAS NUSSDORFER Site Address
BRETT THOMAS NUSSDORFER (hereinaf LLC. By this agreement, Block Creek Aerobic Servi	fter referred to as "Agreement") is entered into by and between the referred to as "Customer") and Block Creek Aerobic Services, ces, LLC and its employees (hereinafter inclusively referred to as a stated above, as described herein, and the Customer agrees to fulfill
Customer shall notify the Contractor within two (2) commencement. If no notification is received by Contractor authority mandates, the date of commencement w	and ends on 2 YEARS FROM LTO year (thereafter). If this is an initial agreement (new installation), the business days of the system's first use to establish the date of actor within ninety (90) days after completion of installation or where ill be the date the "License to operate" (Notice of Approval) was issued y not commence at the same time as any warranty period of installed ranty.
party to perform in accordance with the terms of this terminating party must provide written notice to the nagreement. If this Agreement is terminated, Contractor for which compensation has not been received. After prepayment for services will be refunded to customer was terminating this Agreement for any reason, including no	arty for any reason, including for example, substantial failure of either Agreement, without fault or liability of the terminating party. The on-terminating party thirty (30) days prior to the termination of this will be paid at the rate of \$75.00 per hour for any work performed and the deduction of all outstanding charges, any remaining monies from within thirty (30) days of termination of this Agreement. Either party on-renewal, shall notify in writing the equipment manufacturer and the ays prior to the date of such termination. Nonpayment of any kind shall tract.
recommended by the treatment system manufar visits to site per year. The list of items check Aeration including compressor and diffusers, and anything else required as per the manufacture. b. Provide a written record of visits to control panel. c. Repair or replace, if Contractor has failing or inoperative during the course of a routhe service(s) cost less than \$100.00, Custon Customer for said service(s). When service cost supplies at the site, Contractor will notify Customust notify Contractor of arrangements to affect d. Provide sample collection and lab only). e. Forward copies of this Agreement f. Visit site in response to Customer	to the site by means of an inspection tag attached to or contained in the sthe necessary materials at site, any component of the OSSF found to be atine monitoring visit. If such services are not covered by warranty, and mer hereby authorizes Contractor to perform the service(s) and bill sts are greater than \$100.00, or if contractor does not have the necessary stomer of the required service(s) and the associated cost(s). Customer or trepair of system with in two (2) business days after said notification. For the tregular of TSS and BOD on a yearly basis (commercial systems and all reports to the regulatory agency and the Customer. 's request for unscheduled services within forty-eight (48) hours of the cluded) of said request. Unless otherwise covered by warranty, costs for
V. Disinfection:	DC.

copyright all rights reserved

KC

PINIC A C

Not required; X required. The responsibility to maintain the disinfection device(s) and provide any necessary chemicals is that of the Customer.

VI. Electronic Monitoring:

Electronic Monitoring is not included in this Agreement.

VII. Performance of Agreement:

Commencement of performance by Contractor under this Agreement is contingent on the following conditions:

a. If this is an initial Agreement (new installation):

 Contractor's receipt of a fully executed original copy or facsimile of this agreement and all documentation requested by Contractor.

If the above conditions are not met, Contractor is not obligated to perform any portion of this Agreement.

VIII. Customer's Responsibilities:

The customer is responsible for each and all of the following:

- a. Provide all necessary yard or lawn maintenance and removal of all obstacles, including but not limited to dogs and other animals, vehicles, trees, brush, trash, or debris, as needed to allow the OSSF to function properly, and to allow Contractor safe and easy access to all parts of the OSSF.
 - b. Protect equipment from physical damage including but not limited to that damage caused by insects.
- c. Maintain a current license to operate, and abide by the conditions and limitations of that license, and all requirements for and OSSF from the State and/or local regulatory agency, whichever requirements are more stringent, as well as the proprietary system's manufacturer recommendations.
- d. Notify Contactor immediately of any and all alarms, and/or any and all problems with, including failure of, the OSSF.
- e. Provide, upon request by Contractor, water usage records for the OSSF so that the Contractor can perform

a proper evaluation of the performance of the OSSF.

- f. Allow for samples at both the inlet and outlet of the OSSF to be obtained by Contractor for the purpose of evaluating the OSSF's performance. If these samples are taken to a laboratory for testing, with the exception of the service provided under Section IV (d) above, Customer agrees to pay Contractor for the sample collection and transportation, portal to portal, at a rate of \$35.00 per hour, plus the associated fees for laboratory testing.
 - g. Prevent the backwash or flushing of water treatment or conditioning equipment from entering the OSSF.
- h. Prevent the condensation from air conditioning or refrigeration units, or the drains of icemakers, from hydraulically overloading the aerobic treatment units. Drain lines may discharge into the surface application pump tank if approved by system designer.
 - i. Provide for pumping and cleaning of tanks and treatment units, when and as recommended by Contactor, at

Customer's expense.

- j. Maintain site drainage to prevent adverse effects on the OSSF.
- k. Pay promptly and fully, all Contractor's fees, bills, or invoices as described herein.

IX. Access by Contractor:

Contractor is hereby granted an easement to the OSSF for the purpose of performing services described herein. Contractor may enter the property during Contractor's normal business hours and/or other reasonable hours without prior notice to Customer to perform the Services and/or repairs described herein. Contractor shall have access to the OSSF electrical and physical components. Tanks and treatment units shall be accessible by means of man ways, or risers and removable covers, for the purpose of evaluation as required by State and/or local rules and the proprietary system manufacturer. It is Customers responsibility to keep lids exposed and accessible at all times.

X. Limit of Liability:

Contractor shall not be held liable for any incidental, consequential, or special damages, or for economic loss due to expense, or for loss of profits or income, or loss of use to Customer, whether in contract tort or any other theory. In no event shall Contractor be liable in an amount exceeding the total Fee for Services amount paid by Customer under this Agreement.

XI. Indemnification:

Customer (whether one or more) shall and does hereby agree to indemnify, hold harmless and defend Contractor and each of its successors, assigns, heirs, legal representatives, devisees, employees, agents and/or counsel (collectively "Indemnitees") from and against any and all liabilities, claims, damages, losses, liens, causes of action, suits, fines, judgments and other expenses (including, but not limited to, attorneys' fees and expenses and costs of investigation), of any kind, nature or description, (hereinafter collectively referred to as "Liabilities") arising out of, caused by, or resulting, in whole or in part, from this Agreement.

copyright all rights reserved

THIS INDEMNITIFCATION APPLIES EVEN IF SUCH LIABILITIES ARE CAUSED BY THE CONCURRENT OR CONTRIBUTORY NEGLIGENCE OR BY THE STRICT LIABILITY OF ANY INDEMNITEE.

Customer hereby waives its right of recourse as to any Indemnitee when Indemnification applies, and Customer shall require its insurer(s) to waive its/their right of subrogation to the extent such action is required to render such waiver of subrogation effective. Customer shall be subrogated to Indemnitees with respect to all rights Indemnitees may have against third parties with respect to matters as to which Customer provides indemnity and/or defense to Indemnitees. No Indemnification is provided to Indemnitees when the liability or loss results from (1) the sole responsibility of such Indemnitee; or, (2) the willful misconduct of such Indemnitee. Upon irrevocable acceptance of this Indemnification obligation, Customer, in its sole discretion, shall select and pay counsel to defend Indemnitees of and from any action that is subject to this Indemnification provision. Indemnitees hereby covenant not to compromise or settle any claim or cause of action for which Customer has provided Indemnification without the consent of Customer.

XII. Severability:

If any provision of the "Proposal and Contract" shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of the "Agreement" is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

XIII. Fee for Services:

The Fee for Services does not include any fees for equipment, material, labor necessary for non-warranty repairs, unscheduled inspections, or Customer requested visits to the site.

XIV. Payment

Full payment is due upon execution of this Agreement (Required of new Customer). For any other service(s) or repair(s) provided by Contractor the Customer shall pay the invoice(s) for said service(s) or repair(s) within thirty (30) days of the invoice date. The Contractor shall mail all invoices on the date of invoice. All payments not received within thirty (30) days from the invoice date will be subject to a \$29.00 late penalty and a 1.5% per month carrying charge, as well as any reasonable attorney's fees, and all collection and court costs incurred by Contractor in collection of unpaid debt(s). Contractor may terminate contract at any time for nonpayment for services. Any check returned to Contractor for any reason will be assessed a \$30.00 return check fee.

XV. Application or Transfer of payment:

The fees paid for this agreement may be transferred to subsequent property owner(s); however, this Agreement is not transferable. Customer shall advise the subsequent property owner(s) of the State requirement that they sign a replacement agreement authorizing Contractor to perform the herein described Services, and accepting Customer's Responsibilities. This replacement Agreement must be signed and received in Contractor's offices within ten (10) business days of date of transfer of property ownership. Contractor will apply all funds received from Customer first to any past due obligation arising from this Agreement including late fees or penalties, return check fees, and/or charges for services or repairs not paid within thirty (30) days of invoice date. Any remaining monies shall be applied to the funding of the replacement Agreement. The consumption of funds in this manner may cause a reduction in the termination date of effective coverage per this Agreement. See Section IV.

XVI. Entire Agreement:

This agreement contains the entire Agreement of the parties, and there are no other conditions in any other agreement, oral on written.

Rudy Carson

Block Creek Aerobic Services, LLC.

Contractor MP# 0002036 Customer Signature

Date

RC

copyright all rights reserved

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	August 22, 2024	
Site Location:	SADDLERIDGE, UNIT 1, I	BLOCK 1, LOT 82
Proposed Excavation Depth:	N/A	
Locations of soil boring of For subsurface disposal, subsurface disposal subsurface disposal excavation dept	ons must be performed on the site, at opposite or dug pits must be shown on the site drawing. soil evaluations must be performed to a depth oh. For surface disposal, the surface horizon mun and identify any restrictive features on the fo	f at least two feet below the st be evaluated.

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0 1	m	CLAY LOAM	N/A	NONE OBSERVED	LIMESTONE @ 4"	BROWN
2						
3						
4						
5						

SOIL BORING NUMBER SURFACE EVALUATION						
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0 1	SAME		AS		ABOVE	
3						
4 5						


I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.

Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

Date


OSSF SOIL EVALUATION REPORT INFORMATION

Date: August 23, 2024	
Applicant Information:	
	Site Evaluator Information:
Name: BRETT THOMAS NUSSDORFER	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address: c/o 23011 F.M. 306	Address: 170 Hollow Oak
City: CANYON LAKE State: TEXAS	
Zip Code: 78133 Phone: (830) 935-4936	Zip Code: 78132 Phone & Fax (830)905-2778
Property Location:	Installer Information:
Lot 82 Unit 1 Blk 1 Subd. SADDLERIDGE	Name:
Street Address: 3006 ELK RIVER TRAIL	Company:
City: BULVERDE Zip Code: 78163	Address:
Additional Info.:	3 Address: City: State:
	Zip Code: Phone
Topography: Slope within proposed disposal area:	8 to 12 %
Presence of 100 yr. Flood Zone:	YES X NO
Existing or proposed water well in nearby area.	YES NO X
Presence of adjacent ponds, streams, water impoundments	YES NO X
Presence of upper water shed	YES NO X
Organized sewage service available to lot	YES NOX
	man Innination
Design Calculations for Aerobic Treatment with Sp	ray irrigation:
Commercial	
Q = GPD	
Residential Water conserving fixtures to be utilized? Y	es X No
Number of Bedrooms the septic system is sized for:	
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction	
Q = (4 + 1)*75-(20%) = 300	Tot word voiled ving invarious
Trash Tank Size 353 Gal.	
TCEQ Approved Aerobic Plant Size 600	7 P D
· · · · · · · · · · · · · · · · · · ·	064 = 4688 sq. ft.
Application Area Utilized = 4825 sq. ft.	5q. 1t.
	disaket 0.5 HD 18 G D M. series or equivelent
Pump Requirement 12 Gpm @ 41 Psi (Re Dosing Cycle: ON DEMAND or X	ΓIMED TO DOSE IN PREDAWN HOURS
	al/inch.
Reserve Requirement = 100 Gal. 1/3 day fl	
Alarms: Audible & Visual High Water Alarm & Visual	Air Pump mairunction
With Chlorinator NSF/TCEQ APPROVED SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout	
Pop-up rotary sprinkler heads w/ purple non-potable lids	
1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED AND	MAINTAINED WITH VEGETATION
EXPOSED ROCK WILL BE COVERED WITH SOIL	
I HAVE PERFORMED A THOROUGH INVESTIGATION	
AND SITE EVALUATOR IN ACCORDANCE WITH CHA	
(REGARDING RECHARGE FEATURES), TEXAS CO	
(EFFECTIVE DECEMBER 29, 2016)	OF THE PROPERTY OF THE PARTY OF
A -	A RECORDET
09	3/25/26 🖈 😘
1	***************************************
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	DATE GREG W. JOHNSON
-	67587
	FIRM #2585
	FIRM #2585



GENERAL NOTES:

- 1. Plant structure material to be precast concrete and steel.
- 2. Weight = 14,900 lbs.
- Treatment capacity is 600 GPD. BOD Loading = 1.62 lbs. per day.
- 4. Standard tablet chlorinator or Optional Liquid chlorinator. NSF approved chlorinators (tablet & liquid) available.
- 5. Control Center w/ Timer for night spray application. .
- 20" Ø acess riser w/ lid (Typical 4). Optional extension risers available.
- 8. 20 GPM 1/2 HP, high head effluent pump.
- 9. Air Compressor w/ concrete housing.
- 10. 1/2" Sch. 40 PVC Air Line (Max. 50 Lft from Plant).
- 1" Sch. 40 PVC pipe to distribution system provided by contractor.



DIMENSIONS:

Outside Height: 67" Outside Width: 63" Outside Length: 164"

MINIMUM EXCAVATION DIMENSIONS:

Width: 76" Length: 176"



Maxx Air M-600 (600 GPD)
Aerobic Treatment Plant (Assembled)

Dec, 2013 By: A.S.

Scale:

 All Dimensions subject to allowable specification tolerances.

Dwg. #: ADV-B550-3



Advantage Wastewater Solutions IIc. 444 A Old Hwy No 9 Comfort, TX 78013 830-995-3189 fax 830-995-4051


TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks



TYPICAL PUMP TANK CONFIGURATION MAXX AIR M600 768 GAL PUMP TANK

CISTERN PUMPS

CPM Series

Ashland Pump - CPM Series

The Ashland Pump CPM Series is designed to operate in filtered effluent/gray water applications. The bottom suction design allows for maximum drawdown of fluid and the hydraulic stages are able to pass 1/8" solids without damage to the pump.

Installations in cistern tanks, rain basin catchments or anywhere drawdown levels need to be maximized are ideal applications for the Ashland Pump CPM Series.

APPLICATIONS


- · Filtered Effluent Water Pumping
- Gray Water Pumping
- Water Feature / Aeration Applications
- Rain Water Basin Applications

FEATURES


- Bottom suction design for maximum drawdown
- · Able to pass 1/8" solids
- · Available in 10, 20 and 30 GPM flow rates
- ½ HP, 115V and 230V single phase motors
- Heavy duty discharge with stainless steel internal threads
- 600 Volt, 10' SJ00W jacketed lead
- · High shut-off pressure
- Quiet operation
- · Standard removable base for stable mounting

ORDERING INFORMATION

		CP	M SERIES	CISTERN F	PUMP	
Model/Order No.	GPM	HP	Voltage/Ph.	Stage Count	Length (in.)	Shipping Wt. (lbs.)
10CPM5-115	10		115/1	7	26	17
10CPM5-230	10		230/1	7	26	17
20CPM5-115	20		115/1	5	25	16
20CPM5-230	20	1/2	230/1	5	25	16
20+CPM5-115	20+	.,_	115/1	6	26	17
20+CPM5-230	20+		230/1	6	26	17
30CPM5-115	30		115/1	4	25	16
30CPM5-230	30		230/1	4	25	16



ASHLAND PUMP CPM SERIES CISTERN PUMP PERFORMANCE





Low Angle Performance Data

NOZZLE	PRE	SSURE		RAD	IUS		RATE	
110222	PSI	kPa	Bars	Ft,	M.	GPM	L/M	M³/H
#1.0	30	207	2.1	22	6.7	1.2	4.5	.27
T 1.0	40	276	2.8	24	7.3	1.7	6.4	.39
	50	345	3.4	26	7.9	1.8	6.8	.41
	60	414	4.1	28	8.5	2.0	7.6	.45
#3.0	30	207	2.1	29	8.8	3.0	11.4	.68
#3.0	40	276	2.8	32	9.8	3.1	11.7	.70
	50	345	3.4	35	10.7	3.5	13.2	.80
	60	414	4.1	37	11.3	3.8	14.4	.86
#4.0	30	207	2.1	31	9.4	3.4	12.9	.77
#4.0	40	276	2.8	34	10.4	3.9	14.8	.89
	50	345	3.4	37	11.3	4.4	16.7	1.00
	60	414	4.1	38	11.6	4.7	17.8	1.07
#6.0	40	275	2.8	38	11.6	6.5	24.6	1.48
#0.0	50	344	3.4	40	12.2	7.3	27.7	1.66
	60	413	4.1	42	12.8	8.0	30.3	1.82
	70	482	4.8	44	13.4	8.6	32.6	1.96

*All precipitation rates calculated for 180° operation. For the precipitation rate for a 36





PUMP

Honest, Professional, Dependable

1899 Cottage Street, Ashland, Ohio 44805

Telephone: 855 281-6830 • Fax: 877 326-1994 • ashlandpump.com





NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER

WARRANTY DEED WITH VENDOR'S LIEN

Date:

January 29, 2021

Grantor

Jennifer Monsker

Grantor's Mailing Address: 3051 Spring Branch Rd

(including county)

Spring Branch, COMA County, TX 78079

Grantee:

Brett Thomas Nussdorfer

Grantee's Mailing Address: 3710 Sweet Olive

(including county)

San Antonio, Benur County, TX 78261

Consideration: TEN AND NO/100 DOLLARS (\$10.00) and other valuable consideration and a note of even date in the principal amount of Ninety-Two Thousand and no/100 DOLLARS (\$92,000.00) executed by Grance payable to the order of SYNERGY FEDERAL CREDIT UNION. The note is secured by a vendor's lien retained in favor of SYNERGY FEDERAL CREDIT UNION in this doed and by a deed of trust of even date from Grantee to MORTON W. BAIRD II, Trustee.

Property (including any improvements):

Lot 82, Block 1, Saddleridge Subdivision, Unit 1, a subdivision in Cennal County, Texas, according to plat thereof recorded in Volume 13, Page 42, Map and Plat Records of County, Texas.

Reservations from and Exceptions to Conveyance and Warranty:

This conveyance is made subject to any casements, conditions, mandatory homeowners assessments and/or restrictions of record affecting the title to the hereinbefore described property.

Grantor, for the consideration and subject to the reservations from and exceptions to conveyance and warranty, grants, sells, and conveys to Grantoe the property, together with all and singular the rights and appurtenances thereto in any wise belonging, to have and hold it to Grantoe, Grantoe's heirs, executors, administrators, successors, or assigns forever. Grantoe hereby binds Grantor and Grantoe's heirs, executors, administrators, and successors to warrant and forever defend all and singular the property to Grantoe and Grantoe's heirs, executors, administrators, successors and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof, except as to the reservations from and exceptions to conveyance and warranty.

The vendor's lien against and superior title to the property are retained until each note described is fully paid according to its terms, at which time this deed shall become absolute.

SYNERGY FEDERAL CREDIT UNION, at Grantoe's request, has paid in cash to Grantor that portion of the purchase price of the property that is evidenced by the note described above. The vendor's lien and superior title to the property are retained for the benefit of SYNERGY FEDERAL CREDIT UNION and are transferred to that party without recourse on Grantor.

When the context requires, singular nouns an	d pronouns include the phral.	
Germifer Mansker		
Sentines Manusca.		
THE STATE OF TEXAS	1	(Acknowledsment)
COUNTY OF Boxar	.	(
This instrument was acknowledged before me on t	to NAM tay of Mu	Wry 2021
by Jeanifer Manaker		1
Notary Public: check the appropriate box - and o		
	•	s paysmany appearing neare am. specifing before me by an interactive two-way andio and
video communication that meets the online adopted under that subchapter.	notarization requirements under Su	ochapter C, Chapter 406, TX Government Code, and rules
10	Class. Class	
V-/2-15 5	Dairyanop	91101409
Notary Public, State of Texas	Notary's Name (printed) \	Notary's commission confins
		SALLY SCHOPP My Notary ID # 4237588
THE STATE OF TEXAS	1	Expires September 10, 2024
COUNTY OF Bexar)	
This instrument was asknowledged before me on	the day of	
by		
Notary Public: check the appropriate box - and o	only one box — as applicable to this r	notarial act:
This notarial act is a traditional notarization		
This notarial act is an online notarization. video communication that meets the colline	The person(s) acknowledging is/are a notarization requirements under Su	appearing before me by an interactive two-way audio and behapter C, Chapter 406, TX Government Code, and rules
adopted under that subchapter.	•	
•	·	
Notary Public, State of Texas	Notary's Name (printed)	Filed and Recorded
		Official Public Records
		Bobbie Koepp, County Clerk
		Comal County, Texas
		02/03/2021 02:54:04 PM
		CHRISTY 2 Pages(s)
		202106006317
Earted 10-83		Babbie Keepp



OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded its

Start will complete snaded items				
			117897	
Date	Received	Initials	Permit Number	

	ns: neck mark next to all items that apply. For items that do not apply, place "N/A". This OSSF Development Application must accompany the completed application.
OSSF Pe	mit
Com	pleted Application for Permit for Authorization to Construct an On-Site Sewage Facility and License to Operate
X Site/	Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer
⊠ Plan ofa	ning Materials of the OSSF as Required by the TCEQ Rules for OSSF Chapter 285. Planning Materials shall consis scaled design and all system specifications.
Req	uired Permit Fee - See Attached Fee Schedule
Cop	of Recorded Deed
Surfa	ace Application/Aerobic Treatment System
\times	Recorded Certification of OSSF Requiring Maintenance/Affidavit to the Public
\times	Signed Maintenance Contract with Effective Date as Issuance of License to Operate
	at I have provided all information required for my OSSF Development Application and that this application as a completed OSSF Development Application.
	09/07/2024
	Signature of Applicant Date

180	09/07/2024		
Signature of Applicant	Date		
COMPLETE APPLICATION	INCOMPLETE APPLICATION		
Check No Receipt No	(Missing Items Circled, Application Refeused)		

Revised: September 2019