staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	ermit#: Address:						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(G)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				


Inspector Notes:

AL.	Di-si	Δ	Citation	N-4	1,41,	2	2
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1) (D)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
9	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume						
12	Installed						
	PUMP TANK Volume Installed						
13	AEROBIC TREATMENT UNIT Size						
14							
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

	O331 Inspection sheet						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)				
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)				
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)				
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)				
	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)				
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC						
26	DRAINFIELD Area Installed						
27	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)				
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)				

No.	Docorintian	Answer	Citations	Notes	1ct lease	2nd Inco	2rd Inco
NO.	Description EFFLUENT DISPOSAL SYSTEM Utilized	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	1						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
40	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
41	ADDUCATION ADDA Average tradellar						
42	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 117943

Issued This Date: 10/10/2024

This permit is hereby given to: TIFFANY & JACOB GAVLICK

To start construction of a private, on-site sewage facility located at:

135 IRON HORSE

NEW BRAUNFELS, TX 78132

Subdivision: RIVER CHASE

Unit: 8

Lot: 1290

Block: 0

Acreage: 1.3200

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.



195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090

ON-SITE SEWAGE FACILITY APPLICATION WWW CCEO ORG 117943 Permit Number September 14, 2024 1. APPLICANT / AGENT INFORMATION TIFFANY & JACOB GAVLICK GREG JOHNSON, P.E. Agent Name 170 HOLLOW OAK Mailing Address 135 IRON HORSE Agent Address City, State, Zip NEW BRAUNFELS, TEXAS 78132 **NEW BRAUNFELS TEXAS 78132** City, State, Zip 830-905-2778 Phone # 214-704-2311 Phone # gregjohnsonpe@yahoo.com Email tiffany.gavlick@comalisd.org Email 2. LOCATION Subdivision Name RIVER CHASE Unit 8 Lot 1290 Block Survey Name / Abstract Number Address 135 IRON HORSE City NEW BRAUNFELS State TX Zip 78132 3. TYPE OF DEVELOPMENT Single Family Residential Type of Construction (House, Mobile, RV, Etc.) HOUSE & EXISTING DETACHED LIVING Number of Bedrooms 4+1 Indicate Sq Ft of Living Area 2650+1000 Non-Single Family Residential (Planning materials must show adequate land area for doubling the required land needed for treatment units and disposal area) Type of Facility Offices, Factories, Churches, Schools, Parks, Etc. - Indicate Number Of Occupants Restaurants, Lounges, Theaters - Indicate Number of Seats Hotel, Motel, Hospital, Nursing Home - Indicate Number of Beds Travel Trailer/RV Parks - Indicate Number of Spaces Miscellaneous Estimated Cost of Construction: \$ 400,000 (Structure Only) Is any portion of the proposed OSSF located in the United States Army Corps of Engineers (USACE) flowage easement? Yes No (If yes, owner must provide approval from USACE for proposed OSSF improvements within the USACE flowage easement) Source of Water Public Private Well Rainwater Collection 4. SIGNATURE OF OWNER By signing this application, I certify that: - The completed application and all additional information submitted does not contain any false information and does not conceal any material facts. I certify that I am the property owner or I possess the appropriate land rights necessary to make the permitted improvements on said property. - Authorization is hereby given to the permitting authority and designated agents to enter upon the above described property for the purpose of

- site/soil evaluation and inspection of private sewage facilities..
- I understand that a permit of authorization to construct will not be issued until the Floodplain Administrator has performed the reviews required by the Comal County Flood Damage Prevention Order.

- I affirmatively consent to the online posting/public release of my e-mail address associated with this permit application, as applicable.

Signature of Owner Date



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW CCEO ORG

Planning Materials & Site E	valuation as Required Completed By	·	GREG W. JOHNSON, P.E.	
System Description	PROPRIETARY; AEROBIC	TREATMI	ENT AND SURFACE IRRIGATION	
Size of Septic System Requ	uired Based on Planning Materials &	Soil Evalua	tion	
Tank Size(s) (Gallons)	SOLAR AIR SAIITX800-1000PT (#117262) ————	Absorption/Application Area (Sq Ft)	5664
Gallons Per Day (As Per TC	EQ Table 111) 360			
(Sites generating more than 50	000 gallons per day are required to obtain	n a permit th	rough TCEQ.)	
Is the property located over	the Edwards Recharge Zone? 🔀	Yes N	lo	
(if yes, the planning materials	must be completed by a Registered Sani	tarian (R.S.)	or Professional Engineer (P.E.))	
Is there an existing TCEQ a	approved WPAP for the property?	Yes 🔲	No	
(if yes, the R.S. or P.E. shall c	ertify that the OSSF design complies with	ali provisio	ns of the existing WPAP.)	
Is there at least one acre pe	er single family dwelling as per 285.4	0(c)(1)?	Yes No	
If there is no existing WPAF	o, does the proposed development a	ctivity requi	re a TCEQ approved WPAP? Yes	⊠ No
	ertify that the OSSF design will comply w SF until the proposed WPAP has been a		ions of the proposed WPAP. A Permit to Cons he appropriate regional office.)	struct will not
Is the property located over	the Edwards Contributing Zone?	Yes 🔀	No	
Is there an existing TCEQ a	approval CZP for the property?	res 🛛 N	lo	
(if yes, the P.E. or R.S. shall co	ertify that the OSSF design complies with	all provision	s of the existing CZP.)	
If there is no existing CZP,	does the proposed development acti	vity require	a TCEQ approved CZP? Yes	No
(if yes, the R.S. or P.E. shall c issued for the proposed OSSF	ertify that the OSSF design will comply w until the UP has been approved by the	rith all provis appropriate	ions of the proposed CZP. A Permit to Constr	uct will not be
Is this property within an inc	corporated city? Yes No		Start X ct 70	
If yes, indicate the city:			GREG W. JOHNSON	
			FIRM #25	585
By signing this application, I	certify that:			
•	above is true and correct to the best of m			
- I affirmatively consent to the	re online posting/public release of my e-r	nail address	associated with this permit application, as app	olicable.
$\mathcal{N}X$		Sen	tember 20, 2024	
Signature of Designer	•	Date		

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Dead Records of Comal County, Texas.

1

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

11

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

8	_Unit/Phase/section	_ BLOCK1296	LOT	RIVER CHASE	Subdivision
1F (not in Subdivision:	ACREAGE			SURVEY
	The property is owned by (in	nsert owner's full (name):	TIFFANY GAVLICK & JACK	OB GAVLICK
	the imital two-year service i	colicy, the owner of	80 Serobic t	contract for the first two years. reatment system for a single fam 30 days or maintain the system	ilv
	Upon sale or transfer of the transferred to the buyer or rebtained from the Comai Co	iew owner. A copy	of the plans	permit for the OSSF shall be ing materials for the OSSF can	be
	WITNESS BY, HAND(S) CN	THIS LAT	4 <u>1</u> 40	RCL+ ,20 24 NY GAVLICK	
	Owner(e) signature(s)			B GAVLICK (s) Printed name (s)	
	TIFFANY & JACOB GAV	<u>/LICK</u> SWORN _,20_24_	TO AND SI	JBSCRIBED BEFORE ME ON 1	THIS 1 AL DAY OF
ı	Amendo De C Notary Public Signs	iture			




THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF SINGLE FAMILY DWELLING

According to Texas Commission of Environmental Quality Rules for On-Site Sewage Facilities, this document is filed in the Deed Records of COMAL COUNTY, TEXAS.

Before me this day appeared __TIFFANY & JACOB GAVLICK_, being the owners of the referenced property at 135 IRON HORSE . They further state that the Residence and any additional . They further state that the Residence and any additional living space on this property will be occupied only by a single family. An OSSF requiring a Certification of Single Pamily Dwelling, will be installed on the property described as: 8 UNIT BLOCK 1290 LOT RIVER CHASE **SUBDIVISION** IF NOT IN SUBDIVISION: ACREAGE SURVEY The property is owned by _____ TIFFANY GAVLICK & JACOB GAVLICK WITNESS MY HAND ON THIS 15th OF DAY OF MARZON SWORN TO AND SUBSCRIBED BEFORE ME ON THIS 1 DAY OF MARCH - 20 24 BY TIFFANY GAVLICK JACOB GAVLICK OWNER NAME (PRINTED) OWNER NAME (PRINTED)

Amando De Compole Notary Public Signature





Maintenance Service Provider 15188 FM 306 Canyon Lake, TX 78133 Office/Fax (830) 964-2365



RIVER CHASE, UNIT 8, LOT 1290

SITE ADDRESS 135 IRON HORSE, NEW BRAUNFELS, TX 78132 INSTALLER SCOTT SCHNEIDER DATE FEBRUARY 27, 2024

Routine Maintenance and Inspection Agreement

This Work for Hire Agreement (hereinafter referred to as this "Agreement") is entered into by and between TIFFANY & JACOB GAVLICK (referred to as "Client") and Aerobic Services of South Texas (Thomas W. Hampton MP349) (hereinafter referred to as "Contractor") located at 15188 FM 306 Canyon Lake, Texas 78133 (830) 964-2365. By this Agreement the Contractor agrees to render professional service, as described herein, and the Client agrees to fulfill the terms of this Agreement as described herein.

This contract will provide for all required inspections, testing and service for your Aerobic Treatment System. The policy will include the following:

- 1. 3 inspections a year/services calls (at least one every 4 months), for a total of 6 over the **two year period** including inspection, adjustment and servicing of the mechanical, electrical and other applicable component parts to ensure proper function. This includes inspecting the control panel, air pumps, air filters, diffuser operation. Any alarm situation affecting the proper function of the Aerobic process will be addressed within a 48-hour time frame. Repair work on non-warranty parts will include price for parts & labor. The prices will be quoted before work is performed.
- 2. An effluent quality inspection consisting of a visual check for color, turbidity, scum overflow and examination for odors. A test for chlorine residual and pH will be taken and reported as necessary.
- 3. If any improper operation is observed, which cannot be corrected at the time of the service visit, you will be notified immediately in writing of the conditions and estimated date of correction.
- 4. The customer is responsible for the chlorine; it must be filled before or during the service visit.
- 5. Any additional visits, inspections or sample collection required by specific Municipalities, Water/River Authorities, and County Agencies the TCEQ or any other authorized regulatory agency in your jurisdiction will be covered by this policy. BOD and TSS testing is covered by this contract.

The Homeowners Manual must be strictly followed or warranties are subject to invalidation. Pumping of sludge build-up is not covered by this policy and will result in additional charges.

ACCESS BY CONTRACTOR

The Contractor or anyone authorized by the Contractor may enter the property at reasonable times without prior notice for the purpose of the above described Services. The contractor may access the System components including the tanks by means of excavation for the purpose of evaluations if necessary. Soil Is to be replaced with the excavated material as best as possible.

Termination of Agreement

Either party may terminate this agreement within ten days with a written notice in the event of substantial failure to perform in accordance with its terms by the other party without fault of the terminating party. If this Agreement is so terminated, the Contractor will immediately notify the appropriate health authority of the termination.

CCEO COPY



Limit of Liability

In no event shall the Contractor be liable for indirect, consequential, incidental or punitive damages, whether in contract tort or any other theory. In no event shall the Contractor's liability for direct damages exceed the price for the services described in this Agreement.

Dispute Resolution

If a dispute between the Client and the Contractor arises that cannot be settled in good faith negotiations then the parties shall choose a mutually acceptable arbitrator and shall share the cost of the arbitration services equally.

Entire Agreement

This Agreement contains the entire agreement of the parties, and there are no other promises or conditions in any other agreement either oral or written.

Severability

If any provision of this Agreement shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of this agreement is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

HOME OWNER

TIFFANY & JACOB GAVLICK NAME ENTITY

tiffany.gavlick@comalisd.org

214-704-2311

PHONE

EFFECTIVE DA

EXPIRED DATE

INSTALLED_

Model #

Blower Panel Serial #

SERVICE PROVIDER

Acroba Services of South Texas Inc.

15188 FM 306, Canyon Lake TX 78133

(\$30) 964 - 2365

Signature of Service Provider age

[Thomas Hampton, 028002 2302 \$120000349]

The effective date of this initial maintenance contract shall be the date license to operate is issued.

Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

September 24, 2024

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RE- SEPTIC DESIGN
135 IRON HORSE
RIVER CHASE, UNIT 8, LOT 1290
NEW BRAUNFELS, TX 78132
GAVLICK RESIDENCE

Brandon /Brenda,

The referenced property is located within the Edwards Aquifer Recharge Zone. This OSSF design will comply with requirements in the WPAP.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40,285.41, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

Greg W. Johnson, P.E.

No. 67587 / F#2585

170 Hollow Oak

New Braunfels, Texas 78132 - 830/905-2778

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	February 26, 2024		
Site Location:	RIVER CH	ASE, UNIT 8, LOT 1290	
Proposed Excavation Depth:	N/A		
Locations of soil boring of For subsurface disposal, proposed excavation dep	or dug pits must be shown on the si soil evaluations must be performed th. For surface disposal, the surface	to a depth of at least two feet below the	

SOIL BORING N	NUMBER SUR	FACE EVALUAT	TION			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0 6" 2	IV	CLAY	N/A	NONE OBSERVED	LIMESTONE @ 6"	DRK. BROWN STONY
3						
5						

SOIL BORING	NUMBER SUR	FACE EVALUAT	ION			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
1 2	SAME		AS		ABOVE	
3						
5						


I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.


Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

Date

OSSF SOIL EVALUATION REPORT INFORMATION

Date: September 20, 2024	
Applicant Information:	Site Evaluator Information:
	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Name: TIFFANY & JACOB GAVLICK	Address: 170 Hollow Oak
Address: 135 IRON HORSE	City: New Braunfels State: Texas
City: NEW BRAUNFELS State: TX	Zip Code: 78132 Phone & Fax (830)905-2778
Zip Code: 78132 Phone: 214-704-2311	
Property Location:	Installer Information:
Lot 1290 Unit 8 Blk Subd. RIVER CHASE	Name:
Street Address: 135 IRON HORSE City: NEW BRAUNFELS Zip Code: 78132	Company:
City: NEW BRAUNFELS Zip Code: 78132	Address:
Additional Info.:	City: State:
T	Zip Code:Phone
Topography: Slope within proposed disposal area:	
Presence of 100 yr. Flood Zone: Existing or proposed water well in nearby area.	YESNO_X YESNO_X
Presence of adjacent ponds, streams, water impoundments	
Presence of upper water shed	YESNO_X
Organized sewage service available to lot	YESNO_X
Organized sewage service available to lot	TESNO_A_
Design Calculations for Aerobic Treatment with Spr	av Irrigation.
Commercial	ay II I Igation:
Q =GPD	
	oo V No
Residential Water conserving fixtures to be utilized? Yes	
Number of Bedrooms the septic system is sized for: 4	
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction	for water conserving fixtures)
Q = (5 + 1)*75-(20%) = 360	
Trash Tank Size 461 Gal.	
TCEQ Approved Aerobic Plant Size 800 G	i.P.D.
Req'd Application Area = $Q/Ri = _{0.0}$	$\frac{64}{1} = \frac{5625}{1} \text{ sq. ft.}$
Application Area Utilized = 5664 sq. ft.	
Pump Requirement 10.4 Gpm @ 41 Psi (FR	- · · · · · · · · · · · · · · · · · · ·
· · — — — — — — — — — — — — — — — — — —	IMED TO DOSE IN PREDAWN HOURS
	ll/inch.
Reserve Requirement = 120 Gal. 1/3 day flow.	
Alarms: Audible & Visual High Water Alarm & Visual	Air Pump malfunction
With Chlorinator	
SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout	
Pop-up rotary sprinkler heads w/ purple non-potable lids 1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED AND MA	AINTAINED WITH VEGETATION
EXPOSED ROCK WILL BE COVERED WITH SOIL	
I HAVE PERFORMED A THOROUGH INVESTIGATION	
AND SITE EVALUATOR IN ACCORDANCE WITH CHA	
(REGARDING RECHARGE FEATURES), TEXAS CO	MMISSION OF ENVIRONMENTAL QUALITY
(EFFECTIVE DECEMBER 29, 2016)	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	TE OF TEL
/ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	10/14 5 *
dana wika za	DATE GREG W. JOHNSON
GREG W. WHYSON, P.E. F#002585 - S.E. 11561	DATE SATE OF STREET OF STR






TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.


A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks




TYPICAL PUMP TANK CONFIGURATION 1000 GAL PUMP TANK - SAIITX-800 1000 PT

Environmental Series Pumps

Thermoplastic Performance






Thermoplastic Units Ordering Information

1/2 - 1.5 HP Single-Phase Units							
Order No.	Model	GPM	НР	Volt	Wire	Wt	
94741005	10FE05P4-2W115	10	1/2	115	2	24	
94741010	10FE05P4-2W230	10	1/2	230	2	24	
94741015	10FE07P4-2W230	10	3/4	230	2	28	
94741020	10FE1P4-2W230	10	1	230	2	31	
94741025	10FE15P4-2W230	10	1.5	230	2	46	
94742005	20FE05P4-2W115	20	1/2	115	2	25	
94742010	20FE05P4-2W230	20	1/2	230	2	25	
94742015	20FE07P4-2W230	20	3/4	230	2	28	
94742020	20FE1P4-2W230	20	1	230	2	31	
94742025	20FE15P4-2W230	20	1.5	230	2	40	

Thermoplastic 1/2 - 2 HP Pump Ends								
Order No.	Model	GPM	HP	Volt	Wire	Wt.		
94751005	10FE05P4-PE	10	1/2	N/A	N/A	6		
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7		
94751015	10FE1P4-PE	10	1	N/A	N/A	8		
94751020	10FE15P4-PE	10	1.5	N/A	N/A	12		
94752005	20FE05P4-PE	20	1/2	N/A	N/A	6		
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7		
94752015	20FE1P4-PE	20	1	N/A	N/A	8		
94752020	20FE15P4-PE	20	1.5	N/A	N/A	10		
94752025	20FE2P4-PE	20	2	N/A	N/A	11		







COMAL COUNTY

ENGINEER'S OFFICE

License to Operate On-Site Sewage Treatment and Disposal Facility

Issued This Date:

05/09/2024

Permit Number:

117262

Location Description:

135 IRON HORSE

NEW BRAUNFELS, TX 78132

Subdivision:

RIVER CHASE

Unit:

8

Lot:

1290

Block:

0

Acreage:

1.3200

Type of System:

Aerobic

Surface Irrigation

Issued to:

TIFFANY & JACOB GAVLICK

This license is authorization for the owner to operate and maintain a private facility at the location described in accordance to the rules and regulations for on-site sewerage facilities of Comal County, Texas, and the Texas Commission on Environmental Quality.

The license grants permission to operate the facility. It does not guarantee successful operation. It is the responsibility of the owner to maintain and operate the facility in a satisfactory manner.

Alterations to this permit including, but not limited to:

- Increase in the square feet of living area
- Increase in the number of bedrooms
- A change of use (i.e. residential to commercial)
- Relocation of system components (including the relocation of spray heads)
- Installation of landscaping
- Adding new structures to the system

may require a new permit. It is the responsibility of the owner to apply for a new permit, if applicable.

Inspection and licensing of a facility indicates only that the facility meets certain minimum requirements. It does not impede any governmental entity in taking the proper steps to prevent or control pollution, to abate nuisance, or to protect the public health.

This license to operate is valid for an indefinite period. The holder may transfer it to a succeeding owner, provided the facility has not been remodeled and is functioning properly.

Licensing Authority


Comal County Environmental Health

NVIRONMENTAL HEALTH INSPECTOR

ENVIRONMENTAL HEALTH COORDINATOR

OS0032485

OS0007722



From: Ritzen,Brenda
To: "Greg Johnson"

Cc: Garrett Winters; Susan Winters; Tiffany Gavlick
Subject: RE: 135 IRON HORSE- GAVLICK #117943
Date: Thursday, April 3, 2025 3:02:00 PM

Attachments: <u>image001.png</u>

Greg,

The permit file has been updated.

Thank you,



Brenda Ritzen

Environmental Health Coordinator 195 David Jonas Dr. New Braunfels, TX 78132 DR:OS00007722 830-608-2090 www.cceo.org

From: Greg Johnson <gregjohnsonpe@yahoo.com>

Sent: Thursday, April 3, 2025 9:33 AM

To: Ritzen,Brenda <rabbjr@co.comal.tx.us>

Cc: Garrett Winters <gwintersseptics@gmail.com>; Susan Winters <wintersseptics@gvtc.com>;

Tiffany Gavlick < tiffany.gavlick@comalisd.org> **Subject:** 135 IRON HORSE- GAVLICK #117943

This email originated from outside of the organization.

Do not click links or open attachments unless you recognize the sender and know the content


- Comal IT


REVISED. THX, GREG

Send for Greg W. Johnson, P.E., R.S.)

170 Hollow Oak

New Braunfels, TX 78132





NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS:
YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

GENERAL WARRANTY DEED RETAINING A VENDOR'S LIEN and ESTABLISHING A LIFE ESTATE

STATE OF TEXAS

§ KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF COMAL

8

THAT SUMMIT OAK BUILDERS, LLC, hereinafter called Grantor, for and in consideration of the sum of TEN AND NO/100 (\$10.00) DOLLARS cash and other good and valuable consideration in hand paid TIFFANY GAVLICK and JACOB GAVLICK, whose address 5640 Briar Field, New Braunfels, Texas 78132, hereinafter called Grantee, the receipt and sufficiency of which is hereby acknowledged and confessed, and the further consideration of the execution and delivery by Grantee herein of one certain Promissory Note in the principal sum of ONE HUNDRED FORTY-NINE THOUSAND AND NO/100 (\$149,000.00) DOLLARS, of even date herewith, payable to the order of Grantor, bearing interest as therein stated, payable as it accrues, the principal and interest thereof being due and payable as therein provided, said Note containing the usual various accelerating maturity and attorney's fee clauses in case of default and being secured by a vendor's lien retained herein upon the hereinafter described and conveyed property, and being also secured by a Deed of Trust of even date herewith to STEVE D. TAYLOR, Trustee, to which reference is hereby made for all purposes;

HAS GRANTED, SOLD and CONVEYED, and by these presents does GRANT, SELL and CONVEY unto the said Grantee, the following described property, to-wit:

Lot 1290, RIVER CHASE, UNIT EIGHT, a subdivision in Comal County, Texas, according to the plat recorded in Volume 15, Page(s) 177-187 of the Map and Plat Records of Comal County, Texas.

This conveyance is made subject to, all and singular, the restrictions, conditions, easements and covenants, if any, applicable to and enforceable against the above

described property as reflected by the records of the County Clerk of Comal County, Texas.

It is expressly agreed and stipulated that a vendor's lien is retained in favor of the payee in said Note against the above described property, premises and improvements, until said Note, and all interest thereon, is fully paid according to the face and tenor, effect and reading thereof, when this deed shall become absolute.

TO HAVE AND TO HOLD the above described premises, together with, all and singular, the rights and appurtenances thereto in anywise belonging unto the said Grantee, Grantee's heirs and assigns forever.

Grantor does hereby bind Grantor, Grantor's heirs, executors, administrators and successors to warrant and forever defend, all and singular, the said premises unto the said Grantee, Grantee's heirs, executors, administrators, successors and assigns, against every person whomsoever claiming or to claim the same or any part thereof.

DATED this the 8 day of November, 2023.

SUMMIT OAK BUILDERS, LPC

GREGORY G. GRIFFIN, Manager

STATE OF TEXAS COUNTY OF COMAL

This instrument was acknowledged before me on this the day of November, 2023, by GREGORY G. GRIFFIN, Manager of SUMMIT OAK, BUILDERS, LLC.

NACMI M FLORES
Notary ID #10836394
My Commission Expires
April 22, 2025

Notary Public State of Texas

8041. DEEDS -- VL Old Republic Title (NF) GF#443SG

2

Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 11/09/2023 08:09:09 AM LAURA 2 Pages(s) 202306035606







OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

	ENGINEER'S OFFICE				
Min	G. Chr.			117943	
		Date Received	Initials	Permit Number	
	ructions: se a check mark next to all items that apply. For items	s that do not annly in	lace "N/A" This	OSSE Development Applicat	lion
	cklist <u>must</u> accompany the completed application.	s triat do not apply, p	iace N/A . IIIIs	Ooor Development Applicat	.1011
oss	SF Permit				
X	Completed Application for Permit for Authorization to	to Construct an On-S	ite Sewage Fac	lity and License to Operate	
X	Site/Soil Evaluation Completed by a Certified Site E	valuator or a Profess	sional Engineer		
X	Planning Materials of the OSSF as Required by the of a scaled design and all system specifications.	TCEQ Rules for OS	SF Chapter 285	Planning Materials shall con	ısist
X	Required Permit Fee - See Attached Fee Schedule				
\times	Copy of Recorded Deed				
\times	Surface Application/Aerobic Treatment System				
	Recorded Certification of OSSF Requiring Ma	aintenance/Affidavit to	o the Public		
	Signed Maintenance Contract with Effective D	Date as Issuance of L	icense to Opera	te	
	irm that I have provided all information required f stitutes a completed OSSF Development Applicat		pment Applica	tion and that this application	on
	100	()9/24/20	024	
	Signature of Applicant			Date	
	COMPLETE APPLICATION			ETE APPLICATION	
	Check No Receipt No	(Missing Items Cir	cled, Application Refeused)	.7

Revised: September 2019