staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	ermit#: Address:						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(G)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				


Inspector Notes:

AL.	Di-si	Δ	Citation	N-4	1,41,	2	2
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1) (D)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
9	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume						
12	Installed						
	PUMP TANK Volume Installed						
13	AEROBIC TREATMENT UNIT Size						
14							
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)				
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)				
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)				
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)				
	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)				
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC						
26	DRAINFIELD Area Installed						
27	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)				
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)				

No.	Docorintian	Answer	Citations	Notes	1ct lease	2nd Inco	2rd Inco
NO.	Description EFFLUENT DISPOSAL SYSTEM Utilized	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	1						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
40	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
41	ADDUCATION ADDA Average tradellar						
42	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 118140

Issued This Date: 02/04/2025

This permit is hereby given to: BRADLEY & NANCY BEAUVAIS

To start construction of a private, on-site sewage facility located at:

193 STONEBROOK RDG

NEW BRAUNFELS, TX 78132

Subdivision: RIVER CHASE

Unit: 1

Lot: 50

Block: 0

Acreage: 3.5000


APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.



COMPLETE APPLICATION

Receipt No.

OSSF DEVELOPMENT APPLICATION

	COMAL COUNTY		CHECK	KLIST
	ENGINEER'S OFFICE	Staff	will complete	e shaded items
A Milini	47			
		Date Received	Initials	Permit Number
Instruction	ons:			
Place a	check mark next to all items that apply. For items	s that do not apply, place	e "N/A". This	OSSF Development Application
Checkis	st <u>must</u> accompany the completed application.			
OSSF P	'ermit			
⊠ c₀	mpleted Application for Permit for Authorization t	o Construct an On-Site	Sewage Fac	ility and License to Operate
□ Site	e/Soil Evaluation Completed by a Certified Site E	valuator or a Profession	al Engineer	
نب				
	nning Materials of the OSSF as Required by the a scaled design and all system specifications.	TCEQ Rules for OSSF	Chapter 285	. Planning Materials shall consist
Re	quired Permit Fee - See Attached Fee Schedule			
□ Co	py of Recorded Deed			
X Su	rface Application/Aerobic Treatment System			
\geq	Recorded Certification of OSSF Requiring Ma	intenance/Affidavit to th	e Public	
\geq	Signed Maintenance Contract with Effective D	ate as Issuance of Lice	nse to Opera	ate
	that I have provided all information required f Ites a completed OSSF Development Applicat		ent Applica	tion and that this application
		11	/27/20	024
	Signature of Applicant			Date
ı	COMPLETE APPLICATION]

Revised: September 2019

INCOMPLETE APPLICATION (Missing Items Circled, Application Refeused)



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090

WWW CCEO ORG

Date Nov	ember 4, 2024	Permit Number						
1. APPLICANT / A	AGENT INFORMATION							
Owner Name	BRADLEY & NANCY BEAUVAIS	Agent Name		GREG JC	HNSC)N, P.E		
Mailing Address_	193 STONEBROOK RIDGE	Agent Address		170 HO	LLOW	OAK		
City, State, Zip	NEW BRAUNFELS TEXAS 78132	City, State, Zip	NEW	BRAUNF	ELS, T	EXAS	78132	
Phone #	210-627-1078	Phone #		830-	905-27	78		
Email _	bbeauvaisphd@gmail.com	Email	gr	egjohnsor	ре@уа	ahoo.cc	m	
2. LOCATION								
	RIVER CHASE		nit <u>1</u>		50	Blo	ck	
Survey Name / At	ostract Number			Ac	reage			
	193 STONEBROOK RIDGE				TX	Zip	78132	
Type of Cor Number of I Indicate Sq Non-Single I (Planning ma Type of Fac Offices, Fac Restaurants Hotel, Mote	Ft of Living Area 4250+810 Family Residential terials must show adequate land area for doubling lility Etories, Churches, Schools, Parks, Etc India, Lounges, Theaters - Indicate Number of Sci., Hospital, Nursing Home - Indicate Number er/RV Parks - Indicate Number of Spaces	g the required land need cate Number Of Occu eats of Beds	led for treatm	ent units a				
Estimated Cost of Construction: \$ (Structure Only) Is any portion of the proposed OSSF located in the United States Army Corps of Engineers (USACE) flowage easement? Yes No (If yes, owner must provide approval from USACE for proposed OSSF improvements within the USACE flowage easement) Source of Water Public Private Well Rainwater Collection 4. SIGNATURE OF OWNER								

By signing this application, I certify that:

- The completed application and all additional information submitted does not contain any false information and does not conceal any material facts. I certify that I am the property owner or I possess the appropriate land rights necessary to make the permitted improvements on said property.
- Authorization is hereby given to the permitting authority and designated agents to enter upon the above described property for the purpose of site/soil evaluation and inspection of private sewage facilities..
- I understand that a permit of authorization to construct will not be issued until the Floodplain Administrator has performed the reviews required by the Comal County Flood Damage Prevention Order.
- I affirmatively consent to the online posting/public release of my e-mail address associated with this permit application, as applicable.

Signature of Owner

namon Baurais

11/19/2024



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW CCEO ORG

Planning Materials & Site Eval	uation as Required (Completed By	GREG W. JOHN	SON, P.E.					
System Description	PROPRIETARY;	AEROBIC TRE	ATMENT AND SURFACE IR	RIGATION					
Size of Septic System Require	d Based on Planning	Materials & Soil I	Evaluation						
Tank Size(s) (Gallons)	SOLAR AIR SAII	TX800-1000PT	Absorption/Application /	Area (Sq Ft)7696					
Gallons Per Day (As Per TCEQ	Table 111)	420							
(Sites generating more than 5000 gallons per day are required to obtain a permit through TCEQ.)									
Is the property located over the	Edwards Recharge	Zone? X Yes	No						
(if yes, the planning materials mus	t be completed by a Re	egistered Sanitarian	(R.S.) or Professional Engineer (P.	E.))					
Is there an existing TCEQ appr	roved WPAP for the	property? X Yes	s ∏ No						
(if yes, the R.S. or P.E. shall certif									
Is there at least one acre per s	ingle family dwelling	as per 285.40(c)(1)? 🛛 Yes 🗌 No						
If there is no existing WPAP, d	oes the proposed de	velopment activity	require a TCEQ approved WPA	AP? Yes No					
(if yes, the R.S or P.E. shall certify be issued for the proposed OSSF	y that the OSSF design until the proposed WP/	n will comply with all AP has been approv	-provisions of the proposed WPAP. ed by the appropriate regional office	A Permit to Construct will not e.)					
Is the property located over the	Edwards Contributi	ng Zone? Yes	s 🔀 No						
Is there an existing TCEQ appr	oval CZP for the pro	perty? Yes	No No						
(if yes, the P.E. or R.S. shall certif	y that the OSSF design	complies with all p	rovisions of the existing CZP.)						
If there is no existing CZP, doe	s the proposed deve	elopment activity r	equire a TCEQ approved CZP?	☐ Yes ☐ No					
(if yes, the R.S. or P.E. shall certif issued for the proposed OSSF unit			provisions of the proposed CZP. A priate reg	Permit to Construct will not be					
Is this property within an incorp	orated city? Ye	es 🛛 No	SATE X CT TO						
If yes, indicate the city:			GREG W. JOHNSON	100 - 100 - 100 - 100					
			OR SONAL ENGLES	FIRM #2585					
By signing this application, I cer	tify that:								
- The information provided aboy	e is true and correct to	the best of my kno	wledge.						
- I affirmatively consent to the online posting/public release of my e-mail address associated with this permit application, as applicable.									
			Name = 5, 0004						
Signature of Designer			November 5, 2024 ate						

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

I

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

II

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

1	UNITAPHASE/SECTION	BLOCK 5	0	_LOT	RIVER CHASE	SUBDIVISION
iF!	not in Subdivision:	ACREAGE _				SURVEY
	The property is owned by ((insert owner's ful	l n ar	me):	BRADLEY BEAUVAIS & NANCY E	BEAUVAIS
	the initial two-year service	policy, the owner	of an	aerobic	contract for the first two years. After treatment system for a single family in 30 days or maintain the system	•
	transferred to the buyer or obtained from the Comai C	new owner. A cop County Engineer's C	y of Offic	the plane.	e permit for the OSSF shall be using materials for the OSSF can be	
	XTQY				DLEY BEAUVAIS	
	X Marcy Dear	uale		NAN	CY BEAUVAIS	_
	Owner(s) signature(s)			Owne	r (s) Printed name (s)	
	BRADLEY & NANCY BE	AUVAIS SWOR	N T	O AND S	UBSCRIBED BEFORE ME ON THIS	<i>19</i> DAY OF
•	November	-,20 <u>24</u>			NEA FOR COMAL COUNTY CLERK RECORDING P	
	HOLLY DIANE ID #33004	HAGIE 41				

July 10, 2028

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF SINGLE FAMILY DWELLING

According to Texas Commission of Environmental Quality Rules for On-Site Sewage Facilities, this document is filed in the Deed Records of COMAL COUNTY, TEXAS.

Before me this day appeared BRADLEY & NANCY BEAUVAIS, being the owners of the referenced property at 193 STÖNEBROOK RIDGE . They further state that the Residence and any additional living space on this property will be occupied only by a single family. An OSSF requiring a Certification of Single Family Dwelling, will be installed on the property described as: 1 UNIT BLOCK **50** LOT RIVER CHASE **SUBDIVISION** IP NOT IN SUBDIVISION: ACREAGE SURVEY **BRADLEY BEAUVAIS & NANCY BEAUVAIS** The property is owned by WITNESS MY HAND ON THIS 19 OF DAY OF November SWORN TO AND SUBSCRIBED BEFORE ME ON THIS 19 DAY OF November 320 24 BY **BRADLEY BEAUVAIS NANCY BEAUVAIS** OWNER NAME (PRINTED) OWNER NAME (PRINTED)

> Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 11/25/2024 08:45:11 AM

CHRISTY 2 Pages(s) 202406035968

Bobbie Koepp

Countryside Construction, Inc.

300 Chapman Parkway, Canyon Lake, TX. 78133

Phone: 830-899-2615 or 1-888-379-3721 Fax: 830-899-6662

Septic System Service Agreement

In consideration of payment for this service contract, we will abide by and agree to its terms and conditions:

Name: BRADLEY & NANCY BEAUVAIS Address: 193 STONEBROOK RIDGE							
Sub-Div./County: RIVER CHASE / COMAL City, State, Zip Code NEW BRAUNFELS, TX 78130							
Permit #: TYPE, Model# & SIZE: SOLAR AIR SA600LP Serial #:							
Phone: 210-627-1078							
(X) Initial Two Year Service & Two Year Limited Warranty							
Lot 50, RIVER CHASE, UNIT 1, COMAL COUNTY Legal Description:							
The effective date of the initial maintenance contract shall be the date the License to Operate is issued. This contract will be in effect FROM: LTO TO: Countryside Construction, Inc. will provide the following:							
 An inspection every (4) four months which will include: Servicing of the mechanical & electrical components as necessary to insure system is functioning as engineer designed, pulling and cleaning the Norweco Brand aerator shaft, cleaning compressor air filters of other brands, check chlorine, conduct solids test to determine if system should be pumped, back flushing tubing for drip irrigation fields and checking sprinklers on above ground systems. 							
1) The property owner is responsible for "purchasing and keeping chlorine" in the chlorinator, (if applicable).							
If the chlorine test reveals "No Chlorine" in the system, the property owner may incur an additional cost.							
 If any improper operation is observed (which cannot be corrected at that time) the property owner will be notified immediately of the conditions and the estimated cost. 							
3) ANY PARTS, WARRANTY OR NON-WARRANTY, FREIGHT CHARGES, LABOR OR SERVICE CALLS NOT PAID IN FULL							
AT THE END OF (30) DAYS SHALL REMAIN THE PROPERTY OF COUNTRYSIDE CONSTRUCTION AND AUTHORIZES							
CONTRACTOR TO REMOVE AND REPOSSESS ANY PARTS INSTALLED. CLIENT FURTHER AGREES TO PAY ANY							
LABOR COST OF THE INSTALLATION AND REASONABLE COST OF REMOVAL OF SAID PARTS. 4) THE SIGNING OF THIS SERVICE AGREEMENT AUTHORIZES COUNTRYSIDE CONSTRUCTION TO ENTER THE							
PROPERTY TO EXECUTE ALL TERMS OF THIS CONTRACT.							
Countryside Construction, Inc., will warranty installation of the septic system to be according to state and county regulations and the designs approved by the county. HOMEOWNER WILL BE RESPONSIBLE FOR SERVICE CALLS, LABOR AND SHIPPING COSTS ON ANY "WARRANTIED PARTS" EXCHANGED DURING WARRANTY. All other components will be according to manufacturer's warranties. Important: As Countryside Construction, Inc. cannot control what or how much effluent goes into this septic system, we cannot warranty how the system will function. Refer to manufacturers or installer's instructions, for suggestions on septic operation. If necessary, between inspections, it is the property owner's responsibility to clean the micron filters on drip irrigation systems. This service agreement does not cover the cost of "service calls, labor or materials that are required or parts out of warranty, the failure to maintain electrical power to the system, sprinklers that are broken, leaking, stopped-up or otherwise mal-functioning; or sewage flows exceeding the hydraulic/organic design capabilities and the input of non-biodegradable materials (solvents, grease, oil, paints, etc.), or any usage contrary to the requirements as advised by authorized service representative. Laboratory test work is available at an additional cost. Chlorine, filters, or parts that are out of warranty are available at a reasonable cost. This contract does not include the pumping of a tank or of any compartment of a tank, or settlement of soil on or around any part of the system regardless of reason: Violations of the warranty also include: disconnecting the alarm, restricting ventilation to the aerator, overloading the system above its rated capacity; or flooding by external means. Rodent, insect or fire ant damage or any other form of unusual abuse is a violation. A renewal service contract should be "activated" (30) thirty days before expiration of existing contract. We will contact property owner prior to expiration of existing contract.							
Serviced by: Countryside Construction Inc.							
Walker Chapman – Installer's Licensee #OS0002929-OSSF Maintenance Provider Licensee #MP0000035							
Print Name (X) BRAD BRAUVAIS Date: 11/19/2024							
(X) Walks Clup was Date: 11 19 W Authorized Service Representative (revised 08/13/2020)							

Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

November 5, 2024

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RE- SEPTIC DESIGN
193 STONEBROOK RIDGE
RIVER CHASE, UNIT 1, LOT 50
NEW BRAUNFELS, TX 78132
BEAUVAIS RESIDENCE

Brandon /Brenda,

The referenced property is located within the Edwards Aquifer Recharge Zone. This OSSF design will comply with requirements in the WPAP.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40,285.41, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

170 Hollow Oak

New Braunfels, Texas 78132 - 830/905-2778

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	November 04, 2024	-
Site Location:	RIVER (CHASE, UNIT 1, LOT 50
Proposed Excavation Depth:	N/A	
	ions must be performed on the site or dug pits must be shown on the	e, at opposite ends of the proposed disposal area. site drawing.

For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. For surface disposal, the surface horizon must be evaluated.

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
8"	IV	CLAY	N/A	NONE OBSERVED	LIMESTONE @ 8"	BROWN STONY
3						
ı						

SOIL BORING	NUMBER SURI	FACE EVALUAT	ION			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0 1 2	SAME		AS		ABOVE	
3 4						
5				:		

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.

Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

Date⁴

OSSF SOIL EVALUATION REPORT INFORMATION

Date: November 05, 2024 **Applicant Information:** Site Evaluator Information: **BRADLEY & NANCY BEAUVAIS** Name: Greg W. Johnson, P.E., R.S., S.E. 11561 Name: Address: 193 STONEBROOK RIDGE Address: 170 Hollow Oak City: NEW BRAUNFELS State: TEXAS City: New Braunfels State: Texas Zip Code: 78132 Phone: (210) 627-1078 Zip Code: 78132 Phone & Fax (830)905-2778 **Property Location:** Installer Information: Lot <u>50</u> Unit <u>1</u> Blk ___ Subd. ___ **RIVER CHASE** Name: Street Address: 193 STONEBROOK RIDGE Company:_____ City: NEW BRAUNFELS Zip Code: 78132 Address:_____ Additional Info.: State: Zip Code: Phone 4 to 15 % **Topography:** Slope within proposed disposal area: Presence of 100 vr. Flood Zone: YES___NO_X YES X NO >100' (EXISTING) Existing or proposed water well in nearby area. Presence of adjacent ponds, streams, water impoundments YES___NO X Presence of upper water shed YES___NO_X Organized sewage service available to lot YES NO X Design Calculations for Aerobic Treatment with Spray Irrigation: Commercial O = _____ GPD _ Residential Water conserving fixtures to be utilized? Yes X No Number of Bedrooms the septic system is sized for: ____5+1 ___ Total sq. ft. living area ____ 4250+810 Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction for water conserving fixtures) Q = (5+1+1)*75-(20%)=**NOTE: 5 BDRM + 1 BDRM DETACHED** Trash Tank Size 461 Gal. LIVING @ 420 GPD TCEQ Approved Aerobic Plant Size ______800 G.P.D. Req'd Application Area = Q/Ri = _____ / ____ 0.064 = Application Area Utilized = 7696 sq. ft. Pump Requirement 12 Gpm @ 41 Psi (Redjacket 0.5 HP 18 G.P.M. series or equivalent) Dosing Cycle: ON DEMAND or X TIMED TO DOSE IN PREDAWN HOURS Pump Tank Size = 1000 Gal. 18.9 Gal/inch. Reserve Requirement = 140 Gal. 1/3 day flow. Alarms: Audible & Visual High Water Alarm & Visual Air Pump malfunction With Chlorinator NSF/TCEQ APPROVED SCH-40 or SDR-26 3" or 4" sewer line to tank Two way cleanout Pop-up rotary sprinkler heads w/ purple non-potable lids 1" Sch-40 PVC discharge manifold APPLICATION AREA SHOULD BE SEEDED AND MAINTAINED WITH VEGETATION. EXPOSED ROCK WILL BE COVERED WITH SOIL. I HAVE PERFORMED A THOROUGH INVESTIGATION BEING A REGISTERED PROFESSIONAL ENGINEER AND SITE EVALUATOR IN ACCORDANCE WITH CHAPTER 285, SUBCHAPTER D, §285.30, & §285.40 (REGARDING RECHARGE FEATURES), TEXAS COMMISSION OF ENVIRONMENTAL QUALITY (EFFECTIVE DECEMBER 29, 2016)

GREG W. JOHNSON, P.E. F#002585 - S.E. 11561

FIRM #2585

RECEIVED

By Brandon Olvera at 8:52 am, Jan 29, 2025

Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

January 15, 2025

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RE: Permit #118140

193 STONEBROOK RIDGE RIVER CHASE, UNIT 1, LOT 50 NEW BRAUNFELS, TX 78132 BEAUVAIS RESIDENCE


Brandon,

An irrigation water tank was installed over an existing buried sewer line more than twenty years ago. Base on my investigation the installation of the tank has not and will not impact the structural integrity of the sewer pipe.

This variance will not pose a threat to the public health or environment.


Respectfully yours,


Greg W. Johnson, P.E. F#2585






By Brandon Olvera at 3:22 pm, Feb 04, 2025







OWNER: BRADLEY & NANCY BEAUVAIS			room on the same of the same	DRAWN BY: EJS III
STREET ADDRESS: 193 STONEBROOK RIDGE				
LEGAL DESC: RIVER CHASE	UNIT/SECTI	ON/PHASE:	BLOCK:	^{LOT:} 50
PREPARED BY: GREG W. JOHNSON, P.E. F#002585	SCALE: 1"=80'	DATE: 11/5/20	24 REV	1/4/2025




TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks




TYPICAL PUMP TANK CONFIGURATION 1000 GAL PUMP TANK - SAIITX-800 1000 PT

Environmental Sailes Punes

				T3 / T	35 Perf	ormanc	e			
WE	ATHE	RMA	ГІС					Metric		
Nozzle	Pressure PSI	Radius ft.	Flow gpm	Precipa in/hr	Precip. in/hr .	Pressure BAR	Radius m	Flow m ¹ /hr	Precip. mm/hr ==	Precip. mm/hr
MARTA	NGLE 13°	LOW AN	GLE TRA	JECTORY						
	30	29	1.6	0.37	0.42	2,1	8,8	0,36	9	11
2.0LA	40	33	1.9	0.34	0.39	2,8	10,1	0.43	9	10
	50	34	2.1	0.35	0.40	3,4	10,4	0,48	9	10
	30	31	2.1	0.42	0.49	2,1	9.4	0,48	11	12
2.5LA	40	35	2.6	0.41	0.47	2,8	10,7	0,59	10	12
	50	36	2.9	0.43	0.50	3,4	11,0	0,66	11	13
	30	31	2.7	0.54	0.62	2,1	9,4	0,61	14	16
3.5LA	40	35	3.2	0.50	0.58	2,8	10,7	0,73	13	15
	50	37	3.5	0.49	0.57	3,4	11,3	0,79	13	14
	30	33	3.0	0.53	0.61	2,1	10,1	0,68	13	16
4.5LA	40	37	3.4	0.48	0.55	2,8	11,3	0,77	12	14
	50	37	4.1	0.58	0.67	3,4	11,3	0,93	15	17
LOW+	NOZZLES	26° TRA	JECTOR	1						
	50	50	9.5	0.73	0.84	3,4	15,2	2,16	19	21
9	60	54	10.8	0.71	0.82	4,1	16,5	2,45	18	21
	70	55	11.7	0.74	0.86	4.8	16.8	2,66	19	22
	50	57	12.4	0.73	0.85	3,4	17,4	2,82	19	22
13	60	59	13.8	0.76	0.88	4,1	18,0	3,13	19	22
	70	61	14.9	0.77	0.89	4,8	18,6	3,38	20	23

Note: All precipitation rates are calculated for 180° operation. Divide by 2 for full circle precipitation rates

Thermoplastic Performance



Thermoplastic Units Ordering Information

	1/2 - 1.5 H	P Single-Phase	Units			
Order No.	Model	GPM	HP	Volt	Wire	Wt.
94741005	10FE05P4-2W115	10	1/2	115	2	24
94741010	10FE05P4-2W230	10	1/2	230	2	24
94741015	10FE07P4-2W230	10	3/4	230	2	28
94741020	10FE1P4-2W230	10	1	230	2	31
94741025	10FE15P4-2W230	10	1.5	230	2	46
94742005	20FE05P4-2W115	20	1/2	115	2	25
94742010	20FE05P4-2W230	20	1/2	230	2	25
94742015	20FE07P4-2W230	20	3/4	230	2	28
94742020	20FE1P4-2W230	20	1	230	2	31
94742025	20FE15P4-2W230	20	1.5	230	2	40

	Thermoplas	tic 1/2 - 2 HP Pu	mp Ends			
Order No.	Model	GPM	HP	Volt	Wire	Wt.
94751005	10FE05P4-PE	10	1/2	I N/A	I N/A	6
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7
94751015	10FE1P4-PE	10	1	N/A	N/A	8
94751020	10FE15P4-PE	10	1.5	N/A	N/A	12
94752005	20FE05P4-PE	20	1/2	N/A	N/A	6
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7
94752015	20FE1P4-PE	20	1	N/A	N/A	8
94752020	20FE15P4-PE	20	1.5	N/A	N/A	10
94752025	20FE2P4-PE	20	2	N/A	N/A	11

A Triangular spacing based on 50% of diameter



RE: 193 Stonebrook Ridge River Chase 1 Lot 50

Dear Property Owner & Agent,

Thank you for your submission. We have reviewed the planning materials for the referenced permit application, and unfortunately, they are insufficient. To proceed with processing this permit, we require the following:



The rainwater collection tank on top of the existing tight line,

a. There is a 5 ft separation distance from surface improvements and sewer pipe with watertight joints.

What is the length of tightline from the cleanout outside the 5-bedroom home to the ATU.


3. Revise accordingly and resubmit.


If you have any questions, you can email me or call the office.

Thank You,

Brandon Olvera | Designated Representative OS0034792 |


Comal County | www.cceo.org | f: 830-608-2078 | e: olverb@co.comal.tx.us |







OWNER: BRADLEY & NANCY BEAUVAIS				DRAWN BY: EJS III
STREET ADDRESS: 193 STONEBROOK RIDGE				-1
LEGAL DESC: RIVER CHASE	UNIT/SECTION/P	HASE: 1	BLOCK:	^{LOT:} 50
PREPARED BY: GREG W. JOHNSON, P.E. F#002585	CALE: 1"=80' DAT	E: 11/5/2	024	REVISED:



RETURN TO GRANTEE: BRADLEY BEAUVALS 193 STONEBROOK RDG NEW BRAUNFELS, TEXAS 78132

FILED BY
ALAMO TITLE
+000141700993

GENERAL

WARRANTY DEED WITH VENDOR'S LIEN NOTICE OF CONFIDENTIALITY RIGHTS:

NOTICE OF CONFIDENTIALITY RIGHTS:
IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR
ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT
TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR
RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR
YOUR DRIVER'S LICENSE NUMBER.

STATE OF TEXAS COUNTY OF COMAL

KNOW ALL MEN BY THESE PRESENTS:

On this, the 2ND day of CCTOBER , 2017 that ANTHONY W KIDD AND SPOUSE, MARIPAT KIDD

hereinafter called "Grantor" (whether one or more), for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration to Grantor paid by

BRADLEY BEAUVAIS AND NANCY BEAUVAIS, HUSBAND AND WIFE

hereinafter called "Grantee" (whether one or more), the receipt of which is hereby acknowledged and confessed, and the further consideration of the execution and delivery by Grantee of that certain Promissory Note of even date herewith, in the principal sum of \$_____650,900,00_, payable to the order of FATEWAY INDEPENDENT MORICAGE CORPORATION

hereinafter called "Mortgagee", bearing interest at the rate therein provided; said note containing the usual reasonable attorneys' fee clause and various acceleration of maturity clauses in case of default, and being secured by Vendor's Lien and superior title retained herein in favor of said Mortgagee, and being also secured by a Deed of Trust of even date herewith from Grantee to LAUREL A. MEYER

Trustee: and

WHEREAS, Mortgagee has, at the special instance and request of Grantee, paid to Grantor a portion of the purchase price of the property hereinafter described, as evidenced by the above-described Note, said Vendor's Lien and Deed of Trust Lien against said property securing the payment of said Note are hereby assigned, transferred and delivered to Mortgagee, Grantor hereby conveying to said Mortgagee the said superior title to said property, subrogating said Mortgagee to all the rights and remedies of Grantor in the premises by virtue of said liens; and

62-62-6-1326223

JDEEDTX (10/08)

374919150

Page 1 of 4



Grantor has GRANTED, SOLD and CONVEYED, and by these presents does GRANT, SELL and CONVEY unto said Grantee, the following described property, to-wit:

LOT 50, RIVER CHASE, UNIT ONE, SITUATED IN COMAL COUNTY, TEXAS, ACCORDING TO FLAT THEREOF RECORDED IN VOILING 13, PAGES 20-23, MAP AND FLAT RECORDS OF COMAL COUNTY, TEXAS.

TO HAVE AND TO HOLD the above-described premises, together with all and singular, the rights and appurtenances thereunto in anywise belonging unto said Grantee, his heirs and assigns, forever. And Grantor does hereby bind himself, his heirs, executors and administrators, to warrant and forever defend all and singular the said premises unto said Grantee, his heirs and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof

Taxes for the current year have been prorated and their payment is assumed by Grantee.

This conveyance is made subject to any and all valid and subsisting restrictions, easements, rights of way, reservations, maintenance charges together with any lien securing said maintenance charges, zoning laws, ordinances of municipal and/or other governmental authorities, conditions and covenants, if any, applicable to and enforceable against the above-described property as shown by the records of the County Clerk of said County.

The use of any pronoun herein to refer to Grantor or Grantee shall be deemed a proper reference even though Grantor and/or Grantee may be an individual (either male or female), a corporation, a partnership or a group of two or more individuals, corporations and/or partnerships, and when this Deed is executed by or to a corporation, or trustee, the words "heirs, executors and administrators" or "heirs and assigns" shall, with respect to such corporation or trustee, be construed to mean "successors and assigns".

It is expressly agreed that the Vendor's Lien is retained in favor of the payee of said Note against the above-described property, premises and improvements, until said Note and all interest thereof shall have been fully paid according to the terms thereof, when this Deed shall become absolute.

62-62-6-1326223 JDEEDTX (10/08)

374919150

Page 2 of 4

¥j		
EXECUTED this 2nd day of October, a	2017, but to be effective OCT	DBER 02, 2017 -
A CONTENT OF THE PARTY OF THE P		50/
1 11 11 15		The state of
ANTHONY W KTOD	MARIPAT KIDD	
Carl Transfer As a company		
STATE OF Utah		
OATELD OF THE PROPERTY OF THE		
county of Salt Lake		
Before me, the undersigned, on this day personally	annograd	
ANTHONY W KIDD AND MARTPAT KIDD	appeared	
1 At any of the orthogon		
known to me (or proved to me on the oath of or through Driver Lunsus) t	o be the person(s) whose name(s).	QCC subscribed to
the foregoing instrument and acknowledged to me that	they executed the sa	me for the purposes and
consideration therein expressed.	day of OCTOBER	2017
Given under my hand and seal of office this	Udy 01	
(Seal) CONNIE L HOLMES	Music II	Olmin.
Notary Public – State of Utah Comm. No. 696545	PHILIPPINA	ansie
My Commission Expires on Sep 11, 2021	Public	
62-62-6-1326223		374919150
02-02-0-1320223 JDEEDTX (10/08)		Page 3 of 4
	15 1 15 1 15 1 15 1 15 1 15 1 15 1 15	
	FOR CHILD CONTROL OF CONTROL PROPERTY AND CONTROL OF CO	

STATE OF		
County of		
Before me, the undersigne	d, on this day personally appeared	
		of
known to me (or proved to me o	n the oath of) to be the person(s) whose nar	ne(s) subscribed to
the foregoing instrument and acl	moviedged to me that executed the capacity therein stated. seal of office this day of CCTOBER	he same for the purposes and
(Seal)	Notary Public	

62-62-6-1326223

JDEEDTX (10/08)

374919150 Page 4 of 4



Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 10/04/2017 12:01:31 PM LAURA 4 Pages(s) 201706044961



