Installer Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Permit#: Address: No. Description Answer Citations 1st Insp. 2nd Insp. 3rd Insp. Notes SITE AND SOIL CONDITIONS & 285.31(a) SETBACK DISTANCES Site and Soil 285.30(b)(1)(A)(iv) Conditions Consistent with Submitted Planning Materials 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i) SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback 285.91(10) Distances 285.30(b)(4) Meet Minimum Standards 285.31(d) SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, 285.32(a)(1) SDR 26) 3 SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per 285.32(a)(3) Foot SEWER PIPE Two Way Sanitary -Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 285.32(a)(5) degree bends) PRETREATMENT Installed (if required) TCEQ Approved List 285.32(b)(1)(G) PRETREATMENT Septic Tank(s) 285.32(b)(1)(E)(iii) Meet Minimum Requirements 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(A) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(i) 285.32(b)(1)(E)(ii)(I) 6 PRETREATMENT Grease Interceptors if required for 285.34(d) commercial


**Inspector Notes:** 

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	SEPTIC TANK Tank(s) Clearly Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and " T " Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (i)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
	PUMP TANK Volume Installed						
	AEROBIC TREATMENT UNIT Size Installed						
14	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation						
			285.33(c)(3)(A)-(F)				
19							
	DISPOSAL SYSTEM Soil		205 22(4)(4)				
20	Substitution		285.33(d)(4)				
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4)				
			285.33(a)(3) 285.33(a)(1)				
24			285.33(a)(1) 285.33(a)(2)				
21	DISPOSAL SYSTEM Gravelless Pipe						
			285.33(a)(3)				
			285.33(a)(2)				
			285.33(a)(4) 285.33(a)(1)				
22							
	DISPOSAL SYSTEM Mound		285.33(a)(3)				
			285.33(a)(1)				
			285.33(a)(2) 285.33(a)(4)				
23	DISPOSAL SYSTEM Other						
	(describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24			265.55(0)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC						
	or 4" PVC						
25	DRAINFIELD Area Installed						
26							
	DRAINFIELD Level to within 1 inch						
	per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
27							
	DRAINFIELD Excavation Width						
	DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation						
	DRAINFIELD Depth of Porous Media						
	DRAINFIELD Type of Porous Media						
28							
	DRAINFIELD Pipe and Gravel -		205 22/5//4//5/				
29	Geotextile Fabric in Place		285.33(b)(1)(E)				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End						
	Plates w/Splash Plate, Inspection						
	Port & Closed End Plates in Place		285.33(c)(2)				
	(per manufacturers spec.)						
30							
	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length						
	& Width, and Adequate		285.33(d)(1)(C)(i)				
	Separation Distance between						
31	Trenches						

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom ) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size ) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
33	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
34	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
37	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
42	APPLICATION AREA Area Installed						
	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



## Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number:	118195
Issued This Date:	01/14/2025
This permit is hereby given to:	DAVID & CHRISTIN MILLS

To start construction of a private, on-site sewage facility located at:

## 1077 BEAR CREEK TRL NEW BRAUNFELS, TX 78132

Subdivision:	ESTATES AT BEAR CREEK
Unit:	0
Lot:	4
Block:	0
Acreage:	6.1400

### APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.

EF7884.	ON-SITE SEWAGE FA	CILITY APPLIC	ATION	195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW CCFO ORG
Date Sept	ember 19, 2024		Permit Number	118195
	AGENT INFORMATION			
Owner Name	DAVID MILLS & CHRISTIN MILLS	Agent Name	GREG JC	DHNSON, P.E.
Mailing Address	c/o 23011 FM 306	Agent Address	170 HO	LLOW OAK
City, State, Zip _	CANYON LAKE TEXAS 78133	City, State, Zip	NEW BRAUNI	FELS, TEXAS 78132
Phone #	830-935-4936	Phone #	830-	-905-2778
Email _	paul@psseptics.com	Email	gregjohnso	npe@yahoo.com
2. LOCATION				
Subdivision Name	ESTATES AT BEAR CREEK	Un	nit Lot	4 Block
				creage
Address	1077 BEAR CREEK TRAIL			
3. TYPE OF DEV				
🔀 Single Fami	lv Residential			
		EVICTING DET 10		
	nstruction (House, Mobile, RV, Etc.) <u>HOUSE &amp;</u>	EXISTING DETAC	HED LIVING	
Number of				
	Ft of Living Area 6187+2246			
	Family Residential			
(Planning ma	terials must show adequate land area for doubling the	ne required land neede	ed for treatment units	and disposal area)
	:ility			
Offices, Fac	ctories, Churches, Schools, Parks, Etc Indica	te Number Of Occup	pants	
Restaurants	s, Lounges, Theaters - Indicate Number of Sea	ts		
Hotel, Mote	I, Hospital, Nursing Home - Indicate Number of	Beds		
Travel Trail	er/RV Parks - Indicate Number of Spaces	-		
Miscellaneo				
Estimated Cost	of Construction: \$ 1,600,000 (	Structure Only)		
	f the proposed OSSF located in the United Sta	• •		
	lo (If yes, owner must provide approval from USACE for p		ments within the USACE	E flowage easement)
Source of Water		ollection		
4. SIGNATURE O				
By signing this applie - The completed app facts. I certify that property.	I am the property owner or I possess the appropriate	s not contain any false a land rights necessary	e information and does y to make the permitte	not conceal any material d improvements on said
<ul> <li>Authorization is he site/soil evaluation</li> </ul>	reby given to the permitting authority and designated and inspection of private sewage facilities			
by the Comai Cour	permit of authorization to construct will not be issue hty Flood Damage Prevention Order.			Contraction and States of Contraction of Contractio
- I affirmatively cons	ent to the online posting/public release of my e-mail	address associated wi	ith this permit applicati	ion, as applicable.
Signature of Ow	ner	Date		- Page 1 of 2

	ESTATES AT BEAR CREEK, LOT 4
COMALCOUNTY ENGINEER'S OFFICE ON-SITE SEWAGE FACILIT	195 DAVID JONAS DR         TY APPLICATION         195 DAVID JONAS DR         NEW BRAUNFELS, TX 78132         (830) 608-2090         WWW CCEO ORG
Planning Materials & Site Evaluation as Required Completed By	GREG W. JOHNSON, P.E.
System Description PROPRIETARY; AEROBIC TREA	TMENT AND SURFACE IRRIGATION
Size of Septic System Required Based on Planning Materials & Soil Ev	valuation
Tank Size(s) (Gallons) MAXX AIR M1000 & 2086 GAL PUMP	P Absorption/Application Area (Sq Ft) 9650
Gallons Per Day (As Per TCEQ Table 111) 540	
(Sites generating more than 5000 gallons per day are required to obtain a perm	nit through TCEQ.)
Is the property located over the Edwards Recharge Zone? X Yes (if yes, the planning materials must be completed by a Registered Sanitarian (F	No R.S.) or Professional Engineer (P.E.))
Is there an existing TCEQ approved WPAP for the property? Yes (if yes, the R.S. or P.E. shall certify that the OSSF design complies with all pro-	
Is there at least one acre per single family dwelling as per 285.40(c)(1)	? 🔀 Yes 🔲 No
If there is no existing WPAP, does the proposed development activity r	require a TCEQ approved WPAP? 🔲 Yes 🔀 No
(if yes, the R.S or P.E. shall certify that the OSSF design will comply with all-p be issued for the proposed OSSF until the proposed WPAP has been approved	
Is the property located over the Edwards Contributing Zone?  Yes	No No
Is there an existing TCEQ approval CZP for the property?	No No
(if yes, the P.E. or R.S. shall certify that the OSSF design complies with all prov	visions of the existing CZP.)
If there is no existing CZP, does the proposed development activity req (if yes, the R.S. or P.E. shall certify that the OSSF design will comply with all p issued for the proposed OSSF until the UP has been approved by the appropr	provisions of the proposed CZP. A Permit to Construct will not be
Is this property within an incorporated city?  Yes X No	5° * 70
If yes, indicate the city:	GREG W. JOHNSON
	GISTERS FIRM #2585
By signing this application, I certify that:	
- The information provided above is true and correct to the best of my knowled	-
- I affirmatively consent to the online posting/public release of my e-mail add	ness associated with this permit application, as applicable.
	September 23, 2024
Signature of Designer Dat	le

### AFFIDAVIT

### THE COUNTY OF COMAL STATE OF TEXAS

### **CERTIFICATION OF OSSF REQUIRING MAINTENANCE**

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

II An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

UNIT/PHASE/SECTION	BLOCK	4	_lot	ESTATES AT BEAR CREEK	SUBDIVISION
IF NOT IN SUBDIVISION:	ACREAGE				SURVEY
The property is award by (	intert owner's	fa <b>H ne</b>	me):	DAVID MILLS & CHRISTIN I	MILLS

This OSSF must be covered by a continuous maintenance contract for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally.

Upon sale or transfer of the above-described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for the OSSF can be obtained from the Comal County Engineer's Office.

WITNESS BY HAND(S) ON THIS 2 DAY OF October .20 24 **DAVID MILLS CHRISTIN MILLS** Owner(s) signature(s) Owner (s) Printed name (s) SWORN TO AND SUBSCRIBED BEFORE ME ON THIS 25" DAY OF DAVID & CHRISTIN MILLS

rtober 20 24  $\Lambda \Omega$ 

**Notary Public Signature** 



Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 12/09/2024 09:12:10 AM TERRI 1 Pages(s) 202406037191

Babbie Koepp

# THE COUNTY OF COMAL STATE OF TEXAS

a state in the second second

## **CERTIFICATION OF SINGLE FAMILY DWELLING**

According to Texas Commission of Environmental Quality Rules for On-Site Sewage Facilities, this document is filed in the Deed Records of COMAL COUNTY, TEXAS.

	DAVID MILLS & CH	
Before me this day appeared	MILLS REEK TRAIL.	, being the owners of the referenced property at They further state that the Residence and any additional
living space on this property w	rill be occupied only by a si	ngle family.
An OSSF requiring a Certifica	ation of Single Family Dwe	lling, will be installed on the property described as:
UNITBL	.OCK4LOT	ESTATES AT BEAR CREEK_SUBDIVISION
IF NOT IN SUBDIVISION:	ACREAGE	SURVEY
The property is owned by	DAVID	MILLS & CHRISTIN MILLS
OWNER (SIGNATURE)		December, 20 24. Minda MMS FNER (SIGNATURE) HIS DAY OF DECEMber, 20 24 BY
DAVID MILLS OWNER NAME (PRINTED)		CHRISTIN MILLS OWNER NAME (PRINTED)
Notáry Public Signa	nture	
My Commission 4/29/2026 Notary ID 133734672	Expires	

### WASTEWATER TREATMENT FACILITY MONITORING AGREEMENT

<b>Regulatory Authority</b>	COMAL	Permit/License Numb	ber		
Block Creek Aerobic Services, LLC		Customer DAVID & CHRISTIN MILLS			
444 A Old Hwy #9		Site Address 1077 BEAR CREEK TRAIL			
Comfort, TX 78013		City NEW BRAUNFELSZip 78132			
Off. (830) 995-3189		Mailing Address			
Fax. (830) 995-4051		County COMAL	Map # CCEO 43, C6		
		Phone			
ESTATES AT BEAR CR	EEK, LOT 4	Email			

E

I. General: This Work for Hire Agreement (hereinafter referred to as "Agreement") is entered into by and between DAVID & CHRISTIN MILLS (hereinafter referred to as "Customer") and Block Creek Aerobic Services (hereinafter referred to as "Customer") and Block Creek Aerobic Services, LLC. By this agreement, Block Creek Aerobic Services, LLC and its employees (hereinafter inclusively referred to as "Contractor") agree to render services at the site address stated above, as described herein, and the Customer agrees to fulfill his/her/their responsibilities, as described herein.

#### **II. Effective Date:**

This Agreement commences on LTO

and ends on

for a total of two (2) years (initial agreement) or one (1) year (thereafter). If this is an initial agreement (new installation), the Customer shall notify the Contractor within two (2) business days of the system's first use to establish the date of commencement. If no notification is received by Contractor within ninety (90) days after completion of installation or where county authority mandates, the date of commencement will be the date the "License to operate" (Notice of Approval) was issued by the permitting authority. This agreement may or may not commence at the same time as any warranty period of installed equipment, but in no case shall it extend the specified warranty.

### III. Termination of Agreement:

This Agreement may be terminated by either party for any reason, including for example, substantial failure of either party to perform in accordance with the terms of this Agreement, without fault or liability of the terminating party. The terminating party must provide written notice to the non-terminating party thirty (30) days prior to the termination of this Agreement. If this Agreement is terminated, Contractor will be paid at the rate of \$75.00 per hour for any work performed and for which compensation has not been received. After the deduction of all outstanding charges, any remaining monies from prepayment for services will be refunded to customer within thirty (30) days of termination of this Agreement. Either party terminating this Agreement for any reason, including non-renewal, shall notify in writing the equipment manufacturer and the appropriate regulatory agency a minimum of thirty (30) days prior to the date of such termination. Nonpayment of any kind shall be considered breach of contract and a termination of contract.

#### IV. Services:

Contractor will:

a. Inspect and perform routine upkeep on the On-Site Sewage Facility (hereinafter referred to as OSSF) as recommended by the treatment system manufacturer, and required by state and/or local regulation, for a total of three visits to site per year. The list of items checked at each visit shall be the: control panel, Electrical circuits, timer, Aeration including compressor and diffusers, CFM/PSI measured, lids safety pans, pump, compressor, sludge levels, and anything else required as per the manufacturer.

b. Provide a written record of visits to the site by means of an inspection tag attached to or contained in the control panel.

c. Repair or replace, if Contractor has the necessary materials at site, any component of the OSSF found to be failing or inoperative during the course of a routine monitoring visit. If such services are not covered by warranty, and the service(s) cost less than \$100.00, Customer hereby authorizes Contractor to perform the service(s) and bill Customer for said service(s). When service costs are greater than \$100.00, or if contractor does not have the necessary supplies at the site, Contractor will notify Customer of the required service(s) and the associated cost(s). Customer must notify Contractor of arrangements to affect repair of system with in two (2) business days after said notification. d. Provide sample collection and laboratory testing of TSS and BOD on a yearly basis (commercial systems

only).

e. Forward copies of this Agreement and all reports to the regulatory agency and the Customer.

f. Visit site in response to Customer's request for unscheduled services within forty-eight (48) hours of the date of notification (weekends and holidays excluded) of said request. Unless otherwise covered by warranty, costs for such unscheduled responses will be billed to Customer.

V. Disinfection:

RC

Customer's Initials

copyright hts roserved

Contractor's Initials

\_\_\_\_\_Not required; X required. The responsibility to maintain the disinfection device(s) and provide any necessary chemicals is that of the Customer.

### VI. Electronic Monitoring:

Electronic Monitoring is not included in this Agreement.

### VII. Performance of Agreement:

Commencement of performance by Contractor under this Agreement is contingent on the following conditions: a. If this is an initial Agreement (new installation):

 Contractor's receipt of a fully executed original copy or facsimile of this agreement and all documentation requested by Contractor.

If the above conditions are not met, Contractor is not obligated to perform any portion of this Agreement.

### VIII. Customer's Responsibilities:

The customer is responsible for each and all of the following:

a. Provide all necessary yard or lawn maintenance and removal of all obstacles, including but not limited to dogs and other animals, vehicles, trees, brush, trash, or debris, as needed to allow the OSSF to function properly, and to allow Contractor safe and easy access to all parts of the OSSF.

b. Protect equipment from physical damage including but not limited to that damage caused by insects.

c. Maintain a current license to operate, and abide by the conditions and limitations of that license, and all requirements for and OSSF from the State and/or local regulatory agency, whichever requirements are more stringent, as well as the proprietary system's manufacturer recommendations.

d. Notify Contactor immediately of any and all alarms, and/or any and all problems with, including failure of, the OSSF.

e. Provide, upon request by Contractor, water usage records for the OSSF so that the Contractor can perform a proper evaluation of the performance of the OSSF.

f. Allow for samples at both the inlet and outlet of the OSSF to be obtained by Contractor for the purpose of evaluating the OSSF's performance. If these samples are taken to a laboratory for testing, with the exception of the service provided under Section IV (d) above, Customer agrees to pay Contractor for the sample collection and transportation, portal to portal, at a rate of \$35.00 per hour, plus the associated fees for laboratory testing.

g. Prevent the backwash or flushing of water treatment or conditioning equipment from entering the OSSF.

h. Prevent the condensation from air conditioning or refrigeration units, or the drains of icemakers, from hydraulically overloading the aerobic treatment units. Drain lines may discharge into the surface application pump tank if approved by system designer.

i. Provide for pumping and cleaning of tanks and treatment units, when and as recommended by Contactor, at Customer's expense.

j. Maintain site drainage to prevent adverse effects on the OSSF.

k. Pay promptly and fully, all Contractor's fees, bills, or invoices as described herein.

### IX. Access by Contractor:

Contractor is hereby granted an easement to the OSSF for the purpose of performing services described herein. Contractor may enter the property during Contractor's normal business hours and/or other reasonable hours without prior notice to Customer to perform the Services and/or repairs described herein. Contractor shall have access to the OSSF electrical and physical components. Tanks and treatment units shall be accessible by means of man ways, or risers and removable covers, for the purpose of evaluation as required by State and/or local rules and the proprietary system manufacturer. It is Customers responsibility to keep lids exposed and accessible at all times.

### X. Limit of Liability:

Contractor shall not be held liable for any incidental, consequential, or special damages, or for economic loss due to expense, or for loss of profits or income, or loss of use to Customer, whether in contract tort or any other theory. In no event shall Contractor be liable in an amount exceeding the total Fee for Services amount paid by Customer under this Agreement.

### XI. Indemnification:

Customer (whether one or more) shall and does hereby agree to indemnify, hold harmless and defend Contractor and each of its successors, assigns, heirs, legal representatives, devisees, employees, agents and/or counsel (collectively "Indemnitees") from and against any and all liabilities, claims, damages, losses, liens, causes of action, suits, fines, judgments and other expenses (including, but not limited to, attorncys' fees and expenses and costs of investigation), of any kind, nature or description, (hereinafter collectively referred to as "Liabilities") arising out of, caused by, or resulting, in whole or in part, from this Agreement.

RC

**Customer's Initials** 



Contractor's Initials

## THIS INDEMNITIFCATION APPLIES EVEN IF SUCH LIABILITIES ARE CAUSED BY THE CONCURRENT OR CONTRIBUTORY NEGLIGENCE OR BY THE STRICT LIABILITY OF ANY INDEMNITEE.

Customer hereby waives its right of recourse as to any Indemnitee when Indemnification applies, and Customer shall require its insurer(s) to waive its/their right of subrogation to the extent such action is required to render such waiver of subrogation effective. Customer shall be subrogated to Indemnitees with respect to all rights Indemnitees may have against third parties with respect to matters as to which Customer provides indemnity and/or defense to Indemnitees. No Indemnification is provided to Indemnitees when the liability or loss results from (1) the sole responsibility of such Indemnitee; or, (2) the willful misconduct of such Indemnitee. Upon irrevocable acceptance of this Indemnification obligation, Customer, in its sole discretion, shall select and pay counsel to defend Indemnitees of and from any action that is subject to this Indemnification provision. Indemnitees hereby covenant not to compromise or settle any claim or cause of action for which Customer has provided Indemnification without the consent of Customer.

### XII. Severability:

If any provision of the "Proposal and Contract" shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of the "Agreement" is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

### XIII. Fee for Services:

The Fee for Services does not include any fces for equipment, material, labor necessary for non-warranty repairs, unscheduled inspections, or Customer requested visits to the site.

### XIV. Payment:

Full payment is due upon execution of this Agreement (Required of new Customer). For any other service(s) or repair(s) provided by Contractor the Customer shall pay the invoice(s) for said service(s) or repair(s) within thirty (30) days of the invoice date. The Contractor shall mail all invoices on the date of invoice. All payments not received within thirty (30) days from the invoice date will be subject to a \$29.00 late penalty and a 1.5% per month carrying charge, as well as any reasonable attorney's fees, and all collection and court costs incurred by Contractor in collection of unpaid debt(s). Contractor may terminate contract at any time for nonpayment for services. Any check returned to Contractor for any reason will be assessed a \$30.00 return check fee.

### XV. Application or Transfer of payment:

The fees paid for this agreement may be transferred to subsequent property owner(s); however, this Agreement is not transferable. Customer shall advise the subsequent property owner(s) of the State requirement that they sign a replacement agreement authorizing Contractor to perform the herein described Services, and accepting Customer's Responsibilities. This replacement Agreement must be signed and received in Contractor's offices within ten (10) business days of date of transfer of property ownership. Contractor will apply all funds received from Customer first to any past due obligation arising from this Agreement including late fees or penalties, return check fees, and/or charges for services or repairs not paid within thirty (30) days of invoice date. Any remaining monies shall be applied to the funding of the replacement Agreement. The consumption of funds in this manner may cause a reduction in the termination date of effective coverage per this Agreement. See Section IV.

#### XVI. Entire Agreement:

This agreement contains the entire Agreement of the parties, and there are no other conditions in any other agreement, oral or written.

**Rudy** Carson

Block Creek Aerobic Services, LLC, Contractor MP# 0002036

Customer Signature

Date

Dat



RC

Customer's Initials

Contractor's Initials

## Greg W. Johnson, P.E. 170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

September 23, 2024

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

- RE- SEPTIC DESIGN 1077 BEAR CREEK TRAIL ESTATES AT BEAR CREEK, LOT 4 NEW BRAUNFELS, TX 78132 MILLS RESIDENCE
- Ms. Brenda Ritzen/ Brandon,

The referenced property is located within the Edwards Aquifer Recharge Zone. This property is exempt from a WPAP because it is not a regulated activity according to \$213.3(28)(B)(v). To my knowledge no WPAP exists for this property.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40, 285.4 1, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

Greg W. Johnson, P.E. Mo.67587/F#2585 170 Hollow Oak New Braunfels, Texas 78132 - 830/905-2778



### ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed: September 20, 2024

\_\_\_\_\_

Site Location:

ESTATES at BEAR CREEK, LOT 4

Proposed Excavation Depth: <u>N/A</u>

**Requirements:** 

At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. Locations of soil boring or dug pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. For surface disposal, the surface horizon must be evaluated. Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

SO	SOIL BORING NUMBER SURFACE EVALUATION								
	Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations		
0 1 2	6''	IV	CLAY	N/A	NONE OBSERVED	LIMESTONE @ 6"	BROWN		
3									
4									
5	L								

SOIL BORING	NUMBER SURI	FACE EVALUAT	ION			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0	SAME		AS		ABOVE	
3						
4 5						

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.

7/20/24


Greg W. Johnson, P.E. 67587-F2585, S.E. 11561


## **OSSF SOIL EVALUATION REPORT INFORMATION**


Date: September 23, 2024

## **Applicant Information:**

	Site Evaluator Information:
Name: DAVID & CHRISTIN MILLS	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address: c/o 23011 F.M. 306	Address: 170 Hollow Oak
City: CANYON LAKE State: TEXAS	City: New Braunfels State: Texas
Zip Code: 78133 Phone: (830) 935-4936	Zip Code: <u>78132</u> Phone & Fax <u>(830)905-2778</u>
Duenente Lesstions	
Property Location: Lot <u>4</u> Unit <u>Blk</u> Subd. ESTATES at BEAR CF	Installer Information:
Street Address: 5077 BEAR CREEK TRAIL	REEK Name: Company:
City: NEW BRAUNFELS Zip Code: 78132	
Additional Info.:	City: State:
	Zip Code: Phone
Topography: Slope within proposed disposal area:	6 %
Presence of 100 yr. Flood Zone: Existing or proposed water well in nearby area.	YES NO X YES X NO
Presence of adjacent ponds, streams, water impoundments Presence of upper water shed	YESNO_X YESNO_X
Organized sewage service available to lot	YESNO_X NOTE: ALSO A RAINWATER COLLECTION SYSTEM ON SITE.
Design Calculations for Aerobic Treatment with Sp	ray Irrigation:
<u>Commercial</u>	
Q = GPD	
<u>Residential</u> Water conserving fixtures to be utilized? Y	/es <u>X</u> No
Number of Bedrooms the septic system is sized for:	4+2 Total sq. ft. living area 6187+2246
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction	for water conserving fixtures)
$Q = (\_4+2\_+1)*75-(20\%) = \_540$	NOTE: 4 BDRM RES. + 2 BDRM DETACHED LIVING @ 360 GPD USING A DESIGN RATE OF 540 GPD
Trash Tank Size 639 Gal.	NOTE: 4 BDRM RES. + 2 BDRM DETACHED LIVING @ 360 GPD USING A DESIGN RATE OF 540 GPD
ICEQ Approved Aerobic Plant Size	J.P.D.
	<u>064 = 8438 sq. ft.</u>
Application Area Utilized = <u>9650</u> sq. ft.	
Pump Requirement <u>12</u> Gpm @ <u>41</u> Psi (Re	
Dosing Cycle: ON DEMAND or	
$Pump Tank Size = \underline{2086} Gal. \underline{31.6} Gal.$	al/inch.
Reserve Requirement = $180$ Gal. 1/3 day fl	
Alarms: Audible & Visual High Water Alarm & Visual	Air Pump malfunction
With Chlorinator NSF/TCEQ APPROVED	
SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout Pop-up rotary sprinkler heads w/ purple non-potable lids	
1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED AND	MAINTAINED WITH VEGETATION
EXPOSED ROCK WILL BE COVERED WITH SOIL	
I HAVE PERFORMED A THOROUGH INVESTIGATION	BEING A REGISTERED PROFESSIONAL ENGINEER
AND SITE EVALUATOR IN ACCORDANCE WITH CHA	APTER 285, SUBCHAPTER D, §285.30, & §285.40
(REGARDING RECHARGE FEATURES), TEXAS CO	DMMISSION OF ENVIRONMENTAL QUALITY
(EFFECTIVE DECEMBER 29, 2016)	E OF TA
$\bigwedge$	The last and the second s
I I F X OC	7/73/W/ · · · ·
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	DATE GREG W. JOHNSON
	B + A 67587
	6/STERE FIRM #2585
	SONAL EN ST
	The All the second of the Second S







TANK NOTES:


Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks

Tanks must be left uncovered and full of water for inspection by the permitting authority.



TYPICAL PUMP TANK CONFIGURATION 2086 GALLON PUMP TANK

## CISTERN PUMPS CPM Series

## **Ashland Pump – CPM Series**

The Ashland Pump CPM Series is designed to operate in filtered effluent/gray water applications. The bottom suction design allows for maximum drawdown of fluid and the hydraulic stages are able to pass 1/8" solids without damage to the pump.

Installations in cistern tanks, rain basin catchments or anywhere drawdown levels need to be maximized are ideal applications for the Ashland Pump CPM Series.

## APPLICATIONS

- Filtered Effluent Water Pumping
- Gray Water Pumping
- Water Feature / Aeration Applications
- Rain Water Basin Applications


## FEATURES

- Bottom suction design for maximum drawdown
- Able to pass 1/8" solids
- Available in 10, 20 and 30 GPM flow rates
- 1/2 HP, 115V and 230V single phase motors
- Heavy duty discharge with stainless steel internal threads
- 600 Volt, 10' SJOOW jacketed lead
- High shut-off pressure
- Quiet operation
- Standard removable base for stable mounting

## **ORDERING INFORMATION**

CPM SERIES CISTERN PUMP						
Model/Order No.	GPM	HP	Voltage/Ph.	Stage Count	Length (in.)	Shipping Wt. (lbs.)
10CPM5-115	10		115/1	7	26	17
10CPM5-230	10		230/1	7	26	17
20CPM5-115	20		115/1	5	25	16
20CPM5-230	20	1/2	230/1	5	25	16
20+CPM5-115	20+		115/1	6	26	17
20+CPM5-230	20+		230/1	6	26	17
30CPM5-115	30		115/1	4	25	16
30CPM5-230	30		230/1	4	25	16





R/	


NOZZLE	PRE	SSURE		RAD	US	FLOW	RATE	
NOZZEL	PSI	kPa	Bars	Ft.	M.	GPM	L/M	M <sup>3</sup> /H
#1.0	30	207	2.1	22	6.7	1.2	4.5	.27
	40	276	2.8	24	7.3	1.7	6.4	.39
	50	345	3.4	26	7.9	1.8	6.8	.41
	60	414	4.1	28	8.5	2.0	7.6	.45
#3.0	30	207	2.1	29	8.8	3.0	11.4	.68
#0.0	40	276	2.8	32	9.8	3.1	11.7	.70
	50	345	3.4	35	10.7	3.5	13.2	.80
	60	414	4.1	37	11.3	3.8	14.4	.86
#4.0	30	207	2.1	31	9.4	3.4	12.9	.77
#4.0	40	276	2.8	34	10.4	3.9	14.8	.89
	50	345	3.4	37	11.3	4.4	16.7	1.00
	60	414	4.1	38	11.6	4.7	17.B	1.07
#6.0	40	275	2.8	38	11.6	6.5	24.6	1.48
#0.0	50	344	3.4	40	12.2	7.3	27.7	1.66
	60	413	4.1	42	12.8	8.0	30.3	1.82
	70	482	4.8	44	13.4	8.6	32.6	1.96

\*All precipitation rates calculated for 180° operation. For the precipitation rate for a 36



PUMP Honest, Professional, Dependable

1899 Cottage Street, Ashland, Ohio 44805 Telephone: 855 281-6830 • Fax: 877 326-1994 • ashlandpump.com



From:Ritzen,BrendaTo:Greg JohnsonSubject:RE: 1077 BEAR CREEK TRAIL - MILLS #118195Date:Friday, January 24, 2025 11:52:00 AMAttachments:image001.png

Greg,

The permit file has been updated.

Thank you,



## Brenda Ritzen

Environmental Health Coordinator 195 David Jonas Dr. New Braunfels, TX 78132 DR:OS00007722 830-608-2090 www.cceo.org

From: Greg Johnson <gregjohnsonpe@yahoo.com>
Sent: Friday, January 24, 2025 10:45 AM
To: Ritzen,Brenda <rabbjr@co.comal.tx.us>
Subject: Fw: 1077 BEAR CREEK TRAIL - MILLS #118195

# This email originated from outside of the organization.

Do not click links or open attachments unless you recognize the sender and know the content is safe. - Comal IT


REVISED.


THX, GREG

Send for Greg W. Johnson, P.E., R.S.)

170 Hollow Oak

New Braunfels, TX 78132





New Braunfels Title Co. G.F.#<u>NBF2310-2021</u>KB

202106027503 05/21/2021 08:49:25 AM 1/4

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

### SPECIAL WARRANTY DEED WITH VENDOR'S LIEN

§ §

§

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF COMAL

GRANTOR: GRUENE ROCK, LLC 14955 Bulverde Road San Antonio, Texas 78247

GRANTEE: DAVID MILLS and CHRISTIN MILLS 504 Copper Crest New Braunfels, Texas 78132

That Grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) cash and other good and valuable consideration to it in hand paid by Grantee, and in the further consideration of the execution by Grantee of that one certain Promissory Note of even date herewith secured by the Property described herein in the original principal sum of THREE HUNDRED SEVENTY-ONE THOUSAND, TWENTY-FIVE AND NO/100 DOLLARS (US\$371,025.00) payable to the order of FIRST UNITED BANK & TRUST CO. (hereinafter the "Lender"), payable as therein provided, containing the usual clauses providing for acceleration of maturity and attorney's fees, the payment of which note is secured by the vendor's lien herein retained, and is additionally secured by a deed of trust of even date herewith to GREG MASSEY, Trustee, P.O. Box 130, Durant, Oklahoma 74702-0130, the receipt of which is hereby acknowledged and confessed;

WHEREAS, Lender has, at the special insistence and request of Grantee, paid to Grantor the sum of THREE HUNDRED SEVENTY-ONE THOUSAND, TWENTY-FIVE AND NO/100 DOLLARS (US\$371,025.00) of the purchase money for the Property described below, and as represented by the above described Promissory Note of even date herewith. The vendor's lien against said Property securing payment of said Promissory Note is without recourse upon Grantor herein and is hereby assigned transferred and delivered to Lender. The Grantor hereby conveying to said Lender the superior title to said Property, and subrogating the Lender unto all the rights and remedies of Grantor in the Property by virtue of said Promissory Note and liens has GRANTED, SOLD and CONVEYED, and by these presents does GRANT, SELL and CONVEY, unto the said Grantees, the following described property, to-wit:

Lot 4, ESTATES AT BEAR CREEK SUBDIVISION, a 30.33 acre addition to Comal County, Texas, as shown on the map and plat thereof recorded at Document No. 202106009754, Official Map and Plat Records of Comal County, Texas (hereinafter the "<u>Property</u>").

As additional consideration, Lender has, at the insistence and request of Grantee, paid to Grantor a portion of the face value of the Note (pursuant to the terms of a separate agreement between Grantee and Lender), and the Vendor's Lien against the Property securing payment of the Note, is without recourse upon Grantor, hereby SOLD, ASSIGNED AND TRANSFERRED to Lender, the Grantor hereby conveying to Lender the superior title to the Property, and subrogating the Lender unto all the rights and remedies of Grantor in the Property by virtue of the Note and liens. But it is expressly agreed that the vendor's lien, in favor of Grantor as assigned to Lender is granted against the Property until the Note, and all interest thereon, is fully paid when this Deed shall become absolute.

TO HAVE AND TO HOLD the Property, together with all and singular the rights and appurtenances thereto in anyway belonging to Grantor, unto Grantee, its heirs and assigns forever; and Grantor does hereby bind itself, its heirs, successors and assigns, to WARRANT AND FOREVER DEFEND all and singular the Property unto the Grantee, its heirs and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof, when the claim is by, through or under Grantor, but not otherwise.

IT IS expressly UNDERSTOOD, ACKNOWLEDGED and AGREED that Grantor hereby RESERVES and EXCEPTS from this conveyance all oil, gas and other minerals of any type or form including all rights to ingress and egress as well as other rights appurtenant to the minerals and the mineral estate owned by Grantor, and does not transfer the minerals and the appurtenant rights thereto to Grantee.

This conveyance is further made and accepted by Grantee SUBJECT TO (i) taxes for the current year, which have been prorated as of the date of closing, the payment of which Grantee assumes; (ii) all subsequent tax assessments for the current year, the payment of which Grantee assumes; (iii) the Declaration of Covenants, Conditions and Restrictions for Estates of Bear Creek recorded at Clerk's Document No. 202106017933, Official Public Records of Comal County, all other restrictions, covenants, conditions, easements, reservations, leases, mineral severances, and other instruments that affect the Property and as may or may not be shown in the public records of Comal County, Texas; (iv) all zoning laws, regulations and ordinances of municipal and/or other governmental authorities that affect the Property and (v) the following exceptions:

1. Subject to those items, restrictions, building setback lines, easements and Notes shown on the plat recorded in Document #202106009754, Official Map and Plat Records of Comal County, Texas

- a. 25-foot front building setback line as recited on plat.
- b. 5-foot wide public utility service easement as recited on plat
- c. 20-foot front utility easement as shown on plat

2. 75-foot front setback and 25-foot side and rear building setbacks as recited in restrictions recorded in Document No. 202106017933, Official Public Records, Comal County, Texas.

3. Utility Easement by Darren Gerloff to Pedernales Electric Cooperative, Inc. recorded October 1, 2013 in Document No. 201306041694, Official Public Records, Comal County, Texas.

4. Certification of on-site sewage facilities by Darren W. Gerloff and Lisa M. Gerloff recorded February 24, 2014 in Document No. 201406005774, Official Public Records, Comal County, Texas.

5. Easement to Pedernales Electric Cooperative Inc. recorded January 20, 2021 in Document No. 202106003581, Official Public Records, Comal County, Texas.

6. Subject to the rules, regulations and terms of the Edwards Water District.

7. Grantor conveys the property to Grantee and Grantee accepts the Property in its "As Is" and present condition with any and all defects and without warranty

SPECIAL WARRANTY DEED WITH VENDORS LIEN --LOT 4, ESTATES AT BEAR CREEK -- PAGE -2 OF 3-

except for the warranties of title, agreements and the warranties in the contract dated April 8, 2021 by and between Grantor and Grantee.

When the context requires, singular nouns and pronouns include the plural. EXECUTED on the \_ , 2021. day of 👖 GRUENE ROCK. LLC By: Darren Gerloff, President ACKNOWLEDGMENT STATE OF TEXAS ş Ş COUNTY OF This Special Warranty Deed was acknowledged before me on the day of \_, 2021, by Darren Gerloff, President of GRUENE ROCK, LLC, Grantor in the above instrument. NOTARY PUBL IC. TATE OF KARIN BOOS Notary Public. State of Texas Notary ID# 357094-6 My Commission Express AUGUST 7, 2024

SPECIAL WARRANTY DEED WITH VENDORS LIEN -LOT 4, ESTATES AT BEAR CREEK - PAGE -3 OF 3-

After Recording Return to:

New Braunfels Title Company 243 S. Seguin Ave New Braunfels, TX 78130

> Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 05/21/2021 08:49:25 AM TERRI 4 Pages(s) 202106027503

Babbie Keepp





## OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

118195

Date Received Initials

Permit Number

Instructions:

Place a check mark next to all items that apply. For items that do not apply, place "N/A". This OSSF Development Application Checklist <u>must</u> accompany the completed application.

USSF Permit	SSF Perm	iit	
-------------	----------	-----	--

Completed Application for Permit for Authorization to Construct an On-Site Sewage Facility and License to Operate

Site/Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer

Planning Materials of the OSSF as Required by the TCEQ Rules for OSSF Chapter 285. Planning Materials shall consist of a scaled design and all system specifications.

Required Permit Fee - See Attached Fee Schedule

Copy of Recorded Deed

Surface Application/Aerobic Treatment System

Recorded Certification of OSSF Requiring Maintenance/Affidavit to the Public

Signed Maintenance Contract with Effective Date as Issuance of License to Operate

I affirm that I have provided all information required for my OSSF Development Application and that this application constitutes a completed OSSF Development Application.

Signature of Applicant

COMPLETE A	APPLICATION

Check No.

Receipt No.

12/16/2024

Date

INCOMPLETE APPLICATION —— (Missing Items Circled, Application Refeused)