staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	Permit#: Address:						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
5	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				

**Inspector Notes:** 

N-	December 41	A may	Citotiana	Net	1 at 1	2 m d 1	7 mal 1
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK IsingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
1	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
12							
	PUMP TANK Volume Installed						
1	AEROBIC TREATMENT UNIT Size Installed						
14							
	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
15	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				
18			203.33(a)(2)				

	O331 Inspection sheet								
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.		
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)						
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)						
21	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)						
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)						
23	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)						
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)						
	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC								
26	DRAINFIELD Area Installed								
	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)						
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media								
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)						
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)						
	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)						

	I I			- 		I	I
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field ( 1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes ( 3/16 - 1/4" dia. Hole Size ) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump PUMP TANK Inspection/Clean Out						
37	Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided  PUMP TANK Electrical						
	Connections in Approved Junction Boxes / Wiring Buried						

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.		
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)						
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)						
	APPLICATION AREA Area Installed								
	PUMP TANK Meets Minimum Reserve Capacity Requirements								
	PUMP TANK Material Type & Manufacturer								
	PUMP TANK Type/Size of Pump Installed								



# Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 118265

Issued This Date: 02/04/2025

This permit is hereby given to:

Mark and Lindsey Marwil

To start construction of a private, on-site sewage facility located at:

770 STONEY RIDGE RD BULVERDE, TX 78163

Subdivision: Stoney Ridge

Unit: 1 Lot: 16

Block: -

Acreage: 5.7900

#### APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

**Drip Irrigation** 

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and County requirements.

Call (830) 608-2090 to schedule inspections.



Signature of Owner

### **ON-SITE SEWAGE FACILITY APPLICATION**

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Date118265					
1. APPLICANT / AGENT INFORMATION					
Owner Name MARWIL MARK & LINDSEY M	Agent Name	Doug Dowlea	rn R.S.		
Mailing Address 2738 Trinity View	Agent Address	703 Oak Dr.			
City, State, Zip San Antonio, TX 78261	City, State, Zip	Blanco, TX 78	8606		
Phone #	Phone #	210-878-8100	0		
Email	Email	TXSEPTIC@	GMAIL.COM		
2. LOCATION					
Subdivision Name Stoney Ridge	U	nit <u>1</u>	Lot 16	Block	
Survey Name / Abstract Number			Acreage	5.79	
	City Bulverde				
3. TYPE OF DEVELOPMENT					
⊠ Single Family Residential					
Type of Construction (House, Mobile, RV, Etc.) HOUSE			_		
Number of Bedrooms 5					
Indicate Sq Ft of Living Area 3828					
Non-Single Family Residential					
(Planning materials must show adequate land area for doubling the	e required land need	ded for treatmen	t units and disp	osal area)	
Type of Facility					
Offices, Factories, Churches, Schools, Parks, Etc Indicate	Number Of Occu	ipants			
Restaurants, Lounges, Theaters - Indicate Number of Seats	8				
Hotel, Motel, Hospital, Nursing Home - Indicate Number of I	Beds		#F1110		
Travel Trailer/RV Parks - Indicate Number of Spaces	******				
Miscellaneous					
Estimated Cost of Construction: \$ 995,706.00 (s	Structure Only)	- Company of the Comp			
is any portion of the proposed OSSF located in the United State	es Army Corps of	Engineers (US	ACE) flowage	easement?	
Yes No (If yes, owner must provide approval from USACE for	proposed OSSF impro	vements within th	e USACE flowage	e easement)	
Source of Water Public Private Well Rainwate	r				
4. SIGNATURE OF OWNER					
By signing this application, I certify that:  - The completed application and all additional information submitted does facts. I certify that I am the property owner or I possess the appropriate property.  - Authorization is hereby given to the permitting authority and designated	land rights necessa	ry to make the p	bermitted improv	vernents on said	
site/soil evaluation and inspection of private sewage facilities  - I understand that a permit of authorization to construct will not be issued by the Comal County Flood Damage Prevention Order.  - I affirmatively consent to the online posting/public release of my e-mail a	I until the Floodplair	Administrator h	nas performed th	ne reviews required	

Date



### **ON-SITE SEWAGE FACILITY APPLICATION**

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Planning Materials & Site Evaluation as Required Completed	Ву
System Description	
Size of Septic System Required Based on Planning Materials	& Soil Evaluation
Tank Size(s) (Gallons)	Absorption/Application Area (Sq Ft)
Gallons Per Day (As Per TCEQ Table III)  (Sites generating more than 5000 gallons per day are required to obtain	ain a permit through TCEQ.)
Is the property located over the Edwards Recharge Zone?	Yes No nitarian (R.S.) or Professional Engineer (P.E.))
Is there an existing TCEQ approved WPAP for the property? [ (If yes, the R.S. or P.E. shall certify that the OSSF design complies w	Yes No ith all provisions of the existing WPAP.)
Is there at least one acre per single family dwelling as per 285	.40(c)(1)?
If there is no existing WPAP, does the proposed development (If yes, the R.S. or P.E. shall certify that the OSSF design will comply be issued for the proposed OSSF until the proposed WPAP has been	with all provisions of the proposed WPAP. A Permit to Construct will not
Is the property located over the Edwards Contributing Zone? [	Yes No
Is there an existing TCEQ approval CZP for the property?	Yes No
(If yes, the P.E. or R.S. shall certify that the OSSF design complies w	ith all provisions of the existing CZP.)
If there is no existing CZP, does the proposed development actify yes, the R.S. or P.E. shall certify that the OSSF design will comply issued for the proposed OSSF until the CZP has been approved by the	with all provisions of the proposed CZP. A Permit to Construct will not be
Is this property within an incorporated city?  Yes  No	
If yes, indicate the city:	
By signing this application, I certify that:	
- The information provided above is true and correct to the best of	my knowledge.
- I affirmatively consent to the online posting/public release of my e	e-mail address associated with this permit application, as applicable.
Signature of Designer	Date



# COUNTY OF COMAL STATE OF TEXAS

### AFFIDAVIT TO THE PUBLIC

### CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality (TCEQ) Rules for On-Site Sewage Facilities (OSSFs), this document is filled in the Deed Records of Comal County, Texas.

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, give the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety Code, requires owners to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code § 285.91 (12) will be installed on the property described as (insert legal description):

Stoney Ridge Unit 1, Lot 16

The property is owned by (Insert owner's full name):

#### Mark Marwil and Lindsey M. Marwil

This OSSF must be covered by a continuous maintenance contract for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally.

Upon sale or transfer of the above described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for OSSF may be obtained from **Comal County Engineer's Office.** 

WITHERS BY HANDIS) ON THIS 20 DAY OF WOVEM be	2024
The This	Mark Marwil
Hamouel	Lindsey marwil
Owner(s) signature(s)	(PRINTED NAME) /TITLE
SWORN TO AND SUBSCRIBED BEFORE ME ON THIS LEDAY OF	November 2024
Notary Public, State of Texas, Notary's Printed Name: X V V Score My Commission Expires: 27-24-2026	LULU WISDOM Notary Public, State of Texas My Comm. Exp. 07-24-2026
Filed and Recorded Official Public Records	ID No. 12577255-5

Official Public Records
Bobbie Koepp, County Clerk
Comal County Texas
01/07/2025 11:43:05 AM
JESS 1 Page(s)
202506000494

Bobbie Koepp

Maintenance Service Provider 15188 FM 306 Canyon Lake, TX 78133 Office (830)964-2365



SERVICE ADDRESS

<u>Installer</u>

TERM 2 year

770 Stoney Ridge Rd. Bulverde, TX 78163

JR AVILA

### Routine Maintenance and Inspection Agreement

This Work for Hire Agreement (hereinafter referred to as this "Agreement") is entered into by and between ; (referred to as "Client") and Aerobic Services of South Texas (Thomas W. Hampton MP349) (hereinafter referred to as "Contractor") are located at 15188 FM 306 Canyon Lake, Texas 78133 (830) 964-2365. By this Agreement, the Contractor agrees to render professional service, as described herein, and the Client agrees to fulfill the terms of this Agreement as described herein. This contract will provide for all required inspections, testing, and service for your Aerobic Treatment System. The policy will include the following:

- 1. 3 inspections a year (at least once every 4 months), this includes inspections of the entire aerobic system, adjustment, and servicing of the mechanical, electrical, and other applicable parts to ensure proper function. This includes inspecting the control panel, air pumps, air filters, and diffuser operation. Any alarm situation affecting the proper function of the Aerobic process will be addressed within a 48-hour time frame. Repair work on non-warranty parts will include price for parts & labor. The prices will be quoted before work is performed.
- 2. An effluent quality inspection consisting of a visual check for color, turbidity, scum overflow, and examination for odors. A test for chlorine residual and pH will be taken and reported as necessary.
- 3. If any improper operation is observed, that cannot be corrected during the service visit, you will be notified immediately in writing of the conditions and estimated date of correction.
- 4. If the system is a spray field application the Property Owner will be responsible for the chlorine. The chlorine must be filled before or during the service visit. Aerobic systems with a drip field do not require chlorine.
- 5. Any additional visits, inspections or sample collection required by specific Municipalities, Water/River Authorities, and County Agencies the TCEQ, or any other authorized regulatory agency in your jurisdiction will be covered by this policy. BOD and TSS testing is covered by this contract.

The Property Owner Manual must be strictly followed or warranties are subject to invalidation. Pumping of sludge build-up is not covered by this policy and will result in additional charges.

#### ACCESS BY CONTRACTOR

The Contractor or anyone authorized by the Contractor may enter the property at reasonable times without prior notice for the above-described Services. The contractor may access the System components including the tanks through excavation for evaluations if necessary. Soil is to be replaced with the excavated material as best as possible.

**Termination of Agreement** 

Either party may terminate this agreement within ten days with a written notice in the event of substantial failure to perform under its terms by the other party without fault of the terminating party. If this Agreement is so terminated, the Contractor will immediately notify the appropriate health authority of the termination.

#### Limit of Liability

In no event shall the Contractor be liable for indirect, consequential, incidental, or punitive damages, whether in contract tort or any other theory. In no event shall the Contractor's liability for direct damages exceed the price for the services described in this Agreement.

#### Dispute Resolution

If a dispute between the Client and the Contractor arises that cannot be settled in good faith negotiations then the parties shall choose a mutually acceptable mediator and shall share the cost of the mediation services equally.

#### Entire Agreement

This Agreement contains the entire agreement of the parties, and there are no other promises or conditions in any other agreement either oral or written.

#### Severability

If any provision of this Agreement shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of this agreement is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

Property Owner	SERVICE PROVIDER
	Aerobic Services of South Texas LLC.
<u>Name</u>	15188 FM 306 Canyon Lake, TX 786133
MARWIL MARK & LINDSEY M	(830) 964-2365
Email Lindsey marvil@gmail.com	There 2. Horton
Service Address	Signature of Service Provider and License # [Thomas Hampton, OS0024597 / MP0000349]
770 Stoney Ridge Rd	
Phone 425 281 1635	
May May Hommand SIGNATURE	AEROBIC SERVICES
EFFECTIVE DATE	
EXPIRED DATE	

<sup>\*</sup>The effective date of this initial maintenance contract shall be the date the license to operate is issued.

#### OSSF SOIL EVALUATION REPORT INFORMATION

Date: 1/7/2025

**Applicant Information:** Name: Mark and Lindsey Marwil

Address: 2738 Trinity View

City, State & Zip Code: San Antonio, TX 78261

Email:

**Property Location:** 

Subdivision: Stoney Ridge Unit: 1 Lot: 16 Street/Road Address: 770 Stoney Ridge Rd

City: Bulverde Zip: 78163 Additional Info: Comal County **Site Evaluator Information:** 

Name: Doug Dowlearn

**Company:** D.A.D. Services, Inc. Address: 703 Oak Drive

City, State & Zip: Blanco, TX 78606

Phone: (210)240-2101 Fax: (866)260-7687

Email: txseptic@gmail.com

**Installer Information:** 

Name: **Company:** Address:

City, State & Zip:

Phone:

Depth	Texture Class	Soil Texture	<b>Structure</b> (For Class III – blocky, platy or massive)	<b>Drainage</b> (Mottles/Water Table	Restrictive Horizon	Observation
Soil Boring #1 60"	III	0-12" Clay Loam 12"+ Limestone	Blocky	<30% Gravel	12"+ Limestone	N/A
Soil Boring #2		Same as above				

**DESIGN SPECIFICATIONS** 

Application Rate (RA): 0.064

OSSF is designed for: 5 bedroom 3828 Sq. Ft Residence

360 gallons per day

An aerobic with spray disposal system is to be utilized based on the site evaluation.

5625 sq. ft. disposal area required 600 gallon per day aerobic treatment unit

Calculations: Absorption Area: Q/RA=360/0.064=5625 Sq., Ft.

#### FEATURES OF SITE AREA

Presence of 100-year flood zone: NO

Existing or proposed water well in nearby area: YES

Presence of adjacent ponds, streams, water impoundments: NO

Presence of upper water shed: NO

Organized sewage service available to lot: NO

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability. The site evaluation and OSSF design are subject to approval by the TCEQ or the local authorized agent. The planning materials and the OSSF design should not be considered final until a permit to construct has been issued.

Site Evaluator:

**NAME: Douglas Dowlearn** 

andreaders.

Signature:

License No. OS9902 Exp. 6/30/2026 TDH: #2432 Exp. 2/28/2025

### D.A.D SERVICES, INC.

DOUG DOWLEARN

PO BOX 212. BULVERDE, TX 78163

Designed for: Marwil Mark & Lindsey M

The installation site is at lot 16 of the Stoney Ridge Unit 1 subdivision in Comal County, TX. The proposed OSSF will treat the wastewater from a 5 Bedroom (3828 sq. ft.) residence. The proposed method of wastewater treatment is aerobic treatment with spray irrigation. This method was chosen because of unsuitable soil conditions.

#### PROPOSED SYSTEM:

A 3" or 4" PVC pipe will discharge from the residence to a pre-treatment tank, which flows into a 600 gpd aerobic treatment plant. The aerobic tank effluent flows to a 768 gallon storage/pump tank containing a liquid chlorinator and a single 20 gpm submersible pump. Distribution is set to spray in the pre-dawn hours of midnight to 5:00 am through 2 K-Rain Gear Driven pop-up sprinklers, with low angle (13 degrees) spray nozzles spraying at 40 psi. Each sprinkler will spray a radius of 30 feet and 360 degrees of arc. An audio and visual alarm monitoring both high water and aerator failure will be placed in a noticeable location.

#### **DESIGN SPECIFICATIONS:**

Daily Waste Flow: 360 gpd Application rate: 0.064

Application area required: 360/.064 = 5625 sq. ft.

Application area utilized: 5654 sq. ft.

Pump tank reserve capacity: 120 gal minimum

#### **SYSTEM COMPONENTS:**

SCH 40 PVC sewer line NuWater B-550

353-gallon Pretreatment tank


600 GPD Aerobic Treatment Unit

768-gallon Pump tank with timed controls set to spray in the pre-dawn hours of midnight to 5:00 am C-1 20X, Model no. 20XC1-05P4-2W115 (or equivalent) submersible pump

Liquid chlorinator


1" purple PVC supply line

2 K-Rain Gear Driven pop-up sprinklers



#### **LANDSCAPING:**

The entire surface application area must consist of an area with vegetation capable of growth, before system start up. In the event the surface application area does not have vegetation capable of growth, the bare area shall be seeded or sodded. If the non-vegetative area consists of rock or caliche, 3" of class II or III soil, capable of growing and sustaining vegetative growth, will be added before it is seeded or sodded.



# **Assembly Details**

**OSSF** 


43" - 53" - RESERVE - 144.9 GAL

12" - 43" - PUMP ON TO ALARM ON - 449.19 GAL 10" - 12" - PUMP OFF TO PUMP ON - 28.89 GAL

0 - 10" - SUMP- 144.9 GAL

NOTE: SET ON A TIMER TO DOSE IN PRE DAWN HOURS OF MIDNIGHT TO 5 A.M.







See Note 9. See Note 9. See Note 5. See Note 10.-See Note 7. See Note 11. Inlet Ō 59" 53"" Clarifier 190 Gal. Aeration 353 Gal. **Diffuser Bar** See Note 8.

#### **GENERAL NOTES:**

- Plant structure material to be precast concrete and steel.
- Maximum burial depth is 30" from slab top to grade.
- Weight = 14,900 lbs.
- Treatment capacity is 600 GPD. Pump compartment set-up for a 360 GPD Flow Rate (4 beedroom, < 4,000 sq/ft living aera). Please specify for additional set-up requirements. BOD Loading = 1.62 lbs. per day.
- Standard tablet chlorinator or Optional Liquid chlorinator. NSF approved chlorinators (tablet & liquid) available.
- Bio-Robix B-550 Control Center w/ Timer for night spray application. Optional Micro Dose (min/sec)timer available for drip applications. Electrical Requirement to be 115 Volts, 60 Hz, Single Phase, 30 AMP, Grounded Receptacle.
- 20" Ø acess riser w/ lid (Typical 4). Optional extension risers available.
- 20 GPM 1/2 HP, high head effluent pump.
- HIBLOW Air Compressor w/ concrete housing.
- 10. 1/2" Sch. 40 PVC Air Line (Max. 50 Lft from Plant).
- 11. 1" Sch. 40 PVC pipe to distribution system provided by contractor.
- 12. 4" min. compacted sand or gravel pad by Contractor

WORKING LEVEL = 53" 14.49 GAL/INCH

#### **DIMENSIONS:**

Outside Height: 67" Outside Width: 63" Outside Length: 164"

#### **MINIMUM EXCAVATION DIMENSIONS:**

Width: 76" Length: 176"

See Note 12.

NuWater B-550 (600 GPD) **Aerobic Treatment Plant (Assembled)** 

Model: B-550-PC-400PT

March, 2012 - Rev 1 By: A.S.

Scale:


Dwg. #: ADV-B550-3



Advantage Wastewater Solutions Ilc. 444 A Old Hwy No 9 Comfort, TX 78013 830-995-3189 fax 830-995-4051







### **FEATURES**

- Supplied with a removable 5" base for secure and reliable mounting
- Bottom suction design
- Robust thermoplastic discharge head design resists breakage during installation and operation
- Single shell housing design provides a compact unit while ensuring cool and guiet operation
- Hydraulic components molded from high quality engineered thermoplastics
- Optimized hydraulic design allows for increased performance and decreased power usage
- All metal components are made of high grade stainless steel for corrosion resistance
- Available with a high quality 115 V or 230 V, ½ hp motor
- Fluid flows of 10, 20, and 30 gpm, with a max shut-off pressure of over 100 psi
- Heavy duty 600 V 10 foot SJ00W jacketed lead

## **APPLICATIONS**

- Gray water pumping
- Filtered effluent service water pumping
- Water reclamation projects such as pumping from rain catchment basins
- Aeration and other foundation or pond applications
- Agriculture and livestock water pumping

## ORDERING INFORMATION

	C1 Series Pumps									
GPM	HP	Volts	Stage	Model No.	Order No.	Length (in)	Weight (lbs)			
10		115	7	10C1-05P4-2W115	90301005	26	17			
10		230	7	10C1-05P4-2W230	90301010	26	17			
20	1/2	115	5	20C1-05P4-2W115	90302005	25	16			
20		1/2	230	5	20C1-05P4-2W230	90302010	25	16		
20X	1/2 <	115	6	20XC1-05P4-2W115	90302015	26	17			
201		230	6	Z0XCI-05P4-ZWZ30	90302020	<u>Z</u> b	17			
30		115	4	30C1-05P4-2W115	90303005	25	16			
30		230	4	30C1-05P4-2W230	90303010	25	16			

Note: All units have 10 foot long SJ00W leads.



**franklinwater.com** M1698 07-14

#### Warranty Deed with Vendor's Lien

Notice of confidentiality rights: If you are a natural person, you may remove or strike any or all of the following information from any instrument that transfers an interest in real property before it is filed for record in the public records: your Social Security number or your driver's license number.

Date: <b>April 11, 2023</b>							
Grantor: Joshua Taylor and Caroline Taylor, hu	sband and wife						
Grantor's Mailing Address: 13 Fossil	HILS LOOP, SPI	cingBranch					
Grantee: Mark Marwil and Lindsey M. Marwil,	husband and wife	1278070					
Grantee's Mailing Address:	inity view, Sant	ntonio, Tx					
Consideration:		78261					
Cash and other good and valuable consideration	n along with a note of even date e	xecuted by					
Grantee and payable to the order of Security Se	ervice Federal Credit Union in the	e principal					
amount of \$283,500.00 (Two Hundred Eighty	Three Thousand Five Hundred a	and 00/100					
O Dollars). The note is secured by a first and	superior vendor's lien and sup	perior title					
retained in this deed in favor of Security Service Federal Credit Union and by a first-lien							
deed of trust of even date from Grantee to Ruth	W. Garner, trustee.						

Property (including any improvements):

Lot 16, Stoney Ridge Unit I, an Addition in Comal County, Texas, according to the Map or Plat recorded in Volume 5, Pages 300-301, Map and Plat Records of Comal County, Texas.

Reservations from Conveyance: None

Exceptions to Conveyance and Warranty:

This conveyance, however, is made and accepted subject to any and all restrictions, encumbrances, easements, covenants, and conditions, if any, relating to the hereinabove described property as the same are filed for record in County Clerk's Office of Comal County, Texas.

Grantor, for the Consideration and subject to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty, grants, sells, and conveys to Grantee the Property, together with all and singular the rights and appurtenances thereto in any way belonging, to have and to hold it to Grantee and Grantee's heirs, successors, and assigns forever. Grantor binds Grantor and Grantor's heirs and successors to warrant and forever defend all and singular the Property to Grantee and Grantee's heirs, successors, and assigns against every person

whomsoever lawfully claiming or to claim the same or any part thereof, except as to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty.

The Vendor's Lien against and Superior Title to the Property are retained until the Note described is fully paid according to its terms, at which time this Deed will become absolute. The Vendor's Lien and Superior Title herein retained are hereby transferred, assigned, sold, and conveyed to the payee of the Note, and the successors and assigns of the payee.

When the context requires, singular nouns and pronouns include the plural.

EXECUTED this 11th day of April, 2023.

<del>Joshua Tayl</del>or

Caroline Taylor

THE STATE OF 1

COUNTY OF

§ § 8

DEANNA N. TALLEY
Notary Public, State of Texas
Comm. Expires 10-12-2023
Notary ID 10232358

AFTER RECORDING, RETURN TO:

PREPARED IN THE LAW OFFICE OF

Shaddock & Associates, P. C. 2400 N. Dallas Parkway, Ste. 560

Plano, Texas 75093

Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 04/11/2023 03:40:06 PM TERRI 2 Pages(s) 202306010970





# OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

Milin	ENGINEER'S OFFICE		4.77		118265	
		Date Re	ceived	Initials	Permit Num	ber
Plac	ructions: se a check mark next to all items that apply. For item cklist <u>must</u> accompany the completed application.	s that do not a	pply, place	e "N/A". This	OSSF Development /	Application
oss	SF Permit					
X	Completed Application for Permit for Authorization	to Construct a	n On-Site	Sewage Fac	ility and License to Op	perate
X	Site/Soil Evaluation Completed by a Certified Site E	Evaluator or a	Profession	al Engineer		
$\boxtimes$	Planning Materials of the OSSF as Required by the of a scaled design and all system specifications.	TCEQ Rules	for OSSF	Chapter 285	. Planning Materials s	hall consist
X	Required Permit Fee - See Attached Fee Schedule	i				
X	Copy of Recorded Deed					
X	Surface Application/Aerobic Treatment System					
	Recorded Certification of OSSF Requiring Ma	aintenance/Aff	idavit to the	e Public		
	Signed Maintenance Contract with Effective I	Date as Issuar	ice of Lice	nse to Opera	ate	
×	2					
	irm that I have provided all information required stitutes a completed OSSF Development Applica		Developm	nent Applica	ation and that this ap	plication
	Signature of Applicant	ul .		11/24/2	Date	
	COMPLETE APPLICATION  Check No Receipt No		— (Mis		LETE APPLICATION ircled, Application Refe	eused)
	The second secon		Contract of the Contract of th			