staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:		Address:					
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.	
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials	CK DISTANCES Site and Soil 285.31(a) tions Consistent with 285.30(b)(1)(A)(iv)						
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)					
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)					
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)					
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)					
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements	285.32(b)(1)(0 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(C) 285.32(b)(1)(C) 285.32(b)(1)(C) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(E) 285.32(b)(1)(E)(E) 285.32(b)(1)(E)(E)						
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)					


Inspector Notes:

AL.	Di-si	Δ	Citation	N-4	1,41,	2	2
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1) (D)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
9	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume						
12	Installed						
	PUMP TANK Volume Installed						
13	AEROBIC TREATMENT UNIT Size						
14							
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

No. Description Appears Circling Notes 14thern 2nd Jan							
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)				
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)				
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)				
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)				
	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)				
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC						
26	DRAINFIELD Area Installed						
27	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)				
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)				
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)				

No.	Docorintian	Answer	Citations	Notes	1ct lease	2nd Inco	2rd Inco
NO.	Description EFFLUENT DISPOSAL SYSTEM Utilized	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	1				T		
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
40	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
41	ADDITION ADDITION						
42	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 118532

Issued This Date: 05/05/2025

This permit is hereby given to: PORFIDIO & ERICA C. SERRANO

To start construction of a private, on-site sewage facility located at:

7918 PRONGHORN DR SPRING BRANCH, TX 78070

Subdivision: DEER RIVER

Unit: 2

Lot: 161R

Block: 0

Acreage: 1.2800

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.





OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items 118532

Revised: September 2019

	Date Received	Initials	Permit Number
nstructions: Place a check mark next to all items that apply. For items Checklist <u>must</u> accompany the completed application.	s that do not apply, plac	e "N/A". This C	DSSF Development Application
OSSF Permit			
Completed Application for Permit for Authorization	to Construct an On-Site	Sewage Facili	ty and License to Operate
Site/Soil Evaluation Completed by a Certified Site E	Evaluator or a Profession	nal Engineer	
Planning Materials of the OSSF as Required by the of a scaled design and all system specifications.	TCEQ Rules for OSSF	Chapter 285.	Planning Materials shall consis
Required Permit Fee - See Attached Fee Schedule			
Copy of Recorded Deed			
Surface Application/Aerobic Treatment System			
Recorded Certification of OSSF Requiring Ma	aintenance/Affidavit to t	ne Public	
Signed Maintenance Contract with Effective I	Date as Issuance of Lice	ense to Operat	е
affirm that I have provided all information required	for my OSSF Develop	ment Applicat	ion and that this application

constitutes a completed OSSF Development Application.

188	04/07/2025
Signature of Applicant	Date
COMPLETE APPLICATION	INCOMPLETE APPLICATION
Check No Receipt No	(Missing Items Circled, Application Refeused)





ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090

WWW.CCEO.ORG

	arch 16, 2025			Permit Num	nber	118	532	
I. AFFLICANT 7	COLINT INTO CRIMATION							
Owner Name	PORFIDIO & ERICA	C. SERRANO	Agent Name	G	REG JO	HNSO	N, P.E.	
Mailing Address_	ailing Address 7918 PRONGHORN DRIVE			1	170 HOL	LOW	OAK	
City, State, Zip	SPRING BRANCI	H, TX 78070	City, State, Zip	NEW B	RAUNF	ELS T	EXAS 7	78132
Phone #	830-822-3	169	Phone #	The Residence of the Control of the	830-9	005-277	78	
Email	pserrando0303@	gmail.com	Email	greg	johnson	pe@ya	hoo.cor	n
2. LOCATION								
Subdivision Name	•	DEER RIVER	U	nit PHASE 2	Lot	161R	Bloc	k
	ostract Number				Ac	reage		
	7918 PRONGHORN			BRANCH				
3. TYPE OF DEVI								
AND THE PERSON NAMED IN COLUMN TWO	ly Residential							
	nstruction (House, Mobile	o DV Eta) DED	CONAL DV & DEDCC	MAI CHOD				
		e, KV, Elc.) PEK	SONAL RV & PERSC	NAL SHOP	_			
Number of I								
	Ft of Living Area							
	Family Residential							
	terials must show adequate			ded for treatmer	nt units a	ind disp	osal are	ea)
	ility							
	ctories, Churches, School							
Restaurants	s, Lounges, Theaters - Ir	ndicate Number of S	Seats					
Hotel, Mote	l, Hospital, Nursing Hom	ie - Indicate Numbe	r of Beds					
Travel Traile	er/RV Parks - Indicate N	umber of Spaces _						
Miscellaneo								
Estimated Cost	of Construction: \$	50,000	(Structure Only)					
	f the proposed OSSF loa			Engineers (US	SACE) fl	lowage	easen	nent?
	No (If yes, owner must provide							
	Public Priva			remente within th	COONOL	nowage	cascino	iit)
4. SIGNATURE O		te vven ramwat	or concention					
By signing this applie								
- The completed app	olication and all additional i	nformation submitted	does not contain any fal	se information a	ind does	not cor	nceal an	y material
facts. I certify that property.	I am the property owner or	I possess the approp	riate land rights necessa	ry to make the	permitted	d impro	vements	on said
- Authorization is he	reby given to the permitting		ated agents to enter upo	n the above de	scribed p	roperty	for the	purpose of
	and inspection of private s permit of authorization to		sued until the Floodolair	Administrator	has nerfo	ormed t	he revie	ws require
by the Comal Cour	nty Flood Damage Preventi	ion Order.			•			
- I attirmatively cons	ent to the online posting/pu	iblic release of my e-n			application	on, as a	applicab	le.
R- So	enang y li	Longo	3/27	12)		_		
Signature of Ow	ner N		Date					Page 1 of



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW CCEO ORG

Planning Materials & Site E	valuation as Required C	Completed By	GREG W. JOHNSON, P	.E.
System Description	PROPRIETARY;	AEROBIC TREATM	ENT AND SURFACE IRRIGAT	ION
Size of Septic System Requ	uired Based on Planning	Materials & Soil Evalua	ation	
Tank Size(s) (Gallons)	NUWATER	B-550-PC	Absorption/Application Area (So	7 Ft) <u>4926</u>
Gallons Per Day (As Per TC	EQ Table 111) <u>300 DI</u>	ESIGN RATE		
(Sites generating more than 50	000 gallons per day are req	uired to obtain a permit th	rough TCEQ.)	
Is the property located over	the Edwards Recharge	Zone? Yes	No	
(if yes, the planning materials	must be completed by a Re	egistered Sanitarian (R.S.)	or Professional Engineer (P.E.))	
Is there an existing TCEQ a	approved WPAP for the I	property? TYes 🔀	No	
(if yes, the R.S. or P.E. shall c	ertify that the OSSF design	complies with all provision	ns of the existing WPAP.)	
Is there at least one acre po	er single family dwelling	as per 285.40(c)(1)?	Yes No	
If there is no existing WPAF	o, does the proposed de	velopment activity requ	ire a TCEQ approved WPAP?	Yes 🔀 No
			sions of the proposed WPAP. A Permi the appropriate regional office.)	it to Construct will not
Is the property located over	the Edwards Contributi	ng Zone? X Yes	No	
Is there an existing TCEQ a	approval CZP for the pro	perty? Yes	No	
(if yes, the P.E. or R.S. shall c	ertify that the OSSF design	complies with all provision	ns of the existing CZP.)	
			e a TCEQ approved CZP? Ye	
(if yes, the R.S. or P.E. shall c issued for the proposed OSSF			sions of the proposed CZP. A Permit to reg	o Construct will not be
Is this property within an inc	corporated city?	es 🛛 No	sh X to.	
If yes, indicate the city:			GREG W. JOHNSON	
			PANTERED LEW	RM #2585
By signing this application, I	certify that:			
- The information provided a		•		
- I affirmatively consent to the	ne ontine posting/public rel	ease of my e-mail address	associated with this permit applicatio	n, as applicable.
$///\chi\chi$		7	March 16, 2025	
Signature of Designer	-	Date		

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

1

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

Ħ

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

2	_unityphase/section	BLOCK _	161R	_LOT	DEER RIVER	SUBDIVISION
if i	NOT IN SUBDIVISION:	ACREA	GE			SURVEY
	The property is owned by ((insert owner	's full na	me):	PORFIDIO SERRANO & ERICA	C. SERRANO
	the initial two-year service	policy, the ov	wner of a	n aerobic	contract for the first two years. A treatment system for a single famil a 30 days or maintain the system	fter y
	Upon sale or transfer of the transferred to the buyer of obtained from the Comal (new owner.	А сору о	f the plan	permit for the OSSF shall be ning materials for the OSSF can b	e
	witness by hand(s) of X P. Sepon				arch ,20 25 FIDIO SERRANO	
	Owner(s) signature(s)				A C. SERRANO (s) Printed name (s)	
	PORFIDIO & ERICA C. SI			O AND S	UBSCRIBED BEFORE ME ON TE	IIS Z7 DAY OF
	march	,2025			Filed and Recorded	
	My July				Official Public Reco	rds
	Notary Public Sign		-		Bobbie Koepp, Cour	atv Clerk
	Notary Public Sign	lature			Comal County, Texa	•
	Walter OBEO M 1011	2011			04/07/2025 08:25:21	
	GREG W. JOHN Notary Public, State				TERRI 1 Pages(s)	
	Comm. Expires 06- Notary ID 12421				202506009696	
					Robin V	


THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF SINGLE FAMILY DWELLING

According to Texas Commission of Environmental Quality Rules for On-Site Sewage Facilities, this document is filed in the Deed Records of **COMAL COUNTY**, **TEXAS**.

I

			& ERICA		
Before me this day appear	ed	SER	RANO	, being the owners of the further state that the Reside family.	he referenced property at
7918 PI	RONGHOR	RN	า	They further state that the Reside	nce and any additional
living space on this proper	ty will be oc	cupied onl	y by a single	family.	
An OSSF requiring a Cert	ification of S	ingle Fam	ily Dwelling,	, will be installed on the property	described as:
PHASE	_BLOCK	161R	_LOT	DEER RIVER	SUBDIVISION
IF NOT IN SUBDIVISION:	A	CREAGE			SURVEY
The property is owned by			PORFIDIO) & ERICA C. SERRANO	
WITNESS MY HAND ON	THIS 1	OF DAY	7 OF	arch , 20 25	<u>.</u> .
VP-Senrano OVNER (SIGNATURE)			X E	Demie	
				R (SIGNATURE)	
SWORN TO AND SUBSO	CRIBED BE	FORE M	E ON THIS	27 DAY OF March	, 20 <u>25</u> BY
PORFIDIO SERRANO				ERICA C. SERRANO	
OWNER NAME (PRINTE				OWNER NAME (PRINTED)	
Notary Public Sig	nature				



INCHAIN SERVICE

Maintenance Service Provider 15188 FM 306 Canyon Lake, TX 78133 Office (830)964-2365



DEER RIVER, PHASE 2, LOT 161R

<u>SERVICE ADDRESS</u>
7918 PRONGHORN DR, SPRING BRANCH, TX 78070 J.R. TRINIDAD AVILA OS#0021674 **TERM 2 year**

Routine Maintenance and Inspection Agreement

This Work for Hire Agreement (hereinafter referred to as this "Agreement") is entered into by and between ; (referred to as "Client") and Aerobic Services of South Texas (Thomas W. Hampton MP349) (hereinafter referred to as "Contractor") located at 15188 FM 306 Canyon Lake, Texas 78133 (830) 964-2365. By this Agreement the Contractor agrees to render professional service, as described herein, and the Client agrees to fulfill the terms of this Agreement as described herein. This contract will provide for all required inspections, testing and service for your Aerobic Treatment System. The policy will include the following:

- 1. 3 inspections a year/services calls (at least one every 4 months), for a total of 6 over the two year period including inspection, adjustment and servicing of the mechanical, electrical and other applicable component parts to ensure proper function. This includes inspecting the control panel, air pumps, air filters, diffuser operation. Any alarm situation affecting the proper function of the Aerobic process will be addressed within a 48-hour time frame. Repair work on non-warranty parts will include price for parts & labor. The prices will be quoted before work is performed.
- 2. An effluent quality inspection consisting of a visual check for color, turbidity, scum overflow and examination for odors. A test for chlorine residual and pH will be taken and reported as necessary.
- 3. If any improper operation is observed, which cannot be corrected at the time of the service visit, you will be notified immediately in writing of the conditions and estimated date of correction.
- 4. The Property Owner is responsible for the chlorine; it must be filled before or during the service visit.
- 5. Any additional visits, inspections or sample collection required by specific Municipalities, Water/River Authorities, and County Agencies the TCEQ or any other authorized regulatory agency in your jurisdiction will be covered by this policy. BOD and TSS testing is covered by this contract.

The Property Owner Manual must be strictly followed or warranties are subject to invalidation. Pumping of sludge build-up is not covered by this policy and will result in additional charges.

ACCESS BY CONTRACTOR

The Contractor or anyone authorized by the Contractor may enter the property at reasonable times without prior notice for the purpose of the above described Services. The contractor may access the System components including the tanks by means of excavation for the purpose of evaluations if necessary. Soil Is to be replaced with the excavated material as best as possible.

Termination of Agreement

Either party may terminate this agreement within ten days with a written notice in the event of substantial failure to perform in accordance with its terms by the other party without fault of the terminating party. If this Agreement is so terminated, the Contractor will immediately notify the appropriate health authority of the termination.

Limit of Liability

In no event shall the Contractor be liable for indirect, consequential, incidental or punitive damages, whether in contract tort or any other theory. In no event shall the Contractor's liability for direct damages exceed the price for the services described in this Agreement.

Dispute Resolution

If a dispute between the Client and the Contractor arises that cannot be settled in good faith negotiations then the parties shall choose a mutually acceptable arbitrator and shall share the cost of the arbitration services equally.

Entire Agreement

This Agreement contains the entire agreement of the parties, and there are no other promises or conditions in any other agreement either oral or written.

Severability

If any provision of this Agreement shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of this agreement is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

Property Owner

Name

PORFIDIO & ERICA C. SERRANO

Email

pserrano0303@gmail.com

Service Address

7918 PRONGHORN DRIVE SPRING BRANCH, TX 78070

Phone

830-822-3169

SERVICE PROVIDER

Aerobic Services of South Texas LLC.

15188 FM 306 Canyon Lake, TX 786133

(830) 964-2365

Thomas I. House

Signature of Service Provider and License #
[Thomas Hampton, OS0024597 / MP0000349]



EFFECTIVE DATE

EXPIRED DATE

^{*}The effective date of this initial maintenance contract shall be the date license to operate is issued.

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	March 14, 2025	-
Site Location:	DEER RI	VER, PHASE 2, LOT 161R
Proposed Excavation Depth:	N/A	
Requirements:		
		e, at opposite ends of the proposed disposal area.
Locations of soil boring of	or dug pits must be shown on the	site drawing.
For subsurface disposal,	soil evaluations must be perform	ed to a depth of at least two feet below the
proposed everyation dent	th For curface disposal the surfa	ga horizon muct ha avaluated

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

SOIL BORING	NUMBER SUR	FACE EVALUAT	ION			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0 1	III	CLAY LOAM	N/A	NONE OBSERVED	LIMESTONE @ 6"	BROWN
3						
4						
5						

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0	SAME		AS		ABOVE	
2	-					
3	_					
4	-					
5						

]	I certify that the findings of this report are based on my field observations and a	are accurate	to
1	the best of my ability.		

Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

Date

OSSF SOIL EVALUATION REPORT INFORMATION


Date: March 17, 2025		
Applicant Information:		
	Site Evaluator Inf	ormation:
Name: PORFIDIO & ERICA C. SERRANO	Name: Greg W. Jo	hnson, P.E., R.S., S.E. 11561
	City: New Braun	fels State: Texas
Zip Code: /80/0 Phone: (830) 822-3169	Zip Code: <u>78132</u>	Phone & Fax (830)905-27/8
Property Location: Lot 161R Unit 2 Blk Subd. DEER RIVER		
Site Evaluator Information: Site Evaluator Information: Name: Greg W. Johnson, P.E., R.S., S.E., 1156 Address: 7918 PRONGHORN DRIVE Y. SPRING BRANCH State: TEXAS City: New Braunfels City: New Braunfels State: Texas		
	Name: Greg W. Johnson, P.E., R.S., S.E. 11561	
Additional Info.:	City:	State:
	Zip Code:	Phone
Topography: Slope within proposed disposal area:	6 to 8 %	
Presence of 100 yr. Flood Zone: Existing or proposed water well in nearby area. Presence of adjacent ponds, streams, water impoundments Presence of upper water shed Organized sewage service available to lot	YES NO X YES NO X YES NO X	
Design Calculations for Aerobic Treatment with S	pray Irrigation:	
Commercial		
Residential Water conserving fixtures to be utilized? Number of Bedrooms the septic system is sized for: Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction Q = (+1)*75-(20%)=	Total sq. ft. in for water conserving NOTE: PERV DROP @ G.P.D. G.P.D. G.P.D. G.P.D. TIMED TO DOSE IN Gal/inch. flow. al Air Pump malfunct D MAINTAINED W. L. N BEING A REGISTE HAPTER 285, SUBCHA	living area
	PROFIES	EGISTERE


NOTE: EXISTING SEPTIC TANK TO BE PUMPED, CRUSHED AND BACK FILLED. EXISTING SEPTIC SYSTEM

RECEIVED

By Brandon Olvera at 1:29 pm, May 20, 2025

#118532





NuWater B-550 (600 GPD) **Aerobic Treatment Plant (Assembled)**

Model: B-550-PC-400PT

By: A.S.

Scale: * All Dimensions subject to allowable specification

Dwg. #: ADV-B550-3



Advantage Wastewater Solutions IIc. 444 A Old Hwy No 9 Comfort, TX 78013 830-995-3189 fax 830-995-4051


TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks




TYPICAL PUMP TANK CONFIGURATION NU-WATER 550PC -400PT 768 GAL PUMP TANK



Environmental Series Pumps

Thermoplastic Performance


Nozzle	PSI	Radius	GPM	
#1	30	22'	1.5	- Ki
	40	24'	1.7	1.7
	50	26'	1.8	Dan
	60	28'	2.0	1170
#3	30	29'	3.0	
	40	32"	3.1	*
	50	35'	3.5	- / `
	60	37'	3.8	
#4	30	31'	3.4	
	40	34'	3.9	
	50	37'	4.4	
	60	38'	4.7	
#6	40	38'	6.5	_
	50	40'	7.3	
	60	42'	8.0	
	70	44'	8.6	



Thermoplastic Units Ordering Information

1/2 - 1.5 HP Single-Phase Units							
Order No.	Model	GPM	HP	Volt	Wire	Wt.	
94741005	10FE05P4-2W115	10	1/2	115	2	24	
94741010	10FE05P4-2W230	10	1/2	230	2	24	
94741015	10FE07P4-2W230	10	3/4	230	2	28	
94741020	10FE1P4-2W230	10	1	230	2	31	
94741025	10FE15P4-2W230	10	1.5	230	2	46	
94742005	20FE05P4-2W115	20	1/2	115	2	25	
94742010	20FE05P4-2W230	20	1/2	230	2	25	
94742015	20FE07P4-2W230	20	3/4	230	2	28	
94742020	20FE1P4-2W230	20	1	230	2	31	
94742025	20FE15P4-2W230	20	1.5	230	2	40	

Thermoplastic 1/2 - 2 HP Pump Ends							
Order No.	Model	GPM	HP	Volt	Wire	Wt.	
94751005	10FE05P4-PE	10	1/2	N/A	N/A	6	
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7	
94751015	10FE1P4-PE	10	1	N/A	N/A	8	
94751020	10FE15P4-PE	10	1.5	N/A	N/A	12	
94752005	20FE05P4-PE	20	1/2	N/A	N/A	6	
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7	
94752015	20FE1P4-PE	20	1	N/A	N/A	8	
94752020	20FE15P4-PE	20	1.5	N/A	N/A	10	
94752025	20FE2P4-PE	20	2	N/A	N/A	11	



EDWIN ALBERT CHRISTMAN

TO

PORFIDIO SERRANO and ERICA C. SERRANO

224-1012

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

WARRANTY DEED

THE STATE OF TEXAS

§ §

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF COMAL

8

THAT EDWIN A. CHRISTMAN aka EDWIN ALBERT CHRISTMAN ("Grantor"), a single person, for and in consideration of the sum of TEN AND NO/100 (\$10.00) DOLLARS and other valuable consideration to the undersigned paid by the Grantee herein named, the receipt of which is hereby acknowledged, have GRANTED, SOLD AND CONVEYED, and by these presents do GRANT, SELL AND CONVEY unto PORFIDIO SERRANO and ERICA C. SERRANO ("Grantee"), whose address is 86 Jana Lane, Spring Branch, TX 78070, all of the following described real property ("Property") in Comal County, Texas, to-wit:

Lot No. 161R, Deer River, Phase 2, a subdivision in Comal County, Texas, according to the map or plat of record in Volume 9, Page 92, Deed Records of Comal County, Texas.

Together with all and singular the tenements, hereditaments, easements, rights, privileges and appurtenances thereunto belonging or in anywise appertaining, the reversion and reversions, remainder and remainders, rents, issues, and profits thereof; and all estate, right and interest in and to the Property, as well in law as in equity, including, without limitation, all Grantor's right, title and interest in and to any minerals (except as may be herein reserved unto Grantor), utilities, adjacent streets, alleys, strips, gores and rights of way and Grantor's rights in all license and permits relating to the Property (individually and collectively, the "Appurtenances").

c:\hct.wd.christman 8-29-24 Warranty Deed - Page 1 Property taxes for the current year have been prorated and are assumed by Grantee.

This conveyance is made and accepted subject to the following exceptions ("Exceptions"), to the extent the Exceptions are valid and subsisting and affect the property herein conveyed, and without waiving rights or defenses relating to any such Exceptions and without ratifying, creating or reviving any such Exceptions:

- 1. Restrictive covenants recorded at Volume 552, Pages 649-653, Official Public Records of Comal County, Texas; Register No. 201706015188, Official Public Records of Comal County, Texas.
- 2. Building setback lines and Utility easement as shown on the plat of record in Volume 9, Page 92, Deed Records of Comal County, Texas.
- 3. Water line easement as described in Volume 552, Pages 649-653, Deed Records of Comal County, Texas.
- 4. Electric Utility easement executed by Deed River, Inc., Lee R. Roper to Pedernales Electric Cooperative, Inc., dated October 13, 1987, recorded in Volume 597, Pages 286-287, Deed Records of Comal County, Texas.
- 5. The following matters, all as shown on survey prepared by Christopher Jurica, Registered Professional Land Surveyor No. 6344, dated August 27, 2024:
 - a. Building setback line
 - b. Utility easement
 - c. Water line easement
 - d. Water meter
 - e. Overhead electric/communication
 - f. Meter pole
 - g. Protrusion of fence along the Southeast property line
- 6. Encroachment of Shed over Building Setback Line as shown on survey prepared by Christopher Jurica, Registered Professional Land Surveyor No. 6344, dated August 27, 2024.

Notwithstanding anything in this Deed to the contrary, the Exceptions shall only affect the Property to the extent that such Exceptions are valid and effective as of the date of this Deed and the mere reference to such Exceptions in this Deed shall not be deemed to impose, reimpose, or reinstate such Exceptions if such Exceptions are not valid and effective as of the date of this Deed, but only to

the extent any such Exceptions are valid and subsisting and affects the Property, and without waiving

rights or defenses relating to any such exception and without ratifying, creating or reviving any such

Exceptions.

TO HAVE AND TO HOLD the above described Property, together with all and singular the

rights and appurtenances thereto in anywise belonging, unto the said Grantee, their heirs, successors

and assigns forever, and the Grantor does hereby bind himself, his heirs, successors and assigns, to

WARRANT AND FOREVER DEFEND, subject to the foregoing exceptions, all and singular the said

Property unto the said Grantee, their heirs, successors and assigns, against every person whomsoever

lawfully claiming or to claim the same or any part thereof.

EXECUTED this day of August, 2024.

[END OF PAGE]

GRANTOR: Chilma by AtreAt IN Fud


EDWIN A. CHRISTMAN aka EDWIN ALBERT CHRISTMAN, by his Agent in Fact, JARED AUSTIN CHRISTMAN

THE STATE OF TEXAS

§

COUNTY OF BLANCO§

This instrument was acknowledged before me on this the day of August, 2024, by JARED AUSTIN CHRISTMAN, as Agent in Fact for EDWIN A. CHRISTMAN aka EDWIN ALBERT CHRISTMAN.



Notary Public in and for the State of Texas

Filed and Recorded
Official Public Records
Bobbie Koepp, County Clerk
Comal County, Texas
08/30/2024 11:50:54 AM
CHRISTY 4 Pages(s)
202406026386



