staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:		Address:				
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(G)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				


Inspector Notes:

AL.	Di-si	Δ	Citation	N-4	1,41,	2	2
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK If SingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1) (D)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
9	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
11	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume						
12	Installed						
	PUMP TANK Volume Installed						
13	AEROBIC TREATMENT UNIT Size						
14							
15	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
16	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				

	Surviva Autor Street								
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.		
19	DISPOSAL SYSTEM Drip Irrigation		285.33(c)(3)(A)-(F)						
20	DISPOSAL SYSTEM Soil Substitution		285.33(d)(4)						
	DISPOSAL SYSTEM Pumped Effluent		285.33(a)(4) 285.33(a)(3) 285.33(a)(1) 285.33(a)(2)						
22	DISPOSAL SYSTEM Gravelless Pipe		285.33(a)(3) 285.33(a)(2) 285.33(a)(4) 285.33(a)(1)						
	DISPOSAL SYSTEM Mound		285.33(a)(3) 285.33(a)(1) 285.33(a)(2) 285.33(a)(4)						
24	DISPOSAL SYSTEM Other (describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)						
	DRAINFIELD Absorptive Drainline 3" PVC or 4" PVC								
26	DRAINFIELD Area Installed								
27	DRAINFIELD Level to within 1 inch per 25 feet and within 3 inches over entire excavation		285.33(b)(1)(A)(v)						
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth DRAINFIELD Excavation Separation DRAINFIELD Depth of Porous Media DRAINFIELD Type of Porous Media								
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)						
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.)		285.33(c)(2)						
31	LOW PRESSURE DISPOSAL SYSTEM Adequate Trench Length & Width, and Adequate Separation Distance between Trenches		285.33(d)(1)(C)(i)						

No.	Docorintian	Answer	Citations	Notes	1ct lease	2nd Inco	2rd Inco
NO.	Description EFFLUENT DISPOSAL SYSTEM Utilized	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	1						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
40	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(ii) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
41	ADDUCATION ADDA Average tradellar						
42	APPLICATION AREA Area Installed						
43	PUMP TANK Meets Minimum Reserve Capacity Requirements						
44	PUMP TANK Material Type & Manufacturer						
45	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 118540

Issued This Date: 05/06/2025

This permit is hereby given to: ACH HOMES, LLC

To start construction of a private, on-site sewage facility located at:

379 TOYE BLVD

CANYON LAKE, TX 78133

Subdivision: CLEAR WATER ESTATES

Unit: 1

Lot: 39B

Block: 0

Acreage: 0.5300

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and County requirements.

Call (830) 608-2090 to schedule inspections.





OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

118540

Date Received Initials Permit Number

		Date Rece	eivea	INITIAIS	Permit Number
Plac	uctions: e a check mark next to all items that apply. For items cklist <u>must</u> accompany the completed application.	s that do not ap	ply, place	e "N/A". This	OSSF Development Application
oss	F Permit				
X	Completed Application for Permit for Authorization to	o Construct an	On-Site S	Sewage Fac	cility and License to Operate
\times	Site/Soil Evaluation Completed by a Certified Site Ev	valuator or a Pi	ofession	al Engineer	
\times	Planning Materials of the OSSF as Required by the of a scaled design and all system specifications.	TCEQ Rules fo	or OSSF	Chapter 28	5. Planning Materials shall consist
X	Required Permit Fee - See Attached Fee Schedule				
\times	Copy of Recorded Deed				
X	Surface Application/Aerobic Treatment System				
	Recorded Certification of OSSF Requiring Ma	intenance/Affid	avit to th	e Public	
	Signed Maintenance Contract with Effective D	ate as Issuanc	e of Lice	nse to Oper	ate
	irm that I have provided all information required fo stitutes a completed OSSF Development Applicat		evelopm	ent Applic	ation and that this application
	By Wal			04/	09/2025
	Signature of Applicant				Date
	COMPLETE APPLICATION Check No Receipt No	_	(Mis		LETE APPLICATION ircled, Application Refeused)
		<u>L</u>			

Revised: September 2019





ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090

WWW.CCEO.ORG

	nuary 16, 2025		Permit No	umber	118	3540	
1. APPLICANT /	AGENT INFORMATION						
Owner Name	ACH HOMES, LLC	Agent Name		GREG JO	HNSO	N. P.E.	
·-	1218 KIRBY	Agent Address					
-	KYLE TEXAS 78640	City, State, Zip					78132
Phone #	512-913-5350	Phone #			905-27		
- Email	americancustomhomes2020@gmail.com	Email	gr	egjohnson	pe@ya	ihoo.coi	m
2. LOCATION							
Subdivision Nam	e CLEAR WATER ESTATES		Jnit 1	Lot	39B	Bloc	ck
	bstract Number	_	-		reage		
	379 TOYE BLVD		ON LAKE		177	Zip	78133
3. TYPE OF DEV			JI DI III D	_			70133
	ily Residential						
	onstruction (House, Mobile, RV, Etc.)	HOUSE					
	Bedrooms 4	110000					
	Ft of Living Area 2241						
	Family Residential						
	aterials must show adequate land area for doubling	the required land nee	eded for treatm	ent units s	and dier	oneal ar	22)
	cility		aca for trouti	ioni annis e	ina aisp	osai ait	sa)
	actories, Churches, Schools, Parks, Etc Indica		unants				
	ts, Lounges, Theaters - Indicate Number of Sea						
	el, Hospital, Nursing Home - Indicate Number o						
	law/DV/ Dawles - Indianta Noveles of Ourses						
Miscellane							
	ous						-
Estimated Cos	t of Construction: \$ 450,000	(Structure Only)					
	of the proposed OSSF located in the United Sta	•••	Fengineers (IISACE) f	lowoa		nont?
	No (If yes, owner must provide approval from USACE for						
	Private Well Rainwater		vements within	THE USACE	nowagi	e easeme	ent)
4. SIGNATURE		Odlection					
By signing this applead applea	lication, I certify that: oplication and all additional information submitted do t I am the property owner or I possess the appropria	es not contain any fa te land rights necess	lse information ary to make th	n and does e permitte	not co d impro	nceal an	ny material s on said
 site/soil evaluation I understand that by the Comal Count 	ereby given to the permitting authority and designate n and inspection of private sewage facilities a permit of authorization to construct will not be issuunty Flood Damage Prevention Order.	ed until the Floodpla	in Administrato	or has perf	ormed t	he revie	ws required
- I allimatively con	sent to the online posting/public release of my e-mai	address associated	with this perm	nt applicati •	on, as	applicab	le.
Me	<u></u>	_ 04	101/25		_		
aggrature of O	wner	Date ν	•				Page 1 of



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 <u>WWW CCEO ORG</u>

Planning Materials & Site Eval	uation as Required C	Completed By	GREG W. JOHNSON	N, P.E.
System Description	PROPRIETARY;	AEROBIC TREA	MENT AND SURFACE IRRIG	ATION
Size of Septic System Require	d Based on Planning	Materials & Soil Ev	aluation	
Tank Size(s) (Gallons)	MAXX AI	R M600	Absorption/Application Area	(Sq Ft) 4825
Gallons Per Day (As Per TCEQ	Table 111)	300		
(Sites generating more than 5000	gallons per day are req	uired to obtain a perm	it through TCEQ.)	
Is the property located over the	_		3	
(if yes, the planning materials mus	it be completed by a Re	egistered Sanıtarıan (F	.S.) or Professional Engineer (P.E.))	
Is there an existing TCEQ app	roved WPAP for the p	property? Yes	No No	
(if yes, the R.S. or P.E. shall certif	y that the OSSF design	complies with all pro-	risions of the existing WPAP.)	
Is there at least one acre per s	ingle family dwelling	as per 285.40(c)(1)	Yes No	
If there is no existing WPAP, d	oes the proposed de	velopment activity r	equire a TCEQ approved WPAP?	Yes No
			rovisions of the proposed WPAP. A Poby the appropriate regional office.)	ermit to Construct will not
Is the property located over the	e Edwards Contributii	ng Zone? X Yes	No	
Is there an existing TCEQ app	roval CZP for the pro	perty? TYes	No No	
(if yes, the P.E. or R.S. shall certif	y that the OSSF design	complies with all prov	isions of the existing CZP.)	
If there is no existing CZP, doe	es the proposed deve	elopment activity req	uire a TCEQ approved CZP?	Yes 🛛 No
(if yes, the R.S. or P.E. shall certifies issued for the proposed OSSF un			rovisions of the proposed CZP. A Peri late reg	mit to Construct will not be
Is this property within an incorp	oorated city?	es 🛛 No	Start Action	
If yes, indicate the city:			GREG W. JOHNSON	
			ON CONTERE	FIRM #2585
By signing this application, I cer	tify that:			
- The information provided above	ve is true and correct to	the best of my knowle	edge.	
- I affirmatively consent to the c	online posting/public rela	ease of my e-mail add	ress associated with this permit applic	ation, as applicable.
_/ Y // /)			January 17, 2025	
Signature of Designer		Dat	9	

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

1

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

П

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

1	UNIT PHASE/SECTION	BLOCK39	B_L	ОТ	CLEAR WA	ATER ESTATES	SUBDIVISION
if i	NOT IN SUBDIVISION:	ACREAGE _					SURVEY
	The property is owned by (in	nsert owner's ful	l name)	:	ACH HOMES, L	LC, a Texas limited liab	ility company
	This OSSF must be covered the initial two-year service p residence shall either obtain personally.	olicy, the owner	of an ae	robic	reatment system	for a single family	•
	Upon sale or transfer of the transferred to the buyer or to obtained from the Comal Co	new owner. A cop ounty Engineer's C	y of the office.	plan	ning materials fo	SSF shall be or the OSSF can be	
	WITNESS BY HAND(S) ON	THISDA	Y OF	A	PHL	,20_25	
	4 Am			PE	REA JARAMILI	O - MANAGER	
	Owner(s) signature(s)		•	Owner	(s) Printed name (s))	_
	PEREA JARAMILLO	SWOR	N TO A	ND S	UBSCRIBED BE	FORE ME ON THIS	/ DAY OF
	APMI Notary Public Signs	_,20_25_			Filed and Official F Bobbie K Comal Co	Recorded Public Records Coepp, County County, Texas	Clerk
	GREG W. JOHNSON Notary Public, State of To Comm. Expires 05-17-24 Notary ID 124218310	1028 1026				25 11:27:59 AN 1 Pages(s) 19751	1
					@ B	obbie Koep	p

WASTEWATER TREATMENT FACILITY MONITORING AGREEMENT

Regulatory Authority COMAL	Permit/License Number
Block Creek Aerobic Services, LLC	Customer ACH HOMES, LLC
444 A Old Hwy #9	Site Address 379 TOYE BLVD
Comfort, TX 78013	City CANYON LAKE Zip 78133
Off. (830) 995-3189	Mailing Address
Fax. (830) 995-4051	County COMAL Map # CCEO 19, F8
CLEAR WATER BETATES UNIT 1, LOT 39B	Phone 512-913-5350
CIENK MULLISONILES	Email americancustomhomess2020@gmail.com

I. General: This Work for Hire Agreement (hereinafter referred to as "Agreement") is entered into by and between ACH HOMES, LLC (hereinafter referred to as "Customer") and Block Creek Aerobic Services, LLC. By this agreement, Block Creek Aerobic Services, LLC and its employees (hereinafter inclusively referred to as "Contractor") agree to render services at the site address stated above, as described herein, and the Customer agrees to fulfill his/her/their responsibilities, as described herein.

II. Effective Date:

This Agreement commences on LTO

and ends on

for a total of two (2) years (initial agreement) or one (1) year (thereafter). If this is an initial agreement (new installation), the Customer shall notify the Contractor within two (2) business days of the system's first use to establish the date of commencement. If no notification is received by Contractor within ninety (90) days after completion of installation or where county authority mandates, the date of commencement will be the date the "License to operate" (Notice of Approval) was issued by the permitting authority. This agreement may or may not commence at the same time as any warranty period of installed equipment, but in no case shall it extend the specified warranty.

III. Termination of Agreement:

This Agreement may be terminated by either party for any reason, including for example, substantial failure of either party to perform in accordance with the terms of this Agreement, without fault or liability of the terminating party. The terminating party must provide written notice to the non-terminating party thirty (30) days prior to the termination of this Agreement. If this Agreement is terminated, Contractor will be paid at the rate of \$75.00 per hour for any work performed and for which compensation has not been received. After the deduction of all outstanding charges, any remaining monies from prepayment for services will be refunded to customer within thirty (30) days of termination of this Agreement. Either party terminating this Agreement for any reason, including non-renewal, shall notify in writing the equipment manufacturer and the appropriate regulatory agency a minimum of thirty (30) days prior to the date of such termination. Nonpayment of any kind shall be considered breach of contract and a termination of contract.

IV. Services:

Contractor will:

- a. Inspect and perform routine upkeep on the On-Site Sewage Facility (hereinafter referred to as OSSF) as recommended by the treatment system manufacturer, and required by state and/or local regulation, for a total of three visits to site per year. The list of items checked at each visit shall be the: control panel, Electrical circuits, timer, Aeration including compressor and diffusers, CFM/PSI measured, lids safety pans, pump, compressor, sludge levels, and anything else required as per the manufacturer.
- b. Provide a written record of visits to the site by means of an inspection tag attached to or contained in the control panel.
- c. Repair or replace, if Contractor has the necessary materials at site, any component of the OSSF found to be failing or inoperative during the course of a routine monitoring visit. If such services are not covered by warranty, and the service(s) cost less than \$100.00, Customer hereby authorizes Contractor to perform the service(s) and bill Customer for said service(s). When service costs are greater than \$100.00, or if contractor does not have the necessary supplies at the site, Contractor will notify Customer of the required service(s) and the associated cost(s). Customer must notify Contractor of arrangements to affect repair of system with in two (2) business days after said notification.
- d. Provide sample collection and laboratory testing of TSS and BOD on a yearly basis (commercial systems only).
 - e. Forward copies of this Agreement and all reports to the regulatory agency and the Customer.
- f. Visit site in response to Customer's request for unscheduled services within forty-eight (48) hours of the date of notification (weekends and holidays excluded) of said request. Unless otherwise covered by warranty, costs for such unscheduled responses will be billed to Customer.

V. Disinfection:

C copyright

RC

Customer's Initials

Not required: X required. The responsibility to maintain the disinfection device(s) and provide any necessary chemicals is that of the Customer.

VI. Electronic Monitoring:

Electronic Monitoring is not included in this Agreement.

VII. Performance of Agreement:

Commencement of performance by Contractor under this Agreement is contingent on the following conditions:

- a. If this is an initial Agreement (new installation):
- Contractor's receipt of a fully executed original copy or facsimile of this agreement and all documentation requested by Contractor.

If the above conditions are not met, Contractor is not obligated to perform any portion of this Agreement.

VIII. Customer's Responsibilities:

The customer is responsible for each and all of the following:

- a. Provide all necessary yard or lawn maintenance and removal of all obstacles, including but not limited to dogs and other animals, vehicles, trees, brush, trash, or debris, as needed to allow the OSSF to function properly, and to allow Contractor safe and easy access to all parts of the OSSF.
 - b. Protect equipment from physical damage including but not limited to that damage caused by insects.
- c. Maintain a current license to operate, and abide by the conditions and limitations of that license, and all requirements for and OSSF from the State and/or local regulatory agency, whichever requirements are more stringent, as well as the proprietary system's manufacturer recommendations.
- d. Notify Contactor immediately of any and all alarms, and/or any and all problems with, including failure of, the OSSF.
- e. Provide, upon request by Contractor, water usage records for the OSSF so that the Contractor can perform a proper evaluation of the performance of the OSSF.
- f. Allow for samples at both the inlet and outlet of the OSSF to be obtained by Contractor for the purpose of evaluating the OSSF's performance. If these samples are taken to a laboratory for testing, with the exception of the service provided under Section IV (d) above, Customer agrees to pay Contractor for the sample collection and transportation, portal to portal, at a rate of \$35.00 per hour, plus the associated fees for laboratory testing.
 - g. Prevent the backwash or flushing of water treatment or conditioning equipment from entering the OSSF.
- h. Prevent the condensation from air conditioning or refrigeration units, or the drains of icemakers, from hydraulically overloading the aerobic treatment units. Drain lines may discharge into the surface application pump tank if approved by system designer.
- i. Provide for pumping and cleaning of tanks and treatment units, when and as recommended by Contactor, at Customer's expense.
 - j. Maintain site drainage to prevent adverse effects on the OSSF.
 - k. Pay promptly and fully, all Contractor's fees, bills, or invoices as described herein.

IX. Access by Contractor:

Contractor is hereby granted an easement to the OSSF for the purpose of performing services described herein. Contractor may enter the property during Contractor's normal business hours and/or other reasonable hours without prior notice to Customer to perform the Services and/or repairs described herein. Contractor shall have access to the OSSF electrical and physical components. Tanks and treatment units shall be accessible by means of man ways, or risers and removable covers, for the purpose of evaluation as required by State and/or local rules and the proprietary system manufacturer. It is Customers responsibility to keep lids exposed and accessible at all times.

X. Limit of Liability:

Contractor shall not be held liable for any incidental, consequential, or special damages, or for economic loss due to expense, or for loss of profits or income, or loss of use to Customer, whether in contract tort or any other theory. In no event shall Contractor be liable in an amount exceeding the total Fee for Services amount paid by Customer under this Agreement.

XI. Indemnification:

Customer (whether one or more) shall and does hereby agree to indemnify, hold harmless and defend Contractor and each of its successors, assigns, heirs, legal representatives, devisees, employees, agents and/or counsel (collectively "Indemnitees") from and against any and all liabilities, claims, damages, losses, liens, causes of action, suits, fines, judgments and other expenses (including, but not limited to, attorneys' fees and expenses and costs of investigation), of any kind, nature or description, (hereinafter collectively referred to as "Liabilities") arising out of, caused by, or resulting, in whole or in part, from this Agreement.

copyright all rights reserved

RC

Customer's Initials all rights reserved Contractor's Initials

THIS INDEMNITIFCATION APPLIES EVEN IF SUCH LIABILITIES ARE CAUSED BY THE CONCURRENT OR CONTRIBUTORY NEGLIGENCE OR BY THE STRICT LIABILITY OF ANY INDEMNITEE.

Customer hereby waives its right of recourse as to any Indemnitee when Indemnification applies, and Customer shall require its insurer(s) to waive its/their right of subrogation to the extent such action is required to render such waiver of subrogation effective. Customer shall be subrogated to Indemnitees with respect to all rights Indemnitees may have against third parties with respect to matters as to which Customer provides indemnity and/or defense to Indemnitees. No Indemnification is provided to Indemnitees when the liability or loss results from (1) the sole responsibility of such Indemnitee; or, (2) the willful misconduct of such Indemnitee. Upon irrevocable acceptance of this Indemnification obligation, Customer, in its sole discretion, shall select and pay counsel to defend Indemnitees of and from any action that is subject to this Indemnification provision. Indemnitees hereby covenant not to compromise or settle any claim or cause of action for which Customer has provided Indemnification without the consent of Customer.

XII. Severability:

If any provision of the "Proposal and Contract" shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of the "Agreement" is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

XIII. Fee for Services:

The Fee for Services does not include any fees for equipment, material, labor necessary for non-warranty repairs, unscheduled inspections, or Customer requested visits to the site.

XIV. Payment

Full payment is due upon execution of this Agreement (Required of new Customer). For any other service(s) or repair(s) provided by Contractor the Customer shall pay the invoice(s) for said service(s) or repair(s) within thirty (30) days of the invoice date. The Contractor shall mail all invoices on the date of invoice. All payments not received within thirty (30) days from the invoice date will be subject to a \$29.00 late penalty and a 1.5% per month carrying charge, as well as any reasonable attorney's fees, and all collection and court costs incurred by Contractor in collection of unpaid debt(s). Contractor may terminate contract at any time for nonpayment for services. Any check returned to Contractor for any reason will be assessed a \$30.00 return check fee.

XV. Application or Transfer of payment:

The fees paid for this agreement may be transferred to subsequent property owner(s); however, this Agreement is not transferable. Customer shall advise the subsequent property owner(s) of the State requirement that they sign a replacement agreement authorizing Contractor to perform the herein described Services, and accepting Customer's Responsibilities. This replacement Agreement must be signed and received in Contractor's offices within ten (10) business days of date of transfer of property ownership. Contractor will apply all funds received from Customer first to any past due obligation arising from this Agreement including late fees or penalties, return check fees, and/or charges for services or repairs not paid within thirty (30) days of invoice date. Any remaining monies shall be applied to the funding of the replacement Agreement. The consumption of funds in this manner may cause a reduction in the termination date of effective coverage per this Agreement. See Section IV.

XVI. Entire Agreement:

This agreement contains the entire Agreement of the parties, and there are no other conditions in any other agreement, oral on written.

Rudy Carson

Block Creek Aerobic Services, LLC,

Contractor MP# 0002036 Customer Signature

Date

Copyright

Customer's Initials

Contractor's Initials

RC

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	January 16, 2025		
Site Location:	CLEAR WATER	ESTATES, UNIT 1, LOT 39B	
Proposed Excavation Depth:	N/A		
Requirements: At least two soil excavation	ns must be performed on the site,	at opposite ends of the proposed disposal area.	

Locations of soil boring or dug pits must be shown on the site drawing.

For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. For surface disposal, the surface horizon must be evaluated.

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

Depth Texture (Feet) Class		Soil Gravel Texture Analysis		Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations	
8"	III	CLAY LOAM	N/A	NONE OBSERVED	LIMESTONE @ 8"	BROWN	
2	-						
3	=						
4	4						
5	_						

SOIL BORING	NUMBER SURI	FACE EVALUAT	ION_			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0	SAME		AS		ABOVE	
3						
4						
5						

Date

I certify that the findings of this report are based	on my field observations and are accurate to
the best of my ability.	
$\wedge \sim /$. (1)
	01/16/25

Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

OSSF SOIL EVALUATION REPORT INFORMATION

Date: January 17, 2025 Applicant Information: Site Evaluator Information: Name: ACH HOMES, LLC. Name: Greg W. Johnson, P.E., R.S., S.E. 11561 **1218 KIRBY** Address: Address: 170 Hollow Oak City: KYLE State: **TEXAS** City: New Braunfels State: Texas Phone: (512) 913-5350 Zip Code: 78132 Phone & Fax (830)905-2778 **Property Location:** Installer Information: Lot 39B Unit 1 Blk Subd. CLEAR WATER ESTATES Name: Street Address: 379 TOYE BLVD. Company:_____ City: CANYON LAKE Zip Code: 78133 Address:_____ City:_____ State:____ Additional Info.: Zip Code: Phone Topography: Slope within proposed disposal area: % 3 Presence of 100 yr. Flood Zone: NO X YES Existing or proposed water well in nearby area. YES NO X Presence of adjacent ponds, streams, water impoundments YES NO X Presence of upper water shed YES___ NO X Organized sewage service available to lot YES NO X Design Calculations for Aerobic Treatment with Spray Irrigation: Commercial O = _____ GPD ____ Residential Water conserving fixtures to be utilized? Yes X No Number of Bedrooms the septic system is sized for: ____4 __ Total sq. ft. living area_____ 2241 Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction for water conserving fixtures) Q = (4 +1)*75-(20%)=300 Trash Tank Size _____ 353 ____ Gal. TCEQ Approved Aerobic Plant Size 600 G.P.D. Req'd Application Area = Q/Ri = 300 / 0.064 = Application Area Utilized = 4825 sq. ft. Pump Requirement _____ Psi (Redjacket 0.5 HP 18 G.P.M. series or equivalent) Dosing Cycle: ____ON DEMAND or __ X TIMED TO DOSE IN PREDAWN HOURS Pump Tank Size = 768 Gal. 14.5 Gal/inch. Reserve Requirement = 100 Gal. 1/3 day flow. Alarms: Audible & Visual High Water Alarm & Visual Air Pump malfunction With Chlorinator NSF/TCEQ APPROVED SCH-40 or SDR-26 3" or 4" sewer line to tank Two way cleanout Pop-up rotary sprinkler heads w/ purple non-potable lids 1" Sch-40 PVC discharge manifold APPLICATION AREA SHOULD BE SEEDED AND MAINTAINED WITH VEGETATION. EXPOSED ROCK WILL BE COVERED WITH SOIL. I HAVE PERFORMED A THOROUGH INVESTIGATION BEING A REGISTERED PROFESSIONAL ENGINEER AND SITE EVALUATOR IN ACCORDANCE WITH CHAPTER 285, SUBCHAPTER D, §285.30, & §285.40 (REGARDING RECHARGE FEATURES), TEXAS COMMISSION OF ENVIRONMENTAL QUALITY (EFFECTIVE DECEMBER 29, 2016)

FIRM #2585

Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

January 17, 2025

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

Septic Design RE-379 TOYE BLVD CLEAR WATER ESTATES, UNIT 1, LOT 39B CANYON LAKE, TX 78133 ACH HOMES, LLC

Brandon/Brenda,

Due to the lack of available application area it is necessary to have the setback from the property line to the spray at ten feet as required by TCEQ Chapter 285 rules Table X. I hereby request a variance to the twenty foot setback to property lines as required by Comal County Order and equivalent protection will be maintained by including a battery backup to the timer clock to assure sprayers to only spray during the predawn hours. In my professional opinion this variance will not pose a threat to the environment or public health.


If I can be of further assistance please contact me.

Respectfully yours,

January 17, 2025


Greg W. Johnson, P.E., F#2585

Date



GENERAL NOTES:

- 1. Plant structure material to be precast concrete and steel.
- 2. Weight = 14,900 lbs.
- Treatment capacity is 600 GPD. BOD Loading = 1.62 lbs. per day.
- Standard tablet chlorinator or Optional Liquid chlorinator. NSF approved chlorinators (tablet & liquid) available.
- 5. Control Center w/ Timer for night spray application. .
- 20" Ø acess riser w/ lid (Typical 4). Optional extension risers available.
- 8. 20 GPM 1/2 HP, high head effluent pump.
- 9. Air Compressor w/ concrete housing.
- 10. 1/2" Sch. 40 PVC Air Line (Max. 50 Lft from Plant).
- 1" Sch. 40 PVC pipe to distribution system provided by contractor.




DIMENSIONS:

Outside Height: 67" Outside Width: 63" Outside Length: 164"

MINIMUM EXCAVATION DIMENSIONS:

Width: 76" Length: 176"



Maxx Air M-600 (600 GPD)
Aerobic Treatment Plant (Assembled)

Dec, 2013 By: A.S.

Scale:

 All Dimensions subject to allowable specification tolerances.

Dwg. #: ADV-B550-3



Advantage Wastewater Solutions IIc. 444 A Old Hwy No 9 Comfort, TX 78013 830-995-3189 fax 830-995-4051


TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks



TYPICAL PUMP TANK CONFIGURATION MAXX AIR M600 768 GAL PUMP TANK

CISTERN PUMPS

CPM Series

Ashland Pump - CPM Series

The Ashland Pump CPM Series is designed to operate in filtered effluent/gray water applications. The bottom suction design allows for maximum drawdown of fluid and the hydraulic stages are able to pass 1/8" solids without damage to the pump.

Installations in cistern tanks, rain basin catchments or anywhere drawdown levels need to be maximized are ideal applications for the Ashland Pump CPM Series.

APPLICATIONS

- Filtered Effluent Water Pumping
- Gray Water Pumping
- · Water Feature / Aeration Applications
- Rain Water Basin Applications

FEATURES


- Bottom suction design for maximum drawdown
- Able to pass 1/8" solids
- Available in 10, 20 and 30 GPM flow rates
- ½ HP, 115V and 230V single phase motors
- Heavy duty discharge with stainless steel internal threads
- · 600 Volt, 10' SJ00W jacketed lead
- · High shut-off pressure
- Quiet operation
- · Standard removable base for stable mounting

ORDERING INFORMATION

CPM SERIES CISTERN PUMP								
Model/Order No.	GPM	HP	Voltage/Ph.	Stage Count	Length (in.)	Shipping Wt. (lbs.)		
10CPM5-115	10		115/1	7	26	17		
10CPM5-230	10		230/1	7	26	17		
20CPM5-115	20		115/1	5	25	16		
20CPM5-230	20	1/2	230/1	5	25	16		
20+CPM5-115	20+	1"-	115/1	6	26	17		
20+CPM5-230	20+		230/1	6	26	17		
30CPM5-115	30		115/1	4	25	16		
30CPM5-230	30		230/1	4	25	16		



ASHLAND PUMP CPM SERIES CISTERN PUMP PERFORMANCE





Low Angle Performance Data

PRESSURE			RADIUS		FLOW RATE		
		Bars	Ft.	M.	GPM		M ₃ /H
-	Column Street, Square,	2.1	22	6.7			.27
		2.8	24	7.3			.39
			26	7.9	1.8		.41
			28	8.5	2.0	Annual property and the	.45
The second liverage and the se	The second second	and have been sent to be desired.	29	8.8	3.0		.68
				9.8	3.1		.70
			35	10.7	3.5		.80
			37	11.3	3.8	14.4	.86
AND REAL PROPERTY.		and the second second second	31	9.4	3.4	12.9	.77
				10.4	3.9		.89
			37	11.3	4.4		1.00
			38	11.6	4.7	-	1.07
		and the second second	38	11.6	6.5	24.6	1.48
				12.2	7.3	27.7	1.66
				12.8	8.0	30.3	1.82
			44	13.4	8.6	32.6	1.96
	PRE- PSI 30 40 50 60 30 40 50 60 40 50 60 70	PSI kPa 30 207 40 276 50 345 60 414 30 207 40 276 50 345 60 414 30 207 40 276 50 345 60 414 40 275 50 3446 60 413	30 207 2.1 40 276 2.8 50 345 3.4 60 414 4.1 30 207 2.1 40 276 2.8 50 345 3.4 60 414 4.1 30 207 2.1 40 276 2.8 50 345 3.4 60 414 4.1 40 275 2.8 50 344 3.4 60 413 4.1	PSI KPa Bars Ft. 30 207 2.1 22 40 276 2.8 24 50 345 3.4 26 60 414 4.1 28 30 207 2.1 29 40 276 2.8 32 50 345 3.4 35 60 414 4.1 37 30 207 2.1 31 40 276 2.8 34 50 345 3.4 37 60 414 4.1 38 40 275 2.8 38 50 345 3.4 37 60 414 4.1 38	PSI kPa Bars Ft. M. 30 207 2.1 22 6.7 40 276 2.8 24 7.3 50 345 3.4 26 7.9 60 414 4.1 28 8.5 30 207 2.1 29 8.8 40 276 2.8 32 9.8 50 345 3.4 35 10.7 60 414 4.1 37 11.3 30 207 2.1 31 9.4 40 276 2.8 34 10.4 50 345 3.4 37 11.3 60 414 4.1 38 11.6 40 275 2.8 38 11.6 50 344 3.4 40 12.2 60 413 4.1 42 12.8	PSI kPa Bars Ft. M. GPM 30 207 2.1 22 6.7 1.2 40 276 2.8 24 7.3 1.7 50 345 3.4 26 7.9 1.8 60 414 4.1 28 8.5 2.0 30 207 2.1 29 8.8 3.0 40 276 2.8 32 9.8 3.1 50 345 3.4 35 10.7 3.5 60 414 4.1 37 11.3 3.8 30 207 2.1 31 9.4 3.4 40 276 2.8 34 10.4 3.9 50 345 3.4 37 11.3 4.4 60 414 4.1 38 11.6 4.7 40 275 2.8 38 11.6 6.5 50 344 3.4 40 12.2 7.3 60 413 4.1 42 12.8 8.0	PSI kPa Bars Ft. M. GPM U/M 30 207 2.1 22 6.7 1.2 4.5 40 276 2.8 24 7.3 1.7 6.4 50 345 3.4 26 7.9 1.8 6.8 60 414 4.1 28 8.5 2.0 7.6 30 207 2.1 29 8.8 3.0 11.4 40 276 2.8 32 9.8 3.1 11.7 50 345 3.4 35 10.7 3.5 13.2 60 414 4.1 37 11.3 3.8 14.4 30 207 2.1 31 9.4 3.4 12.9 40 276 2.8 34 10.4 3.9 14.8 50 345 3.4 37 11.3 4.4 16.7 60 414 4.1 38 11.6 4.7 17.8 40 275 2.8 38 11.6 6.5 24.6 50 344 3.4 40 12.2 7.3 27.7 60 413 4.1 42 12.8 8.0 30.3

*All precipitation rates calculated for 180° operation. For the precipitation rate for a 36



PUMP

Honest, Professional, Dependable

1899 Cottage Street, Ashland, Ohio 44805

Telephone: 855 281-6830 • Fax: 877 326-1994 • ashlandpump.com

GF# 2477962

General Warranty Deed

Notice of confidentiality rights: If you are a natural person, you may remove or strike any or all of the following information from any instrument that transfers an interest in real property before it is filed for record in the public records: your Social Security number or your driver's license number.

Date:	November 15, 2024	
Grantor:	r: Dorothy Lillian Thompson, also sometimes incorrectly referred to as Doroth	y Lilian Thompson
Grantee:	e: ACH Homes, LLC	

Consideration: Ten and No/100ths (\$10.00) Dollars, and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged and confessed.

Property (including any improvements): Lot 39B, of CLEAR WATER ESTATES SUBDIVISION, UNIT 1, an addition in Comal County, Texas, according to the map or plat thereof recorded in/under Volume 6, Page 187, of the Map/Plat Records of Comal County, Texas.

Reservations from Conveyance: None.

Exceptions to Conveyance and Warranty: Validly existing easements, rights-of-way, and prescriptive rights, whether of record or not; all presently recorded and validly existing restrictions, reservations, covenants, conditions, oil and gas leases, mineral interests, and water interests outstanding in persons other than Grantor, and other instruments, other than conveyances of the surface fee estate, that affect the Property; validly existing rights of adjoining owners in any walls and fences situated on a common boundary; any discrepancies, conflicts, or shortages in area or boundary lines; any encroachments or overlapping of improvements; and taxes for the current year, which Grantee assumes and agrees to pay, and subsequent assessments for that and prior years due to change in land usage, ownership, or both, the payment of which Grantee assumes.

Grantor, for the Consideration and subject to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty, grants, sells, and conveys to Grantee the Property, together with all and singular the rights and appurtenances thereto in any way belonging, to have and to hold it to Grantee and Grantee's heirs, successors, and assigns forever. Grantor binds Grantor and Grantor's heirs and successors to warrant and forever defend all and singular the Property to Grantee and Grantee's heirs,

successors, and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, except as to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty.

When the context requires, singular nouns and pronouns include the plural.

Dorothy Lillian Thompson

THE STATE OF TEXAS

COUNTY OF MYCL

0000

This instrument was acknowledged before me on this 5 day of November, 2024, by Dorothy Lillian Thompson.

KRISTIN PERRY EDWARDS & Hotary Public, State of Texas & My Comm. Exp. 12-01-2024 & ID No. 12673916-3

Notary Public State of Texas

After Recording Return To: ACH Homes, LLC

1219 KIVDY

MU, TX 781240

Filed and Recorded
Official Public Records
Bobbie Koepp, County Clerk
Comal County, Texas
11/18/2024 02:32:14 PM
CHRISTY 2 Pages(s)
202406035202



