staller Name:	OSSF Installer #:	OSSF Installer #:			
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:			
Inspector Name:	Inspector Name:	Inspector Name:			

Perm	it#:		Address:				
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(A) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				


Inspector Notes:

N-	December 41	A mar	Citotiana	Net	1 at 1	2 m d 1	7 mal 1
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK IsingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
1	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
12							
	PUMP TANK Volume Installed						
1	AEROBIC TREATMENT UNIT Size Installed						
14							
	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
15	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				
18			203.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation	Allowei	Citations	Notes	13t 1113p.	Ziiu iiisp.	Sid ilisp.
	DIST COAL STOTENT DITP ITTIGATION		20E 22(a)(2)(A) (E)				
			285.33(c)(3)(A)-(F)				
19	DISPOSAL SYSTEM Soil						
20	Substitution		285.33(d)(4)				
20	DISPOSAL SYSTEM Pumped						
	Effluent		285.33(a)(4) 285.33(a)(3)				
			285.33(a)(1)				
21			285.33(a)(2)				
	DISPOSAL SYSTEM Gravelless Pipe						
	·		285.33(a)(3)				
			285.33(a)(2)				
			285.33(a)(4)				
22			285.33(a)(1)				
22	DISPOSAL SYSTEM Mound		205 22/ 1/51				
			285.33(a)(3) 285.33(a)(1)				
			285.33(a)(1) 285.33(a)(2)				
23			285.33(a)(4)				
23	DISPOSAL SYSTEM Other						
	(describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24			263.33(C)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC						
	or 4" PVC						
25							
	DRAINFIELD Area Installed						
26	DRAINFIELD Level to within 1 inch						
	per 25 feet and within 3 inches						
	over entire excavation		285.33(b)(1)(A)(v)				
27							
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth						
	DRAINFIELD Excavation Separation						
	DRAINFIELD Depth of Porous Media						
	DRAINFIELD Type of Porous Media						
28							
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
29			(-/\-/\-/				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End						
	Plates w/Splash Plate, Inspection						
	Port & Closed End Plates in Place		285.33(c)(2)				
	(per manufacturers spec.)						
30							
	LOW PRESSURE DISPOSAL						
	SYSTEM Adequate Trench Length						
	& Width, and Adequate Separation Distance between		285.33(d)(1)(C)(i)				
	Trenches						
31							

	O331 Hispection Sheet						
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
34	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
	APPLICATION AREA Area Installed						
	PUMP TANK Meets Minimum Reserve Capacity Requirements						
	PUMP TANK Material Type & Manufacturer						
	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 118856

Issued This Date: 08/25/2025

This permit is hereby given to: PAUL SIMON DELANEY & MARY UMEKO VANDUZEE

To start construction of a private, on-site sewage facility located at:

235 ALDER LN

NEW BRAUNFELS, TX 78132

Subdivision: THE PRESERVE AT ELM CREEK

Unit: 1 Lot: 32

Block: 1

Acreage: 1.0000


APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.





OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

118856

		Date Received	Initials	Permit Number
Place	e a check mark next to all items that apply. For items the	nat do not apply, plac	e "N/A". This (OSSF Development Application
nec	klist must accompany the completed application.			
oss	F Permit			
X	Completed Application for Permit for Authorization to 0	Construct an On-Site	Sewage Facil	ity and License to Operate
\times	Site/Soil Evaluation Completed by a Certified Site Eva	luator or a Professior	nal Engineer	
\times	Planning Materials of the OSSF as Required by the To of a scaled design and all system specifications.	CEQ Rules for OSSF	Chapter 285.	Planning Materials shall consist
X	Required Permit Fee - See Attached Fee Schedule			
\times	Copy of Recorded Deed			
\times	Surface Application/Aerobic Treatment System			
	Recorded Certification of OSSF Requiring Main	tenance/Affidavit to th	ne Public	
	Signed Maintenance Contract with Effective Dat	te as Issuance of Lice	ense to Opera	te
	rm that I have provided all information required for stitutes a completed OSSF Development Applicatio		ment Applica	tion and that this application
	188	07/	15/2025	
	Signature of Applicant	8	I	Date
	Check No. Receipt No.	(Mis		ETE APPLICATION cled, Application Refeused)
			4	Revised: September 2019



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW CCEO ORG

				118856	
Date June 12, 2025		Permit Num	ber		****
1. APPLICANT / AGENT INFORMATION					
PAUL SIMON DELANEY & MARY UMER Owner Name VANDUZEE		GF	REG JOHN	SON, P.E.	
Mailing Address c/o 4407 SOUTH IH-35 #203	Agent Address	1	70 HOLLO	W OAK	
City, State, Zip GEORGETOWN, TEXAS 78626					32
Phone # 361-442-9349	Phone #		830-905-		
Email jamesl@grandendeavorhomes.com	Email	greg	johnsonpe@	yahoo.com	***
2. LOCATION					
Subdivision Name THE PRESERVE AT ELM	CREEK Ur	nit <u>1</u>	Lot32	Block	1
Survey Name / Abstract Number				ge	
Address 235 ALDER LANE				Zip	8132
3. TYPE OF DEVELOPMENT					
Single Family Residential					
Type of Construction (House, Mobile, RV, Etc.)	HOUSE				
Number of Bedrooms 4					
Indicate Sq Ft of Living Area 2887					
Non-Single Family Residential					
(Planning materials must show adequate land area for dou	ubling the required land need	ed for treatmen	nt units and	disposal area)	
Type of Facility					
Offices, Factories, Churches, Schools, Parks, Etc	Indicate Number Of Occu	pants			
Restaurants, Lounges, Theaters - Indicate Number of					
Hotel, Motel, Hospital, Nursing Home - Indicate Num					
Travel Trailer/RV Parks - Indicate Number of Spaces					
Miscellaneous					
			THE STATE OF THE S		Name and Administration of the Administratio
Estimated Cost of Construction: \$ 550,000	(Structure Only)				
Is any portion of the proposed OSSF located in the Unite	ed States Army Corps of I	Engineers (US	SACE) flow	age easeme	nt?
Yes No (If yes, owner must provide approval from USA	ACE for proposed OSSF improv	ements within the	e USACE flow	wage easement)
Source of Water Public Private Well Rain	nwater Collection				
4. SIGNATURE OF OWNER					
By signing this application, I certify that: - The completed application and all additional information submitt facts. I certify that I am the property owner or I possess the app property.	ted does not contain any fals propriate land rights necessal	e information a ry to make the p	and does not permitted im	t conceal any in	naterial n said
 Authorization is hereby given to the permitting authority and des site/soil evaluation and inspection of private sewage facilities I understand that a permit of authorization to construct will not b 					
by the Comal County Flood Damage Prevention Order. - l affirmatively consent to the online posting/public release of my					
Signature of Owner Signature of Owner	6/28/ Date	2025	The same of the sa		age 1 of



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Planning Materials & Site Evaluation as Required Completed E	GREG W. JOHNSON, P.E
System Description PROPRIETARY; AEROB	IC TREATMENT AND SURFACE IRRIGATION
Size of Septic System Required Based on Planning Materials &	& Soil Evaluation
Tank Size(s) (Gallons) SOLAR AIR SA600LP About	sorption/Application Area (Sq Ft)
Gallons Per Day (As Per TCEQ Table III) 300 (Sites generating more than 5000 gallons per day are required to obt	ain a permit through TCEQ)
Is the property located over the Edwards Recharge Zone?	
Is there an existing TCEQ approved WPAP for the property?	
(if yes, the R. S. or P. E. shall certify that the OSSF design complies w	ith all provisions of the existing WPAP.)
Is there at least one acre per single family dwelling as per 285.40(c)(1)?	⊠ Yes □ No
If there is no existing WPAP, does the proposed development (If yes, the R.S. or P. E. shall certify that the OSSF design will complete not be issued for the proposed OSSF until the proposed WPAP has been seen to be incomplete.	y with all provisions of the proposed WPAP. A Permit to Construct will
Is the property located over the Edwards Contributing Zone?	☐ Yes ⊠ No
Is there an existing TCEQ approval CZP for the property? (if yes, the P.E. or R.S. shall certify that the OSSF design complies w	
If there is no existing CZP, does the proposed development a (if yes, the P.E. or R.S. shall certify that the OSSF design will comply not be issued for the proposed OSSF until the CZP has been app	with all provisions of the proposed CZP. A Permit to construct will roved by the appropriate regional office.)
Is this property within an incorporated city?	No SATE OF TET TO
If yes, indicate the city:	GREG W. JOHNSON
	FIRM #2585
By signing this application, I certify that: - The information provided above is true and correct to the best of my - I affirmatively consent to the online posting/public release of my e-ma	
Signature of Designe	Date Page 2 of 2
orginature of Designer	rage 2 01 2

Bobbie Koepp

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

1

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

IT

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

	2202.21(12) will be madined on me biobert desert	ACM GO	(emes e selen ereser	Samery).	
1	UNITIPHASE/SECTION 1 BLOCK 32 1	LOT_	THE PRESERVE	AT BLM CREEK	SUBDIVISION
ip i	IOT IN SUBDIVISION:ACREAGE				SURVEY
	The property is owned by (insert owner's full name	e):P/	AUL SIMON DELAN	EY & MARY UMEK	OVANDUZEE
	This OSSF must be covered by a continuous maint the initial two-year service policy, the owner of an a residence shall either obtain a maintenance contrac personally.	erobic	treatment system f	or a single family	
	Upon sale or transfer of the above-described prope transferred to the buyer or new owner. A copy of the obtained from the Comal County Engineer's Office.	he plan	e permit for the OS ming materials for	SF shall be the OSSF can be	
	WITHESS BY HAND(S) ON THIS Z8 DAY OF		L SIMON DELANE		
	Max Unin Val De	MA	RY UMEKO VAND r (s) Printed name (s)		
	PAUL SIMON DELANEY & MARY UMEKO VANDUZEE SWORN TO			ORE ME ON THIS Z	SAM DAY OF
			Filed and		
				iblic Records	lowle
	Notary Public Signature			epp, County C unty, Texas	ierk
	**************************************			6 01:25:59 PM	
8	Amber Lynn Lambert		TERRI 1		
***	Notary Public, State of Team 3 My Comm. Exp. 08-04-2026 3 ID No. 13265713-2		202506021	0 1	
XX	ID No. 13265713-2		Comar Sec.		

RECEIVED

By Brandon Olvera at 11:47 am, Aug 25, 2025

Countryside Construction, Inc. 300 Chapman Parkway, Canyon Lake, TX. 78133 Phone: 830-899-2615 or 1-888-379-3721 Fax: 830-899-6662

Sentic System Service Agreement

In consideration of payment for this	service contract, we will abide	by and agree to its terms	and conditions:
--------------------------------------	---------------------------------	---------------------------	-----------------

depth of the will shid by and agree to its torms and conditions:
In consideration of payment for this service contract, we will abide by and agree to its terms and conditions:
Name: PAUL SIMON DELANEY & MARY UMEKO VANDUZEE Address: 235 ALDER LANE
Sub Div /County: THE PRESERVE AT ELM CREEK / COMAL City, State, Zip Code NEW BRAUNFELS, TX 78132
Permit #: TYPE, Model# & SIZE: SOLAR AIR SA600LP Serial #:
Phone:
(X) Initial Two Year Service & Two Year Limited Warranty
LOT 32, THE PRESERVE AT ELM CREEK, UNIT 1, BLOCK 1, COMAL COUNTY
Example of the Control of the Contro
The effective date of the initial maintenance contract shall be the date the License to Operate is issued.
This contract will be in effect FROM: LTO TO:
Countryside Construction, Inc. will provide the following:
An inspection every (4) four months which will include: Servicing of the mechanical & electrical components as necessary to insure system is functioning as engineer designed, pulling and cleaning the Norweco Brand aerator shaft, cleaning compressor air filters of other brands, check chlorine, conduct solids test to determine if system should be pumped, back flushing tubing for drip irrigation fields and checking sprinklers on above ground systems.
1) The property owner is responsible for "purchasing and keeping chlorine" in the chlorinator, (if applicable). If the chlorine test reveals "No Chlorine" in the system, the property owner may incur an additional cost.
2) If any improper operation is observed (which cannot be corrected at that time) the property owner will be
notified immediately of the conditions and the estimated cost.
3) ANY PARTS, WARRANTY OR NON-WARRANTY, FREIGHT CHARGES, LABOR OR SERVICE CALLS NOT PAID IN FULL AT THE END OF (30) DAYS SHALL REMAIN THE PROPERTY OF COUNTRYSIDE CONSTRUCTION AND AUTHORIZES
CONTRACTOR TO REMOVE AND REPOSSESS ANY PARTS INSTALLED. CLIENT FURTHER AGREES TO PAY ANY
LABOR COST OF THE INSTALLATION AND REASONABLE COST OF REMOVAL OF SAID PARTS.
4) THE SIGNING OF THIS SERVICE AGREEMENT AUTHORIZES COUNTRYSIDE CONSTRUCTION TO ENTER THE PROPERTY TO EXECUTE ALL TERMS OF THIS CONTRACT.
5) SEE BELOW
Countryside Construction, Inc., will warranty installation of the septic system to be according to state and county regulations and the designs approved by the county. HOMEOWNER WILL BE RESPONSIBLE FOR SERVICE CALLS, LABOR AND SHIPPING COSTS ON ANY "WARRANTIED PARTS" EXCHANGED DURING WARRANTY. All other components will be according to manufacturer's
warranties.
Important: As Countryside Construction, Inc. cannot control what or how much effluent goes into this septic system, we cannot warranty how the system will function. Refer to manufacturers or installer's instructions, for suggestions on septic operation. If
necessary, between inspections, it is the property owner's responsibility to clean the micron filters on drip irrigation systems. This
service agreement <u>does not</u> cover the cost of "service calls, labor or materials that are required or parts out of warranty, the failur to maintain electrical power to the system, sprinklers that are broken, leaking, stopped-up or otherwise mal-functioning; or sewage
flows exceeding the hydraulic/organic design capabilities and the input of non-biodegradable materials (solvents, grease, oil, paints, etc.), or any usage contrary to the requirements as advised by authorized service representative. Laboratory test work is available at an additional cost. Chlorine, filters, or parts that are out of warranty are available at a reasonable cost.
This contract does not include the pumping of a tank or of any compartment of a tank, or settlement of soil on or around any
part of the system regardless of reason.
Violations of the warranty also include: disconnecting the alarm, restricting ventilation to the aerator, overloading the system above it rated capacity; or flooding by external means. Rodent, insect or fire ant damage or any other form of unusual abuse is a violation.
A renewal service contract should be <u>"activated" (30) thirty days</u> before expiration of existing contract. We will contact property
owner prior to expiration of existing contract.
Serviced by: Countryside Construction Inc.
Walker Chapman – Installer's Licensee #OS0002929-OSSF Maintenance Provider Licensee #MP0000035
PAUL SIMON DELANEY & (100/000)
Property Owner Signature Commit Name (X) MARY UMEKO VANDUZEE Date: 6/28/2025
X) Welke flup.ne Date: 6/28/17 Authorized Service Representative (revised 08/13/2020)
The response time to a complaint from the property owner regarding the operation of the system, shall be within 48
I To the state of

5) hours of notification.

Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

June 20, 2025

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RESEPTIC DESIGN
235 ALDER LANE
THE PRESERVE AT ELM CREEK, UNIT 1, BLOCK 1, LOT 32
NEW BRAUNFELS, TX 78132
DELANEY / VANDUZEE RESIDENCE

Brandon /Brenda,

The referenced property is located within the Edwards Aquifer Recharge Zone. This OSSF design will comply with requirements in the WPAP.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40,285.41, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

Greg W. Voltason, P.E. No. 67587 / F#2585

170 Hollow Oak

New Braunfels, Texas 78132 - 830/905-2778

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	June 16, 2025	
Site Location:	The PRESERVE at ELM CREEK, UNIT 1, BLOCK 1, LOT 32	
Proposed Excavation Depth:	N/A	
Requirements:		
	tions must be performed on the site, at opposite ends of the proposed disposal area.	
Locations of soil borin	or dug pits must be shown on the site drawing.	
For subsurface disposa	soil evaluations must be performed to a depth of at least two feet below the	

proposed excavation depth. For surface disposal, the surface horizon must be evaluated.

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

SOIL BORING NUMBER SURFACE EVALUATION								
Depth (Feet)	Texture Class	Soil Gravel Drainage Texture Analysis (Mottles/ Water Table)			Restrictive Horizon	Observations		
1 4"	IV	CLAY	N/A	NONE OBSERVED	LIMESTONE @ 4"	BROWN		
3								
4								
5								

SO	SOIL BORING NUMBER SURFACE EVALUATION									
	Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations			
0 1 2 3		SAME		AS		ABOVE				
5										

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.

Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

Date

06/16/25

OSSF SOIL EVALUATION REPORT INFORMATION

Date: June 17, 2025	
Applicant Information:	
PAUL SIMON DELANEY & MARY UMEKO	Site Evaluator Information:
Name: VANDUZEE	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address: c/o 4407 NORTH IH. 35 SUITE 203	Address: 170 Hollow Oak
City: GEORGETOWN State: TEXAS	City: New Braunfels State: Texas
Zip Code: Phone: (361) 442-9349	Zip Code: <u>78132</u> Phone & Fax <u>(830)905-2778</u>
Property Location: The PRESERVE at 1	Installar Information
Lot 32 Unit 1 Blk 1 Subd. CREEK	
Street Address: 235 ALDER LANE	Company:
City: NEW BRAUNFELS Zip Code: 7813	Address:
Additional Info.:	
	Zip Code:Phone
<u>Topography:</u> Slope within proposed disposal area:	8 to 10 %
Presence of 100 yr. Flood Zone:	YES NO X
Existing or proposed water well in nearby area.	YESNO_X
Presence of adjacent ponds, streams, water impoundments	
Presence of upper water shed	YESNO_X
Organized sewage service available to lot	YESNO_X
Design Calculations for Aerobic Treatment with Sp	oray Irrigation:
Commercial	
Q = GPD	
Residential Water conserving fixtures to be utilized?	
Number of Bedrooms the septic system is sized for:	
Q gal/day = $(Bedrooms + 1) * 75 GPD - (20\% reductio)$	
Q = (4 + 1)*75-(20%) = 300	is for water conserving fractions)
Trash Tank Size 376 Gal.	
TCEQ Approved Aerobic Plant Size 600	G.P.D.
Req'd Application Area = $Q/Ri = $ 300 /	.064 = 4688 sq. ft.
Application Area Utilized = 4926 sq. ft.	
Pump Requirement12 Gpm @41 Psi (R	edjacket 0.5 HP 18 G.P.M. series or equivalent)
	TIMED TO DOSE IN PREDAWN HOURS
	Gal/inch.
Reserve Requirement = 100 Gal. 1/3 day f	low.
Alarms: Audible & Visual High Water Alarm & Visua	l Air Pump malfunction
With Chlorinator NSF/TCEQ APPROVED	
SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout	
Pop-up rotary sprinkler heads w/ purple non-potable lids 1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED ANI	MAINTAINED WITH VEGETATION
EXPOSED ROCK WILL BE COVERED WITH SOIL	
	N BEING A REGISTERED PROFESSIONAL ENGINEER
AND SITE EVALUATOR IN ACCORDANCE WITH CH	
(REGARDING RECHARGE FEATURES), TEXAS C	OMMISSION OF ENVIRONMENTAL QUALITY
(EFFECTIVE DECEMBER 29, 2016)	E OF TE
	TANK TO THE TANK T
4 ' / /	6/17/25
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	DATE GREG W. JOHNSON
,	67597
	FIRM #2585
	FIRM #2585

RECEIVED By Brandon Olvera at 11:47 am, Aug 25, 2025

Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

August 20, 2025

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RE: Septic Design #118856
235 ALDER LANE
THE PRESERVE AT ELM CREEK, BLOCK 1, LOT 32
DELANEY - VANDUZEE RESIDENCE

Brenda/Brandon,

A portion of this property has a building setback line/BSL easement in the back portion of the lot, where a portion of the aerobic spray and supply line is proposed to be located. The property slopes approximately ten percent and is not in an area where seeps will occur.


Additionally, this location is not where a flow with a velocity able to damage the piping will occur and does not contain any ditches, swales, or drainage features. No setbacks are required.


Respectfully,

Greg W. Johnson, P.E. No. 67587 / F-2585

170 Hollow Oak

New Braunfels, Texas 78132 - 830/905-2778





TANK NOTES:


Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks







TYPICAL PUMP TANK CONFIGURATION SOLAR-AIR SA-600 LP 778 GAL PUMP TANK

Environmental Series Pumps

Thermoplastic Performance





Thermoplastic Units Ordering Information

1/2 - 1.5 HP Single-Phase Units									
Order No.	Model	GPM	HP	Volt	Wire	Wt.			
94741005	10FE05P4-2W115	10	1/2	115	2	24			
94741010	10FE05P4-2W230	10	1/2	230	2	24			
94741015	10FE07P4-2W230	10	3/4	230	2	28			
94741020	10FE1P4-2W230	10	1	230	2	31			
94741025	10FE15P4-2W230	10	1.5	230	2	46			
94742005	20FE05P4-2W115	20	1/2	115	2	25			
94742010	20FE05P4-2W230	20	1/2	230	2	25			
94742015	20FE07P4-2W230	20	3/4	230	2	28			
94742020	20FE1P4-2W230	20	1	230	2	31			
94742025	20FE15P4-2W230	20	1.5	230	2	40			

Thermoplastic 1/2 - 2 HP Pump Ends									
Order No.	Model	GPM	HP	Volt	Wire	Wt.			
94751005	10FE05P4-PE	10	1/2	N/A	N/A	6			
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7			
94751015	10FE1P4-PE	10	1	N/A	N/A	8			
94751020	10FE15P4-PE	10	1.5	N/A	N/A	12			
94752005	20FE05P4-PE	20	1/2	N/A	N/A	6			
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7			
94752015	20FE1P4-PE	20	1	N/A	N/A	8			
94752020	20FE15P4-PE	20	1.5	N/A	N/A	10			
94752025	20FE2P4-PE	20	2	N/A	N/A	11			

Countryside Construction, Inc. 300 Chapman Parkway, Canyon Lake, TX. 78133 Phone: 830-899-2615 or 1-888-379-3721 Fax: 830-899-6662

Septic System Service Agreement
In consideration of payment for this service contract, we will abide by and agree to its terms and conditions:


	-Div./County: nit #:	ON DELANEY & THE PRESERVE TYPE,	AT ELM CREEK			5 ALDER LAI Code <u>NEW I</u> Serial #:	NE BRAUNFELS,TX	 < 78132
				Limited Warrant		IAL COUNTY		
	effective date of t contract will be in ntryside Constru			ot shall be the date	the License to	Operate is is	sued.	
	An inspe insure sy compress flushing to	ery (4) four (functioning llers of oth r drip irri	which will be seen to b	ine, conducting sprinklers	the mechang the Nest to die grou	electric Brand e if sys ems.	shaft, or ould be pun	ssary to
	he property of the chlorine to fany improper notified immedia	on ve	a for "p rine" in ed (whi his and	ing and keeping lem, the property of be corrected a nated cost.	ne" in may i ne) ti	orinato additio erty ow	plicable). t. be	
	ANY PARTS, WAT THE END OF CONTRACTOR ABOR COST OF THE SIGNING OF T	HAL	N-WAN L REMA D REPOSA TION AND	PROPER	S, LA JUNTE ALLED OF RE	R SER CONS T FUR OF S	ALLS NOT ION AND	ZES ANY
Coundesig	ns approved by the NY "WARRANTI inties. rtant: As Country	on, Inc., will war the county. HOME ED PARTS" EXC rside Constructio	ranty installa OWNER WILL CHANGED DU n, Inc. <u>cannot</u>	S CONTRACT. tion of the septic system L BE RESPONSIBL JRING WARRANTY control what or he	E FOR SERVICE All other come w much efflue	CE CALLS, LA ponents will be ent goes into the	ABOR AND SHIP e according to ma his septic system.	PING COSTS anufacturer's , we cannot
flows etc.), an act of this control of the part of the	ce agreement does intain electrical pot exceeding the hy- or any usage conditional cost. Chick contract does not of the system recitions of the warracapacity; or floodicapacity;	s not cover the cover to the system of the system of the requirance, filters, or painclude the pum tardless of reasonty also include the go by external many also the system of the syst	cost of "servicem, sprinklers esign capabiliting rements as address that are outling of a tankon. c: disconnection teans. Rodent eachs. Rodent eachs. Rodent eactivated" (30	er's responsibility to e calls, labor or ma that are broken, leadies and the input of a vised by authorized at of warranty are avector of any comparts g the alarm, restriction, insect or fire ant day by thirty days before	terials that are aking, stopped- non-biodegrada service represe allable at a reas nent of a tank ng ventilation to amage or any o	e required or pup or otherwis able materials entative. Labo sonable cost. , or settlement the aerator, of the control of the control of the cost.	arts out of warra e mal-functioning (solvents, grease ratory test work is at of soil on or an overloading the synusual abuse is a	anty, the failure g; or sewage , oil, paints, s available at round any ystem above its
(X)		an – Installer's L	Service Licensee #OS I int Name (X)	PAUL SIMON DELA MARY UMEKO VAN	Mainten NEY &	ance Provide	r Licensee #WP0	000035
(<u>X</u>)	Worked	upur	Date:	6/28/2025	Authorized Se	rvice Represe	ntative (revised 0	8/13/2020)




RE: 235 Alder Lane The Preserve at Elm Creek Lot 32 – Block 1

Dear Property Owner & Agent,

Thank you for your submission. We have reviewed the planning materials for the referenced permit application, and unfortunately, they are insufficient. To proceed with processing this permit, we require the following:



(B) specify a time frame in which the maintenance provider or maintenance technician will visit the property in response to a complaint by the property owner regarding the operation of the system;



3. Revise accordingly and resubmit.

If you have any questions, you can email me or call the office.

Thank You,

| Brandon Olvera | Designated Representative OS0034792 |

ORRIDOR TITLE GF# 25-03

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER

WARRANTY DEED WITH VENDOR'S LIEN

5000

STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF COMAL

THAT effective as of April 16, 2025, JHJ Dream Homes of Texas, LP a Texas limited partnership DBA Grand Endeavor Homes ("Grantor"), for and in consideration of the sum of TEN DOLLARS (\$10.00) and other valuable consideration to the undersigned in hand paid by the Grantee herein named, the receipt of which is hereby acknowledged, and the further consideration of the execution and delivery by PAUL SIMON DELANEY AND MARY UMEKO VANDUZEE, HUSBAND AND WIFE, AS JOINT TENANTS ("Grantee", whether one or more), of that one certain promissory note of even date herewith (the "Note") in the principal sum of \$940,680.00, payable to the order of UNITED WOLESALE MORTGAGE, LLC ("Lender"), as therein specified, providing for acceleration of maturity and for attorney's fees, the payment of the Note being secured by the vendor's lien herein retained, and being additionally secured by a deed of trust of even date herewith to BLACK, MANN & GRAHAM, L.L.P., TRUSTEE, has GRANTED, SOLD AND CONVEYED, and by these presents does GRANT, SELL AND CONVEY unto Grantee the real property (the "Property") described as follows, to-wit:

Lot 32, Block 1, THE PRESERVE AT ELM CREEK, UNIT 1, an addition to Comal County, Texas, according to the plat recorded in Document No. 202306007856, of the Official Public Records of Comal County, Texas.

TO HAVE AND TO HOLD the above described premises, together with all and singular the rights and appurtenances thereto in anywise belonging, unto Grantee, Grantee's heirs, executors, successors and assigns forever; and Grantor does hereby bind Grantor, Grantor's heirs, executors, successors and assigns, to WARRANT AND FOREVER DEFEND all and singular the said premises unto Grantee, Grantee's heirs, executors, successors and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof.

This conveyance, however, is made and accepted subject to any and all restrictions, reservations, easements, exceptions, covenants and conditions, if any, applicable to and enforceable against the Property as shown by the records of Comal County, Texas.

But it is expressly agreed that the Vendor's Lien, as well as Superior Title in and to the Property, is retained against the Property, premises and improvements until the Note and all interest thereon are fully paid according to the face, tenor, effect and reading thereof, when this Deed shall become absolute.

THAT Lender, at the instance and request of Grantee, having advanced and paid in cash to Grantor herein that portion of the purchase price of the Property as is evidenced by the Note, the Vendor's Lien, together with the Superior Title to the Property, is retained herein for the benefit of Lender and the same are hereby TRANSFERRED AND ASSIGNED to Lender, its successors and assigns, without recourse on Grantor.

Current ad valorem taxes on the Property having been prorated, the payment thereof is assumed by Grantee.

GRANTOR:

JHJ Dream Homes of Texas, LP, a Texas limited partnership DBA Grand Endeavor Homes

By: JHJ Dream Homes of Texas, GP, LLC, a Texas limited liability company Its General Partner

By: ____

Justin Jacobs, President

Address of Grantee:

3504 Turkey Path Bend

Cedar Park, TX 78613

STATE OF TEXAS

2000

COUNTY OF Williamson

This instrument was acknowledged before me this 16th day of April, 2025 by Justin Jacobs, President for JHJ Dream Homes of Texas, GP, LLC, a Texas limited liability company, its General Partner, JHJ Dream Homes of Texas, LP, a Texas limited partnership DBA Grand Endeavor Homes, on behalf of said entity.

MAURINE JANKE
Notary ID #131516046
My Commission Expires
April 4, 2026

Notary Public, State of Texas

AFTER RECORDING, RETURN TO:

CORRIDOR TITLE, LLC

25-0377-NB

Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 04/17/2025 08:44:51 AM MARY 2 Pages(s) 202506011042



