staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:		Address:				
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				

Inspector Notes:

N-	December 41	A mar	Citotiana	Net	1 at 1	2 m d 1	7 mal 1
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK IsingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
1	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
12							
	PUMP TANK Volume Installed						
1	AEROBIC TREATMENT UNIT Size Installed						
14							
	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
15	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				
18			203.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation	Allowei	Citations	Notes	13t 1113p.	Ziiu iiisp.	Sid ilisp.
	DIST COAL STOTENT DITP ITTIGATION		20E 22(a)(2)(A) (E)				
			285.33(c)(3)(A)-(F)				
19	DISPOSAL SYSTEM Soil						
20	Substitution		285.33(d)(4)				
20	DISPOSAL SYSTEM Pumped						
	Effluent		285.33(a)(4) 285.33(a)(3)				
			285.33(a)(1)				
21			285.33(a)(2)				
	DISPOSAL SYSTEM Gravelless Pipe						
	·		285.33(a)(3)				
			285.33(a)(2)				
			285.33(a)(4)				
22			285.33(a)(1)				
22	DISPOSAL SYSTEM Mound		205 22/ 1/51				
			285.33(a)(3) 285.33(a)(1)				
			285.33(a)(1) 285.33(a)(2)				
23			285.33(a)(4)				
23	DISPOSAL SYSTEM Other						
	(describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24			263.33(C)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC						
	or 4" PVC						
25							
	DRAINFIELD Area Installed						
26	DRAINFIELD Level to within 1 inch						
	per 25 feet and within 3 inches						
	over entire excavation		285.33(b)(1)(A)(v)				
27							
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth						
	DRAINFIELD Excavation Separation						
	DRAINFIELD Depth of Porous Media						
	DRAINFIELD Type of Porous Media						
28	DDAINEIEID E						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
29			(-/\-/\-/				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End						
	Plates w/Splash Plate, Inspection						
	Port & Closed End Plates in Place		285.33(c)(2)				
	(per manufacturers spec.)						
30							
	LOW PRESSURE DISPOSAL						
	SYSTEM Adequate Trench Length						
	& Width, and Adequate Separation Distance between		285.33(d)(1)(C)(i)				
	Trenches						
31							

	B d . ut	•	6 11 - 11		4.11		2.11
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
34	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

				-			
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
	APPLICATION AREA Area Installed						
	PUMP TANK Meets Minimum Reserve Capacity Requirements						
	PUMP TANK Material Type & Manufacturer						
	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 118995

Issued This Date: 10/02/2025

This permit is hereby given to: TASHA M. & DICE E. WADE

To start construction of a private, on-site sewage facility located at:

1698 PHANTOM RIDER TRL SPRING BRANCH, TX 78070

Subdivision: CYPRESS SPRINGS ON THE GUADALUPE

Unit: 4

Lot: 293

Block: 0

Acreage: 2.0000

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and Comal County requirements.

Call (830) 608-2090 to schedule inspections.



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Date July 29,	2025		Permit No	umber118995
1. APPLICANT / AGENT	INFORMATION			
Owner Name TASHA N	MARIE WADE & DICKIE EARL WADE	Agent Name	GRI	EG W. JOHNSON, P.E.
Mailing Address	c/o 23011 FM 306	Agent Address		170 Hollow Oak
	Canyon Lake, TX 78133			Braunfels, TX 78132
Phone #	830-935-4936	Phone #		830-905-2778
Email	traci@psseptics.com	Email	gregjo	hnsonpe@yahoo.com
2. LOCATION		_		
Subdivision Name CY	YPRESS SPRINGS ON THE GUADALUPE	Uni	t 4	Lot 293 Block
Survey Name / Abstract N				
	M RIDER TRAIL			State TX Zip 78070
3. TYPE OF DEVELOPM				
X Single Family Resid	lential EXIS	Thy		
	on (House, Mobile, RV, Etc.) HOU			
Number of Bedroon				
Indicate Sq Ft of Liv				
Non-Single Family F				
	just show adequate land area for doubling t	he required land needs	d for treatn	nent units and disposal area)
	data for dodoling t	ne required faild ficede	d for treati	ioni unito ana disposar area/
Type of Facility	Churches Cabacle Barks Etc. Indian	to Number Of Occur	onto	
	Churches, Schools, Parks, Etc Indica			
	ges, Theaters - Indicate Number of Sea			
	tal, Nursing Home - Indicate Number of			
	arks - Indicate Number of Spaces		- 200	
Miscellaneous				
Estimated Cost of Cons				
Is any portion of the pro		(Structure Only)		
Yes X No (If ye	struction: \$0 poposed OSSF located in the United Sta		ngineers (USACE) flowage easement?
Source of Water X P		tes Army Corps of E		
A.	oposed OSSF located in the United States, owner must provide approval from USACE for	tes Army Corps of E		
4. SIGNATURE OF OWN	oposed OSSF located in the United States, owner must provide approval from USACE for Public Private Well	tes Army Corps of E		
4. SIGNATURE OF OWN By signing this application, I - The completed application facts. I certify that I am the	oposed OSSF located in the United States, owner must provide approval from USACE for Public Private Well	tes Army Corps of E	ements within	n the USACE flowage easement) n and does not conceal any material
 4. SIGNATURE OF OWN By signing this application, I The completed application afacts. I certify that I am the property. Authorization is hereby give site/soil evaluation and inspectors. 	poposed OSSF located in the United States, owner must provide approval from USACE for Public Private Well From Private Sevential States of the Private States of the Private Sevential States of the Private	tes Army Corps of E r proposed OSSF improve es not contain any false e land rights necessary d agents to enter upon	e informatio to make the	n the USACE flowage easement) n and does not conceal any material ne permitted improvements on said described property for the purpose of
 4. SIGNATURE OF OWN By signing this application, I The completed application facts, I certify that I am the property. Authorization is hereby give site/soil evaluation and insp. I understand that a permit of by the Comal County Flood 	posed OSSF located in the United States, owner must provide approval from USACE for Public Private Well IER certify that: and all additional information submitted does property owner or I possess the appropriate on to the permitting authority and designate	tes Army Corps of E r proposed OSSF improve es not contain any false e land rights necessary d agents to enter upon ed until the Floodplain /	e informatio v to make the the above	n the USACE flowage easement) n and does not conceal any material ne permitted improvements on said described property for the purpose of or has performed the reviews required



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Planning Materials & Site	e Evaluation as Required Completed By GREG W. JC	OHNSON, P.E
System Description	PROPRIETARY; AEROBIC TREATMENT A	AND SURFACE IRRIGATION
Size of Septic System Re	equired Based on Planning Materials & Soil Evaluation	
Tank Size(s) (Gallons) _	FUJI CE7A & AK1000 PUMP Absorption/Application	on Area (Sq Ft)
Gallons Per Day (As Per (Sites generating more than	TCEQ Table III) 300 5000 gallons per day are required to obtain a permit through	TCEQ)
	ver the Edwards Recharge Zone? Yes No	ofessional Engineer (P.E.))
	all certify that the OSSF design complies with all provisions of t	he existing WPAP.)
Is there at least one acre per	r single family dwelling as per 285.40(c)(1)? X Yes No	
(If yes, the R.S. or P. E. sh	PAP, does the proposed development activity require a all certify that the OSSF design will comply with all provisions sed OSSF until the proposed WPAP has been approved by the	of the proposed WPAP. A Permit to Construct will
Is the property located o	over the Edwards Contributing Zone? Yes No	
Is there an existing TCE	Q approval CZP for the property? 🗌 Yes 🛛 No	
(if yes, the P.Ę. or R.S. sha	all certify that the OSSF design complies with all provisions of	the existing CZP)
(if yes, the P.E. or R.S. sha	P, does the proposed development activity require a To all certify that the OSSF design will comply with all provisions of cosed OSSF until the CZP has been approved by the appropriate the cost of t	f the proposed CZP. A Permit to construct will priate regional office.)
Is this property withi	n an incorporated city? 🗌 Yes 🛛 No	STATE OF TEXTS
If yes, indicate the ci	ity:	GREG W. JOHNSON 67587
		FIRM #2585
	above is true and correct to the best of my knowledge. he online posting/public release of my e-mail address associated	d with this permit application, as applicable Y 25, 2025
Signature of Designer	Date	Page 2 of 2



THE COUNTY OF COMAL STATE OF TEXAS

IF

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

ī

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

П

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

UNIT/PHASE/SECTION	BLOCK	LOT CYPRESS SPRINGS ON THE GUADALUPE	SUBDIVISION
NOT IN SUBDIVISION:	ACREAGE		SURVEY
The property is owned by	(insert owner's full na	me): TASHA MARIE WADE & DICKIE EARL WA	ADE
the initial two-year service	ce policy, the owner of a	intenance contract for the first two years. After n aerobic treatment system for a single family ract within 30 days or maintain the system	
transferred to the buyer obtained from the Comal	or new owner. A copy of County Engineer's Office	1	
WITNESS BY HAND(S)	ON THISDAY O	TASHA MARIE WADE	
'	4N	DICKIE EARL WADE	
Owner(s) signature(s)		Owner (s) Printed name (s)	_
	SWORN 7	TO AND SUBSCRIBED BEFORE ME ON THIS	DAY OF
Julia	,20 <u>_25</u>	_4:24 1 0 85 2 86:40 81 20df2-0	
	1	Filed and Recorded	
Notes Williams	<u>ر</u>	Official Public Records	
Notary Public Sig	ınature	Bobbie Koepp, County Clerk	
Tracl Field		Comal County, Texas	
My Commission Expire	es \$	07/29/2025 01:39:48 PM	
4/28/2026 Notary ID 133734672	,	TAMMY 1 Pages(s) 202506023478	
(Notary Seal He	re)	Babbie Koepp	



By Cody Young LLC

TASHA MARIE WADE & DICKIE EARL WADE To:	
CYPRESS SPRINGS ON THE GUADALUPE, UNIT 4, LOT 293	
Site: 1698 PHANTOM RIDER TRAIL, SPRING BRANCH, TX 78070	
County: COMAL	
Installer: PAUL SWOYER SEPTICS	
Agency: COMAL (CCEO)	
Mfg./Brand: FUJI CE7A	

Level 1 Contract

This service contract for the On-Site Sewage-facility, (OSSF), located at the site stated above. OSSF is to be inspected and serviced at regular intervals under a licensed provider. Special emergency service is to be provided within 48 hours of notification by the homeowner or the owner's agent. The initial contract is for (2) years from the date of final septic system inspection. Renewals shall be for a period of 2 years at the current rate and remain in effect for the specified dates listed. From LICENSE TO OPERATE until 2 YEARS FROM LTO

Contract price \$700

(LICENSE TO OPERATE)

Service Program Includes:

- 1. Regular site inspection at 4-month intervals for residential septic system.
- OSSF maintenance: check aerator components for proper operation, control panel, effluent pump, spray head/drip nozzle. Check Proprietary specific components. Check pumps, check spray heads, check, and clean any Filters, check bull run valves and any other valves. Flush drain field if needed.
- 3. Visual inspection of control panel, (when accessible).
- 4. Labor expenses required at the home to maintain, repair, or remove any part of the control center or mechanical aerator to be returned for factory repair.
- Labor expenses required at the home to service, repair, or install any part of the control panel or aerator returned from factory.
- All maintenance reports will be emailed to the permitting authority & customer within 14 days of inspection.

Client Responsibilities:

- 1. Special service calls after the (at the 4-month intervals) stated in item #1.
- 2. BODs or TSS grab samples, (if needed).
- 3. Freight costs to and from factory, for component repair.
- 4. Costs for replacing damaged or missing parts and repairing any equipment not under any specified warranty.
- 5. Pumping out any or all the OSSF by a licensed waste hauler.
- 6. The Homeowner is responsible for maintaining the chlorinator and providing proper chlorine supply if required.
- 7. Securing pets so that maintenance functions can be performed safely for the technician, and the pet. If pets are present in the yard, and the owner is not on site to secure the animals, it is necessary to cancel the maintenance.
- 8. Securing pets so that maintenance functions can be performed safely for the technician, and the pet. If pets are present in the yard, and the owner is not on site to secure the animals, and it is necessary to cancel the maintenance, there will be a \$75 trip charge.
- 9. Insuring access to the property, always to the maintenance provider. (Gates, chains with locks, codes, etc.)

Miscellaneous Provisions

1.	This contract can be terminated by either party in writing, within 30 days' notice. Contracts that are
	terminated will include notification in writing to the Authority having Jurisdiction, the Manufacturer of the
	system, and the other party.
Homeo	wner Signature: Date:
Phone:	Email:
4	
Mainte	nance Provider: Cody T. Young, License #MP0002650

Septic Pumping & Maintenance by Cody Young

911 RR3404

Kingsland, TX 78639

(325)248-8740

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	July 24, 2025	
Site Location:	CYPRESS SPRINGS on the GUADALUPE, UNIT 4, LOT 293	
Proposed Excavation Depth:	N/A	
Locations of soil boring	tions must be performed on the site, at opposite ends of the proposed disposal area. or dug pits must be shown on the site drawing. , soil evaluations must be performed to a depth of at least two feet below the	

proposed excavation depth. For surface disposal, the surface horizon must be evaluated. Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.


Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
8"	ш	CLAY LOAM	N/A	NONE OBSERVED	LIMESTONE @ 8"	BROWN
3						
4						
5						

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
	SAME		AS		ABOVE	

I certify that the findings of this	report are based o	n my field observat	tions and are accurate to
the best of my ability.	-	-	

OSSF SOIL EVALUATION REPORT INFORMATION


Date:July 25, 2025	
Applicant Information:	
	Site Evaluator Information:
Name: TASHA MARIE & DICKIE EARL WADE	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address: <u>c/o 23011 F.M. 306</u>	Address: 170 Hollow Oak
City: CANYON LAKE State: TEXAS	City: New Braunfels State: Texas
Zip Code:	Zip Code: 78132 Phone & Fax (830)905-2778
Dramaute: I continue CVDDESS SDDINGS	athe Installer Informations
Property Location: CYPRESS SPRINGS o Lot 293 Unit 4 Blk Subd. GUADALUPE	
Street Address: 1698 PHANTOM RIDER TRAIL	Name: Company: Compan
City: SPRING BRANCH Zip Code: 78070	
Additional Info.:	
	Zip Code:Phone
Topography: Slope within proposed disposal area:	
Presence of 100 yr. Flood Zone:	YES NO X
Existing or proposed water well in nearby area.	YESNO_X
Presence of adjacent ponds, streams, water impoundments	YESNO_X
Presence of upper water shed	YES NO X
Organized sewage service available to lot	YESNO_X
Design Calculations for Aerobic Treatment with Spi	ray Irrigation.
	ay Arrigation.
Commercial	
Q =GPD	
Residential Water conserving fixtures to be utilized? Y	
Number of Bedrooms the septic system is sized for:	
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction	for water conserving fixtures)
$Q = (\underbrace{4}_{T-1} + 1)*75-(20\%) = \underbrace{300}_{T-1}$	
Trash Tank Size 277R Gal.	. n. n
TCEQ Approved Aerobic Plant Size 720 (
• • • • • • • • • • • • • • • • • • • •	064 = 4688 sq. ft.
Application Area Utilized = 4825 sq. ft.	1:-1.40 C IID 10 O D M
Pump Requirement 12 Gpm @ 41 Psi (Red Dosing Cycle: ON DEMAND or X T	Jacket U.5 HP 18 G.P.M. series or equivalent)
Pump Tank Size =	
Reserve Requirement = 100 Gal. 1/3 day flo	
Alarms: Audible & Visual High Water Alarm & Visual	
With Chlorinator NSF/TCEQ APPROVED	An I ump marrunction
SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout	
Pop-up rotary sprinkler heads w/ purple non-potable lids	
1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED AND	
EXPOSED ROCK WILL BE COVERED WITH SOIL	
I HAVE PERFORMED A THOROUGH INVESTIGATION	
AND SITE EVALUATOR IN ACCORDANCE WITH CHA (REGARDING RECHARGE FEATURES), TEXAS CO	
(EFFECTIVE DECEMBER 29, 2016)	WINISSION OF ENVIRONMENTAL QUALITY
	TE OF TEX
////	hche s
	* * * * * * * * * * * * * * * * * * *
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	DATE GREG W. JOHNSON
	PO PEGISTERED W
	FIRM #2585
	WAL




NOTE:
EXISTING SEPTIC
TANK TO BE
PUMPED, CRUSHED
AND BACK FILLED.
EXISTING SEPTIC
SYSTEM TO BE
ABANDONED




TASHA MARIE WADE & DICKIE EARL WADE	DRAWN BY: EJS III
1698 PHANTOM RIDER TRAIL	
LEGAL DESC: CYPRESS SPRINGS on the GUADALUPE UNIT/SECTION/PHASE: 4	оск: 293
PREPARED BY: GREG W. JOHNSON, P.E. F#002585 SCALE: 1"=80' DATE: 7/25/2025	REVISED:






	CHAMBER	Volume (gal)
1	Sedimentation Chamber	397
2	Anaerobic Filtration Chamber	396
3	Aerobic Contact Filtration Chamber	181
4	Storage Chamber	90
(3)	Disinfection Chamber	6
	Total Volume	1069

SPEC	CIFICATIONS		
Anaerobic Media	PP / PE	Filling Rate	32%
Board Type Aerobic Media	PVC/PP/PE	Filling Rate	17%
Aerobic Media	PP / PE	Filling Rate	55%
Blower	2.8 cfm		
Tank	FRP		
Piping	PVC/PP/PE		
Access Covers	Plastic / Cast Iron		
Disinfectant (Optional)	Chlorine Tablets		





SECTION B-B VIEW

FUJI CE7A 720 GPD

Structural Drawing

DATE: 07/01/2014 | SCALE: 1/2" = 1"


TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks




TYPICAL PUMP TANK CONFIGURATION AK750 GAL PUMP TANK



Environmental Series Pumps

Thermoplastic Performance

Nozzle	PSI	Radius	GPM
#1	30	22'	1.5
	40	24'	1.7
	50	26'	1.8
	60	28'	2.0
#3	30	29'	3.0
-	40	32'	3.1
	50	35'	3.5
	60	37'	3.8
44	30	31'	3.4
	40	34'	3.9
	50	37'	4.4
	60	38'	4.7
#6	40	38'	6.5
	50	40'	7.3
	60	42'	8.0
	70	44'	8.6



Thermoplastic Units Ordering Information

	1/2 - 1.5 H	P Single-Phase	Units			
Order No.	Model	GPM	HP	Volt	Wire	Wt
94741005	10FE05P4-2W115	10	1/2	115	2	24
94741010	10FE05P4-2W230	10	1/2	230	2	24
94741015	10FE07P4-2W230	10	3/4	230	2	28
94741020	10FE1P4-2W230	10	1	230	2	31
94741025	10FE15P4-2W230	10	1.5	230	2	46
94742005	20FE05P4-2W115	20	1/2	115	2	25
94742010	20FE05P4-2W230	20	1/2	230	2	25
94742015	20FE07P4-2W230	20	3/4	230	2	28
94742020	20FE1P4-2W230	20	1	230	2	31
94742025	20FE15P4-2W230	20	1.5	230	2	40

Thermoplastic 1/2 - 2 HP Pump Ends						
Order No.	Model	GPM	HP	Volt	Wire	Wt.
94751005	10FE05P4-PE	10	1/2	N/A	N/A	6
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7
94751015	10FE1P4-PE	10	1	N/A	N/A	8
94751020	10FE15P4-PE	10	1.5	N/A	N/A	12
94752005	20FE05P4-PE	20	1/2	N/A	N/A	6
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7
94752015	20FE1P4-PE	20	1	N/A	N/A	8
94752020	20FE15P4-PE	20	1.5	N/A	N/A	10
94752025	20FE2P4-PE	20	2	N/A	N/A	11

***CAGO TITLE GF# 4300282513720

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

GENERAL WARRANTY DEED (With Third Party Vendor's Lien)

THE STATE OF TEXAS

9

COUNTY OF COMAL

ş

THAT KAITLYN WALSH AND HUSBAND, JOSEPH WALSH, hereinafter referred to as "Grantor" (whether one or more), for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable consideration to Grantor in hand paid by TASHA MARIE WADE AND DICKIE EARL WADE, WIFE AND HUSBAND, hereinafter referred to as "Grantee" (whether one or more) with a mailing address of 1698 PHANTOM RIBER TRAIL, SPRING BRANCH, TX 78979, the receipt and sufficiency of which are hereby acknowledged and confessed, and for the further consideration of the execution and delivery by Grantee of one certain Promissory Note of even date herewith, in the original principal sum of Six Hundred Fifty-Four Thousand Two Hundred Thirty-One And No/100 Dollars (\$654,231.00), payable to the order of THE LOAN STORE TX, INC., hereinafter called "Mortgagee"; said Promissory Note being secured by a Vendor's Lien and the Superior Title herein retained and reserved in favor of Grantor and assigned and conveyed, without recourse, to Mortgagee, and also being secured by a Doed of Trust of oven date herewith from Grantee to BLACK, MANN & GRAHAM, LLP, Trustee, reference to said Promissory Note and Deed of Trust being hereby made for all purposes; Grantor has GRANTED, SOLD AND CONVEYED, and by these presents does GRANT, SELL AND CONVEY, unto Grantee, the following described real property, to-wit:

LOT 293, CYPRESS SPRINGS ON THE GUADALUPE, UNIT 4, COMAL COUNTY, TEXAS, ACCORDING TO THE MAP OR PLAT THEREOF RECORDED IN VOLUME 11, PAGES 85-92, MAP AND PLAT RECORDS OF COMAL COUNTY, TEXAS.

together with all improvements thereon, if any, and all rights, privileges, tenements, hereditaments, rights of way, casements, appendages and appurtenances, in anyway appertaining thereto, and all right, title, and interest of Grantor in and to any streets, ways, alleys, strips or gores of land adjoining the above described property or any part thereof (hereinafter referred to as the "Property").

TO HAVE AND TO HOLD the Property, together with all and singular the rights and appurtenances thereto in any wise belonging, unto Grantee and Grantee's heirs or assigns FOREVER. Grantor does hereby bind Grantor and Grantor's heirs, executors, and administrators TO WARRANT AND FOREVER DEFEND all and singular the said Property unto Grantee and Grantee's heirs and assigns against every person whomsoever lawfully claiming or to claim the same, or any part thereof.

But it is expressly agreed that Grantor reserves and retains for Grantor, and Grantor's heirs and assigns, a Vendor's Lien, as well as the Superior Title, against the Property until the above described Promissory Note and all interest therein have been fully paid according to the terms thereof, when this Deed shall become absolute.

WHEREAS, Mortgagee, at the special instance and request of Grantee, having paid to Granter a portion of the purchase price of the Property, as evidenced by the above described Promissory Note, Grantor hereby assigns, transfers, conveys and delivers, without recourse, to Mortgagee said Vendor's Lien and Superior Title against said Property to secure the payment of said Promissory Note, and subrogates Mortgagee to all rights and remedies of Grantor in the Property by virtue thereof.

BMGWARDEEDGEN

Page 1 of 3

the property of the contract o

To the extent applicable to and enforceable against the Property, this Deed is executed, delivered and accepted subject to the following: any liens described herein; ad valorem taxes for the current and all subsequent years, and subsequent assessments for prior years due to changes in land usage or ownership; roning ordinances, utility district assessments, and standby fees, if any; all valid utility easements created by the dedication deed or plat of the platted subdivision in which the Property is located, entered to restrictions common to the platted subdivision in which the Property is located, mineral reservations, and maintenance or assessment liens (if any), all as shown by the real property records of the County Clerk of the County in which said Property is located; and any title or rights asserted by anyone (including, but not limited to, persons, corporations, governments or other entities) to tidelands, or lands comprising the shores or beds of navigable or perennial rivers and streams, lakes, bays, guifs or oceans, or to any land extending from the line of the harbor or bulkhead lines as established or changed by any government or to filled-in lands, or artificial islands, or to riparian rights or other statutory water rights, or the rights or interests of the State of Texas or the public generally in the area extending from the line of mean low tide to the line of vegetation or the right of access thereto, or right of easement along and across the same, if any.

The contract between Grantor, as the seller, and Grantee, as the buyer, may contain limitations as to warranties. To the extent said contract provides for such limitations to survive this conveyance, they shall be deemed incorporated herein by reference. However, the warranty of title contained in this Deed is hereby expressly excluded from any limitations as to warranties contained in the contract referenced in this paragraph.

When this Deed is executed by more than one person, or when Grantee is more than one person, the instrument shall read as though pertinent verbs, nouns and pronouns were changed correspondingly, and when executed by or to a legal entity other than a natural person, the words "heirs, executors and administrators" or "heirs and assigns" shall be construed to mean "successors and assigns". Reference to any gender shall include either gender and in the case of a legal entity other than a natural person, shall include the neuter gender, all as the case may be. The term "Mortgagee" shall include the Mortgagee's heirs, successors and assigns, as applicable.

DATED the 11TH day of JULY, 2025.

Kathyn Wash	JOSEPH WALSH

After Recording Return To Grantee
At GRANTEE'S MAILING ADDRESS as shown on Page 1 of this Warranty Deed

The state of the control of the state of the

ACKNOWLEDGMENTS

The State of TEXAS &

County of BENJAR


This instrument was acknowledged before me on the 10 day 2015 by KAITLYN WALSH and FOSETH WALSH.



Filed and Recorded Official Public Records **Bobbie Koepp, County Clerk Comal County, Texas** 07/15/2025 08:08:23 AM PRISCILLA 3 Pages(s) 202506021696



tamen of the processor of the contraction of the co





Instructions:

OSSF Permit



of a scaled design and all system specifications.

Surface Application/Aerobic Treatment System

Copy of Recorded Deed

OSSF DEVELOPMENT APPLICATION

CHECKLIST Staff will complete shaded items 118995 Date Received Initials Permit Number Place a check mark next to all items that apply. For items that do not apply, place "N/A". This OSSF Development Application Checklist must accompany the completed application. Completed Application for Permit for Authorization to Construct an On-Site Sewage Facility and License to Operate Site/Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer Planning Materials of the OSSF as Required by the TCEQ Rules for OSSF Chapter 285. Planning Materials shall consist Required Permit Fee - See Attached Fee Schedule Recorded Certification of OSSF Requiring Maintenance/Affidavit to the Public Signed Maintenance Contract with Effective Date as Issuance of License to Operate I affirm that I have provided all information required for my OSSF Development Application and that this application constitutes a completed OSSF Development Application.

80	09/01/2025
Signature of Applicant	Date
COMPLETE APPLICATION	INCOMPLETE APPLICATION
Check No Receipt No	—— (Missing Items Circled, Application Refeused)
	Revised: Sentember 2019