staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:		Address:				
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(G)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(A) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				

Inspector Notes:

N-	December 41	A mar	Citotiana	Net	1 at 1	2 m d 1	7 mal 1
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK IsingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
1	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
12							
	PUMP TANK Volume Installed						
1	AEROBIC TREATMENT UNIT Size Installed						
14							
	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
15	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				
18			203.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation	Allowei	Citations	Notes	13t 1113p.	Ziiu iiisp.	Sid ilisp.
	DIST COAL STOTENT DITP ITTIGATION		20E 22(a)(2)(A) (E)				
			285.33(c)(3)(A)-(F)				
19	DISPOSAL SYSTEM Soil						
20	Substitution		285.33(d)(4)				
20	DISPOSAL SYSTEM Pumped						
	Effluent		285.33(a)(4) 285.33(a)(3)				
			285.33(a)(1)				
21			285.33(a)(2)				
	DISPOSAL SYSTEM Gravelless Pipe						
	·		285.33(a)(3)				
			285.33(a)(2)				
			285.33(a)(4)				
22			285.33(a)(1)				
22	DISPOSAL SYSTEM Mound		205 22/ 1/51				
			285.33(a)(3) 285.33(a)(1)				
			285.33(a)(1) 285.33(a)(2)				
23			285.33(a)(4)				
23	DISPOSAL SYSTEM Other						
	(describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24			263.33(C)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC						
	or 4" PVC						
25							
	DRAINFIELD Area Installed						
26	DRAINFIELD Level to within 1 inch						
	per 25 feet and within 3 inches						
	over entire excavation		285.33(b)(1)(A)(v)				
27							
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth						
	DRAINFIELD Excavation Separation						
	DRAINFIELD Depth of Porous Media						
	DRAINFIELD Type of Porous Media						
28	DDAINEIEID E						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
29			(-/\-/\-/				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End						
	Plates w/Splash Plate, Inspection						
	Port & Closed End Plates in Place		285.33(c)(2)				
	(per manufacturers spec.)						
30							
	LOW PRESSURE DISPOSAL						
	SYSTEM Adequate Trench Length						
	& Width, and Adequate Separation Distance between		285.33(d)(1)(C)(i)				
	Trenches						
31							

	B		6 11.11		4.11	2.11	0.11
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	·								
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.		
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)						
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)						
	APPLICATION AREA Area Installed								
	PUMP TANK Meets Minimum Reserve Capacity Requirements								
	PUMP TANK Material Type & Manufacturer								
	PUMP TANK Type/Size of Pump Installed								



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 119000

Issued This Date: 10/20/2025

This permit is hereby given to: DREES CUSTOM HOMES, LP

To start construction of a private, on-site sewage facility located at:

8282 BLUE OAK WAY SAN ANTONIO, TX 78266

Subdivision: ENCHANTED BLUFF

Unit: 1
Lot: 44
Block: 0

Acreage: 1.0500

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and County requirements.

Call (830) 608-2090 to schedule inspections.



Instructions:

OSSF Permit

Copy of Recorded Deed

Surface Application/Aerobic Treatment System



OSSF DEVELOPMENT APPLICATION

CHECKLIST Staff will complete shaded items 119000 Date Received Initials Permit Number Place a check mark next to all items that apply. For items that do not apply, place "N/A". This OSSF Development Application Checklist must accompany the completed application. Completed Application for Permit for Authorization to Construct an On-Site Sewage Facility and License to Operate Site/Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer Planning Materials of the OSSF as Required by the TCEQ Rules for OSSF Chapter 285. Planning Materials shall consist of a scaled design and all system specifications. Required Permit Fee - See Attached Fee Schedule Recorded Certification of OSSF Requiring Maintenance/Affidavit to the Public Signed Maintenance Contract with Effective Date as Issuance of License to Operate I affirm that I have provided all information required for my OSSF Development Application and that this application constitutes a completed OSSF Development Application.

100	09/05/2025
Signature of Applicant	Date
COMPLETE APPLICATION	INCOMPLETE APPLICATION
Check No Receipt No	(Missing Items Circled, Application Refeused)

Received

Brandon Mark Olvera

10/20/2025 9:55:52 AM

WAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Date 7 16	18		Permit N	umber
1 APPLICANT / A	GENT INFORMATION			
Owner Name	DREES CUSTOM HOMES LP	Agent Name	GR	EG W. JOHNSON, P.E.
	c/o 23011 FM 306	Agent Address		170 Hollow Oak
	Canyon Lake, TX 78133	_		v Braunfels, TX 78132
Phone #	830-935-4936	Phone #	1.01	830-905-2778
Email	traci@psseptics.com	Email	gregio	ohnsonpe@yahoo.com
2. LOCATION	tracte paseptionion		88)	and a part of the
	ENCHANTED BLUFF (ENCLAVE)	Un	it 1	Lot 44 Block_
	stract Number		-	Acreage
	LUE OAK WAY			State TX Zip 78266
3. TYPE OF DEVE		ony	10	
X Single Famil				
	struction (House, Mobile, RV, Etc.)	OUSE		
Number of E				
	Ft of Living Area 4191			
	Family Residential			
	raining Residential terials must show adequate land area for doublin	ag the required land needs	od for troots	ment units and diamonal area)
			ed for treatr	nent units and disposal area)
Type of Fac				
	tories, Churches, Schools, Parks, Etc Ind			
	, Lounges, Theaters - Indicate Number of S			
	, Hospital, Nursing Home - Indicate Numbe			
	er/RV Parks - Indicate Number of Spaces			
Miscellaneo	us			
Estimated Cost	of Construction: \$	(Structure Only)		
	the proposed OSSF located in the United S	States Army Corps of E	ngineers (USACE) flowage easement?
Yes X N	lo (If yes, owner must provide approval from USACE	E for proposed OSSF improv	ements withi	n the USACE flowage easement)
Source of Water	Public Private Well			
4. SIGNATURE O	F OWNER			
	cation, I certify that: dication and all additional information submitted I am the property owner or I possess the approp			
 Authorization is her site/soil evaluation 	reby given to the permitting authority and design and inspection of private sewage facilities			
by the Comal Cour	permit of authorization to construct will not be is ity Flood Damage Prevention Order. ent to the online posting/public release of my e-n			
1		7/16/	2=2.0	
Signature of Own	ner	Date		Page 1 of 2

Received
Brandon Mark Olvera
10/20/2025 9:55:46 AM

WAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW CCEO ORG

Planning Materials & Site E	Evaluation as Required	Completed By	GREG W. JOHNSON, P.E.		
System Description	PROPRIETARY;	AEROBIC TREA	TMENT AND SURFACE IRR	IGATION	
Size of Septic System Req	uired Based on Planning	g Materials & Soil Ev	valuation		
Tank Size(s) (Gallons)	FUJI CE7A & A	AK1000 PUMP	Absorption/Application Ar	ea (Sq Ft)	
Gallons Per Day (As Per TC	EQ Table 111)	360			
(Sites generating more than 5	000 gallons per day are re	quired to obtain a perr	nit through TCEQ.)		
Is the property located over	r the Edwards Recharge	Zone? Yes	⊠ No		
(if yes, the planning materials	must be completed by a R	egistered Sanitarian (l	R.S.) or Professional Engineer (P.E.))	
Is there an existing TCEQ	approved WPAP for the	property? Yes	⋈ No		
(if yes, the R.S. or P.E. shall o	ertify that the OSSF desig	n complies with all pro	visions of the existing WPAP.)		
Is there at least one acre p	er single family dwelling	as per 285.40(c)(1)	? X Yes No		
If there is no existing WPA	P, does the proposed de	evelopment activity i	require a TCEQ approved WPAF	? Yes 🕅 No	
(if yes, the R.S or P.E. shall c be issued for the proposed OS	ertify that the OSSF desig SSF until the proposed WP	n will comply with all-p AP has been approved	rovisions of the proposed WPAP. At by the appropriate regional office.	Permit to Construct will not	
Is the property located over	r the Edwards Contribut	ing Zone? Yes	⊠ No		
Is there an existing TCEQ a	approval CZP for the pro	operty? X Yes	No		
(if yes, the P.E. or R.S. shall o	ertify that the OSSF desig	n complies with all pro	visions of the existing CZP.)		
If there is no existing CZP,	does the proposed deve	elopment activity rec	juire a TCEQ approved CZP?	Yes 🔀 No	
(if yes, the R.S. or P.E. shall of issued for the proposed OSSF			rovisions of the proposed CZP. A Priate reg	ermit to Construct will not be	
Is this property within an in	corporated city?	es 🛛 No	STATE OF TEXT		
If yes, indicate the city:			GREG W. JOHNSON		
			OF STERED AND THE PROPERTY OF	FIRM #2585	
By signing this application,	certify that:				
- The information provided a	above is true and correct to	o the best of my knowl	edge.		
- I affirmatively consent to t	he online posting/public re	lease of my e-mail add	lress associated with this permit app	olication, as applicable.	
/m/			July 25, 2025		
Signature of Designer		Dat	July 25, 2025		

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

T

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

II

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code

§285.91(12) will be installed on the property described as (Insert legal description): UNIT/PIJASE/SECTION _____ BLOCK 44 LOT BNCHANTED BLUFF SUBDIVISION IF NOT IN SUBDIVISION: ___ _____ACREAGE SURVEY DREES CUSTOM HOMES LP The property is owned by (insert owner's full name): This OSSF must be covered by a continuous maintenance contract for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally. Upon sale or transfer of the above-described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for the OSSF can be obtained from the Comal County Engineer's Office. WITNESS BY HAND(S) ON THIS 16 DAY OF DREES CUSTOM HOMES LP Owner(s) signature(s) Owner (s) Printed name (s) SWORN TO AND SUBSCRIBED BEFORE ME ON THIS 20 25 THIS AREA FOR COMAL COUNTY CLERK RECORDING PURPOSES ONLY Filed and Recorded Notary Public Signature Official Public Records **Bobbie Koepp, County Clerk** Traci Field My Commission Expires 4/29/2026 Comal County, Texas Notery ID 133734672 07/29/2025 08:10:43 AM TAMMY 1 Pages(s) (Notary Seal Here)

202506023386

Babbie Keepp



By Cody Young LLC

To:	DREES CUSTOM HOMES, L.P.	
_	ENCHANTED BLUFF, UNIT 1 (ENCLAVE), LOT 44	
Site:	8282 BLUE OAK WAY, SAN ANTONIO, TX 78266	
	nty: COMAL	
Insta	iller: PAUL SWOYER SEPTICS	
Ager	ncy: COMAL (CCEO)	
Mfg.	/Brand: FILII CE7A	

Level 1 Contract

This service contract for the On-Site Sewage-facility, (OSSF), located at the site stated above. OSSF is to be inspected and serviced at regular intervals under a licensed provider. Special emergency service is to be provided within 48 hours of notification by the homeowner or the owner's agent. The initial contract is for (2) years from the date of final septic system inspection. Renewals shall be for a period of 2 years at the current rate and remain in effect for the specified dates listed. From LICENSE TO OPERATE until 2 YEARS FROM LTO

Contract price \$700

(LICENSE TO OPERATE)

Service Program Includes:

- 1. Regular site inspection at 4-month intervals for residential septic system.
- OSSF maintenance: check aerator components for proper operation, control panel, effluent pump, spray head/drip nozzle. Check Proprietary specific components. Check pumps, check spray heads, check, and clean any Filters, check bull run valves and any other valves. Flush drain field if needed.
- 3. Visual inspection of control panel, (when accessible).
- Labor expenses required at the home to maintain, repair, or remove any part of the control center or mechanical aerator to be returned for factory repair.
- 5. Labor expenses required at the home to service, repair, or install any part of the control panel or aerator returned from factory.
- 6. All maintenance reports will be emailed to the permitting authority & customer within 14 days of inspection.

Client Responsibilities:

- 1. Special service calls after the (at the 4-month intervals) stated in item #1.
- 2. BODs or TSS grab samples, (if needed).
- 3. Freight costs to and from factory, for component repair.
- 4. Costs for replacing damaged or missing parts and repairing any equipment not under any specified warranty.
- 5. Pumping out any or all the OSSF by a licensed waste hauler.
- The Homeowner is responsible for maintaining the chlorinator and providing proper chlorine supply if required.
- 7. Securing pets so that maintenance functions can be performed safely for the technician, and the pet. If pets are present in the yard, and the owner is not on site to secure the animals, it is necessary to cancel the maintenance.
- 8. Securing pets so that maintenance functions can be performed safely for the technician, and the pet. If pets are present in the yard, and the owner is not on site to secure the animals, and it is necessary to cancel the maintenance, there will be a \$75 trip charge.
- Insuring access to the property, always to the maintenance provider. (Gates, chains with locks, codes, etc.)

Miscellaneous Provisions

 This contract can be terminated by either party in write 	ting, within 30 days' notice. Contracts that are
terminated will include notification in writing to the A	uthority having Jurisdiction, the Manufacturer of the
system, and the other party.	
Homeowner Signature:	Date: 7/16/2025
Phone: (210) 479-1978 Email: melphick @ de	eeshores.com

Maintenance Provider: Cody T. Young, License #MP0002650

Septic Pumping & Maintenance by Cody Young

911 RR3404

Kingsland, TX 78639

(325)248-8740

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	July 24, 2025	
Site Location:	ENCHANTED BLUFF - ENCLAVE, UNIT 1, LOT 44	
Proposed Excavation Depth:	N/A	
Requirements: At least two soil excavati	ons must be performed on the site, at opposite ends of the proposed disposal area.	

Locations of soil boring or dug pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the

proposed excavation depth. For surface disposal, the surface horizon must be evaluated.

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0 8'	ııı	CLAY LOAM	N/A	NONE OBSERVED	LIMESTONE @ 8"	BROWN
3						
4						
5						


Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
	SAME		AS		ABOVE	

I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.

W. Johnson P.E. 67587-F2585, S.E. 11561


OSSF SOIL EVALUATION REPORT INFORMATION

Date: <u>July 25, 2025</u>	
Applicant Information:	
	Site Evaluator Information:
Name: DREES CUSTOM HOMES, L.P.	
Address:c/o 23011 F.M. 306	Address: 170 Hollow Oak
City: CANYON LAKE State: TEXAS	City: New Braunfels State: Texas
Zip Code: 78133 Phone: (281) 513-4590	Zip Code: 78132 Phone & Fax (830)905-2778
Property Location: ENCHANTED BLUI	EE Installar Informations
Lot 44 Unit 1 Blk Subd. ENCLAVE	
Street Address: 8282 BLUE OAK WAY	Name: Company: Compan
City: SAN ANTONIO Zip Code: 7826	6 Address:
Additional Info.:	
	Zip Code: Phone
Topography: Slope within proposed disposal area:	
Presence of 100 yr. Flood Zone:	YESNO_X
Existing or proposed water well in nearby area.	YES NO X
Presence of adjacent ponds, streams, water impoundments	
Presence of upper water shed	YESNO_X
Organized sewage service available to lot	YES NO_X_
Design Calculations for Aerobic Treatment with Sp	ray Irrigation:
Commercial	
Q =GPD <u>Residential</u> Water conserving fixtures to be utilized? Y	
Number of Bedrooms the septic system is sized for:	
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction $Q = (5 +1)*75-(20\%)= 360$	1 for water conserving fixtures)
Trash Tank Size 277	
TCEQ Approved Aerobic Plant Size 720	G D D
	.064 = 5625 sq. ft.
Application Area Utilized = 5747 sq. ft.	54. It.
Pump Requirement 12 Gpm @ 41 Psi (Re	ediacket 0.5 HP 18 G P M. series or equivalent)
	TIMED TO DOSE IN PREDAWN HOURS
Pump Tank Size = 1000 Gal. VARIABLE G	
Reserve Requirement = 120 Gal. 1/3 day fl	
Alarms: Audible & Visual High Water Alarm & Visual	
With Chlorinator NSF/TCEQ APPROVED	•
SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout	
Pop-up rotary sprinkler heads w/ purple non-potable lids	•
1" Sch-40 PVC discharge manifold APPLICATION AREA SHOULD BE SEEDED AND	MADITA INED WIND VECTOR ATTON
EXPOSED ROCK WILL BE COVERED WITH SOIL	
I HAVE PERFORMED A THOROUGH INVESTIGATION	
AND SITE EVALUATOR IN ACCORDANCE WITH CHA	
(REGARDING RECHARGE FEATURES), TEXAS CO	
(EFFECTIVE DECEMBER 29, 2016)	OF 70
	TATE
1 1 1 1	15 15 15
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	DATE GREG W. JOHNSON
01.00 11.00 11.00 11, 1 .D. 1 #002303 - 0.D. 11301	DATE 67587 0 2
	FIRM #2585
	FIRM #2585
	M. Charles or and Street







DREES CUSTOM HOMES, L.P.				EJS III
STREET ADDRESS: 8282 BLUE OAK WAY				
LEGAL DESC: ENCHANTED BLUFF - ENCLAVE	UNIT/SECT	TON/PHASE:	BLOCK:	^{LOT:} 44
PREPARED BY: GREG W. JOHNSON, P.E. F#002585 SCALE: 1	"=50"	DATE: 7/25/20	25	9/18/2025



	CHAMBER	Volume (gal)
1	Sedimentation Chamber	397
2	Anaerobic Filtration Chamber	396
3	Aerobic Contact Filtration Chamber	181
4	Storage Chamber	90
(3)	Disinfection Chamber	6
	Total Volume	1069

CIFICATIONS		
PP / PE	Filling Rate	32%
PVC/PP/PE	Filling Rate	17%
PP / PE	Filling Rate	55%
2.8 cfm		
FRP		
PVC/PP/PE		
Plastic / Cast Iro	n	
Chlorine Tablets		
	PP / PE PVC / PP / PE PP / PE 2.8 cfm FRP PVC / PP / PE Plastic / Cast Iro	PP / PE Filling Rate PVC / PP / PE Filling Rate PP / PE Filling Rate 2.8 cfm FRP





SECTION B-B VIEW

FUJI CE7A 720 GPD Structural Drawing

DATE: 07/01/2014 | SCALE: 1/2" = 1"


TANK NOTES:

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks



TYPICAL PUMP TANK CONFIGURATION AK1000 GAL PUMP TANK


Environmental Series Pumps

				T3 / T	35 Perf	ormanc	e			
								Metric		
Nozzle	Pressure PSI	Radius ft.	Flow gpm	Precipa in/hr	Precip. in/hr .	Pressure BAR	Radius m	Flow m ¹ /hr	Precip. mm/hr sa	Precip. mm/hr
SMARTA	NGLE 13	LOW AN	GLE TRA	JECTORY						
	30	29	1.6	0.37	0.42	2,1	8,8	0,36	9	11
2.0LA	40	33	1.9	0.34	0.39	2,8	10,1	0,43	9	10
	50	34	2.1	0.35	0.40	3,4	10,4	0,48	9	10
	30	31	2.1	0.42	0.49	2,1	9,4	0,48	11	12
2.5LA	40	35	2.6	0.41	0.47	2,8	10,7	0,59	10	12
	50	36	2.9	0.43	0.50	3,4	11,0	0,66	11	13
	30	31	2.7	0.54	0.62	2,1	9,4	0,61	14	16
3.5LA	40	35	3.2	0.50	0.58	2,8	10,7	0.73	13	15
-	50	37	3.5	0.49	0.57	3,4	11,3	0,79	13	14
	30	33	3.0	0.53	0.61	2,1	10,1	0,68	13	16
4.5LA	40	37	3.4	0.48	0.55	2,8	11,3	0,77	12	14
	50	37	4.1	0.58	0.67	3,4	11,3	0,93	15	17
FLOW+	NOZZLES	26° TRA	JECTOR	1						
	50	50	9.5	0.73	0.84	3,4	15,2	2,16	19	21
9	60	54	10.8	0.71	0.82	4,1	16,5	2,45	18	21
	70	55	11.7	0.74	0.86	4,8	16,8	2,66	19	22
	50	57	12.4	0.73	0.85	3,4	17,4	2,82	19	22
13	60	59	13.8	0.76	0.88	4,1	18,0	3,13	19	22
	70	61	14.9	0.77	0.89	4.8	18.6	3,38	20	23

■ Square spacing based on 50% of diameter

▲ Triangular spacing based on 50% of diameter Note: All precipitation rates are calculated for 180° operation. Divide by 2 for full circle precipitation rates


Thermoplastic Performance



Thermoplastic Units Ordering Information

1/2 - 1.5 HP Single-Phase Units									
Order No.	Model	GPM	HP	Volt	Wire	Wt			
94741005	10FE05P4-2W115	10	1/2	115	2	24			
94741010	10FE05P4-2W230	10	1/2	230	2	24			
94741015	10FE07P4-2W230	10	3/4	230	2	28			
94741020	10FE1P4-2W230	10	1	230	2	31			
94741025	10FE15P4-2W230	10	1.5	230	2	46			
94742005	20FE05P4-2W115	20	1/2	115	2	25			
94742010	20FE05P4-2W230	20	1/2	230	2	25			
94742015	20FE07P4-2W230	20	3/4	230	2	28			
94742020	20FE1P4-2W230	20	1	230	2	31			
94742025	20FE15P4-2W230	20	1.5	230	2	40			

Thermoplastic 1/2 - 2 HP Pump Ends									
Order No.	Model	GPM	HP	Volt	Wire	Wt.			
94751005	10FE05P4-PE	10	1/2	N/A	N/A	6			
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7			
94751015	10FE1P4-PE	10	1	N/A	N/A	8			
94751020	10FE15P4-PE	10	1.5	N/A	N/A	12			
94752005	20FE05P4-PE	20	1/2	N/A	N/A	6			
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7			
94752015	20FE1P4-PE	20	1	N/A	N/A	8			
94752020	20FE15P4-PE	20	1.5	N/A	N/A	10			
94752025	20FE2P4-PE	20	2	N/A	N/A	11			





ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG


Date 7 16	28		Permit Number 119000
1. APPLICANT / AG	ENT INFORMATION		
Owner Name	DREES CUSTOM HOMES LP	Agent Name	GREG W. JOHNSON, P.E.
Mailing Address	c/o 23011 FM 306	Agent Address	170 Hollow Oak
City, State, Zip	Canyon Lake, TX 78133	City, State, Zip	New Braunfels, TX 78132
Phone #	830-935-4936	Phone #	830-905-2778
Email	traci@psseptics.com	Email	gregjohnsonpe@yahoo.com
2. LOCATION	ENCHANTED BLUFF	Linit	1 Lot 44 Block
Subdivision Name Survey Mane / Abst		Linit	
	JE OAK WAY	City SAN ANTONIO	Acreage State TX Zip 78266
B. TY E OF DEVEL			
X Single Family		Inc	clude the full legal description.
Type of Const			
Number of Be			
Indicate Sq Ft	of Area 91		
lon-Single Fa	mily		
Planning mater	rials r ho quate lar for doub	oling uired neede	eatment uni
Type of Facili	ty		
Offices, Facto	ries, s, Schools, Pa.	e Numb Occu	
Restaurants,	Lounges, Theaters - Indicate Number of	f Seats	
Hotel, Motel, I	Hospital, Nursing Home - Indicate Numb	per of Beds	
avel Trailer	/RV Parks - Indicate Number of Spaces		
Misc Vaneous			
F. I	Construction: \$	(0)	
	he proposed OSSF located in the United	(Structure Only)	gingers (LISACE) flavoge agament?
	(If yes, owner must provide approval from USA		
	Public Private Well	ACE to proposed OSSF improve	ments within the OSACE howage easement)
. SIGNATURE OF			
by signing this applica			
The completed applic	cation and all additional information submitte		information and does not conceal any material to make the permitted improvements on said
property.			
	by given to the permitting authority and design and inspection of private sewage facilities	gnated agents to enter upon t	he above described property for the purpose of
I understand that a pe		issued until the Floodplain A	dministrator has performed the reviews require
	t to the online posting/public release of my	e-mail address associated wit	h this permit application, as applicable.
1		7/16/2	-25
Signature of Owne	er	Date	Page 1 of



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW CCEO ORG

Planning Materials & Site Evaluation as Required Completed By			GREG W. JOHNSON, P.E.				
System Description	PROPRIETARY;	AEROBIC TREA	TMENT AND S	URFACE IRRIGA	TION		
Size of Septic System Requ	uired Based on Planning	Materials & Soil E	valuation				
Tank Size(s) (Gallons)	Г ИЛ СЕ7А & А	K1000 PUMP	Absorption	/Application Area (S	sq Ft)		
Gallons Per Day (As Per TC	EQ Table 111)	360					
(Sites generating more than 5	000 gallons per day are re	quired to obtain a per	mit through TCEQ.)				
Is the proper located over	r the Edwards Recharge	Zone? Yes	X No				
(if yes, the planning materials	must be completed by a R	egistered Sanitarian (R.S.) or Professiona	al Engineer (P.E.))			
Is there an existing TCEQ a	* *		E.				
(if yes, the R.S. or P.E. shall c	ertify that the OSSF design	n complies with all pro	ovisions of the existi	ng WPAP)			
Is there at least one acre	ingle fam elling	∠65. 4		TOPO	und CZD for t		
If there is no existing WP/	es the losed	opment activ	nere quire ubdi	TCEQ a n.	ved CZP for t e		
(if yes, t ⇒ R.S or P.E. shall obe issue for the proposed O	that SSF do	rill comply with	y the men	/w.cceo.c 2P/Encha	nvironmental/coc_ _Bluff.pdf		
Is the poperty located over	ards Contribu		X				
Is there an existing TCEQ a							
(if yes, the P.E. or R.S. shall c	ertify that the OSSF design	n complies with all pro	visions of the existi	ng CZP.)			
If there is no existing CZP,				and the same of th			
(if yes, the R.S. or P.E. snall of issued for the proposed OSSF	ertiny that the USSF designments the UP has been ap	n will comply with all proved by the approp	riate reg		to Construct will not be		
Is this property within an inc	corporated city?	es 🕅 No	STATE	OF TE+			
If yes, indicate the city:			GREG	N. JOHNSON 67587			
			O _K ESSIO	ONAL ENGINE FIL	R M #2585		
By signing this application,	certify that:						
- The information provided a		•	•				
- I affirmatively consent to the	ne online posting/public rel	ease of my e-mail ad	uress associated wit	n this permit applicati	on, as applicable.		
IYY			July 25, 202	25			
Signature of Designer		Da	te				



195 David Jonas Dr, New Braunfels, Texas 78132 (830)608-2090

Address:	 	 	
Legal Description: _			

Dear Property Owner & Agent,

Thank you for your submission. We have reviewed the planning materials for the referenced permit application, and unfortunately, they are insufficient. To proceed with processing this permit, we require the following:

119000.pdf Markup Summary 10-10-2025

Brandon Mark Olvera (2)



Subject: Group Page Label: 2

Checkmark: Unchecked Author: Brandon Mark Olvera Date: 10/10/2025 4:10:23 PM



Include the full legal description.



Subject: Group Page Label: 3

Checkmark: Unchecked Author: Brandon Mark Olvera Date: 10/10/2025 4:15:07 PM



There is a TCEQ approved CZP for

the subdivision.

https://www.cceo.org/environmenta l/documents/CZP/Enchanted_Bluff.

pdf

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

SPECIAL WARRANTY DEED

THE STATE OF TEXAS	§ §	KNOW ALL MEN BY THESE PRESENTS:
COUNTY OF COMAL	§	

2020 FI DIERKS, LLC, a Texas limited liability company, for and in consideration of ten dollars (\$10.00) and other good and valuable consideration, the receipt and sufficiency is hereby acknowledged, has GRANTED, SOLD, and CONVEYED, and by these presents does hereby GRANT, SELL, AND CONVEY, unto DREES CUSTOM HOMES, LP, a Texas limited partnership, whose mailing address is 20734 Stone Oak Parkway, Suite 103, San Antonio, Texas 78258, that certain real property in Bexar County, Texas, described in Exhibit A which is attached hereto and incorporated herein for all purposes (the "Property"), and hereby transfers to Grantee all of Grantor's right, title and interest, if any, in and to all improvements, structures, fixtures, and other installations located on the Property as of the date hereof, and appurtenances thereto.

This conveyance is made and accepted expressly subject to Mineral Reservation hereinafter set forth, to all applicable zoning laws, regulations, and ordinances of municipal and/or governmental authorities, and is further made subject to the permitted exceptions set forth on Exhibit B which is attached hereto and incorporated herein for all purposes (the "Permitted Exceptions"), but only to the extent such Permitted Exceptions are still in effect and shown of record in the hereinabove mentioned County and State.

Grantor reserves and retains for itself and excepts from this conveyance all of the oil, gas, and other minerals in, on, or under or that may be produced from the Property that are not currently outstanding in other parties as of the date hereof (the "Mineral Reservation"); provided, however, that the Mineral Reservation will not include and Grantor waives and relinquishes any right to use the surface of the Property for any reason, including, without limitation, the right to enter upon the Property for the exploration and/or removal of oil, gas, and other minerals and the right to place or maintain any structures, improvements, fixtures, equipment or pipelines in, on, under or across the Property. Notwithstanding the foregoing, such surface use waiver will not prohibit subterranean underground directional drilling activities that begin upon and are conducted from the surface of real property other than the Property, provided that such drilling activities at all times penetrate the Property sufficiently below the surface as to not interfere with or disturb in any manner the present or future use to which the owner(s) of the Property or their successors and assigns may desire to devote such Property, and in no event will the directional drilling or subsurface activities intersect the boundaries of the Property at depths less than 500' below the overlying surface of the Property.

EXCEPT FOR THE WARRANTY OF TITLE STATED HEREIN, GRANTEE HEREBY ACCEPTS THE PROPERTY "AS IS", "WHERE IS", AND "WITH ALL FAULTS", AND NOT IN RELIANCE ON ANY REPRESENTATION OR WARRANTY BY GRANTOR, EXCEPT THOSE EXPRESS REPRESENTATIONS AND

WARRANTIES SET FORTH IN THAT CERTAIN BUILDER AGREEMENT FOR PURCHASE AND SALE OF RESIDENTIAL LOTS DATED OCTOBER 2, 2023 BY AND BETWEEN GRANTOR, AS DEVELOPER, AND GRANTEE, AS BUILDER (THE "EXPRESS REPRESENTATIONS"). GRANTEE ACKNOWLEDGES THAT, EXCEPT FOR THE EXPRESS REPRESENTATIONS, GRANTEE IS NOT RELYING UPON THE ACCURACY OR COMPLETENESS OF ANY REPRESENTATION, BROCHURE, RENDERING. PROMISE, STATEMENT. OR OTHER ASSERTION INFORMATION WITH RESPECT TO THE LOTS MADE OR FURNISHED BY OR ON BEHALF OF, OR OTHERWISE ATTRIBUTED TO, GRANTOR OR ANY OF ITS AGENTS, EMPLOYEES, OR REPRESENTATIVES, ANY AND ALL SUCH RELIANCE BEING HEREBY EXPRESSLY AND UNEQUIVOCALLY DISCLAIMED, BUT IS RELYING SOLELY AND EXCLUSIVELY UPON ITS OWN EXPERIENCE AND ITS INDEPENDENT JUDGMENT, EVALUATION, AND EXAMINATION OF THE LOTS. GRANTEE FURTHER UNEQUIVOCALLY DISCLAIMS (I) THE EXISTENCE OF ANY DUTY TO DISCLOSE ON THE PART OF GRANTOR OR ANY OF ITS AGENTS. EMPLOYEES, OR REPRESENTATIVES AND (II) ANY RELIANCE BY GRANTEE ON THE SILENCE OR ANY ALLEGED NONDISCLOSURE OF GRANTOR OR ANY OF ITS AGENTS, EMPLOYEES, OR REPRESENTATIVES. GRANTEE EXPRESSLY WARRANTS AND REPRESENTS THAT NO PROMISE OR AGREEMENT HAS BEEN MADE TO IT AND HEREBY DISCLAIMS ANY RELIANCE UPON ANY SUCH ALLEGED PROMISE OR AGREEMENT (EXCEPT FOR THE EXPRESS REPRESENTATIONS). THIS PROVISION WAS FREELY NEGOTIATED AND IS A MATERIAL PART OF THE CONSIDERATION ACKNOWLEDGED FOR THIS DEED, AND EXCEPT AS OTHERWISE PROVIDED IN THE EXPRESS REPRESENTATIONS AND EXCEPT AS PROVIDED IN THE WARRANTY OF TITLE HEREIN, GRANTEE HAS AGREED TO DISCLAIM RELIANCE ON GRANTOR AND TO ACCEPT THE PROPERTY "AS IS", "WHERE IS", AND "WITH ALL FAULTS" WITH FULL AWARENESS THAT THE LOTS' PRIOR USE OR OTHER MATTERS COULD AFFECT THEIR CONDITION, VALUE, SUITABILITY, OR FITNESS, AND GRANTEE CONFIRMS THAT GRANTEE IS HEREBY ASSUMING ALL RISK ASSOCIATED THEREWITH. TO THE FULLEST EXTENT PERMITTED BY LAW, GRANTEE DOES AND WILL INDEMNIFY AND HOLD HARMLESS GRANTOR AND GRANTOR'S OFFICERS, DIRECTORS, OWNERS, EMPLOYEES, REPRESENTATIVES, AND AGENTS (COLLECTIVELY, "GRANTOR PARTIES") FOR, FROM, AND AGAINST ANY INJURIES, LOSSES, LIENS, CLAIMS, DEMANDS, JUDGMENTS, LIABILITIES, DAMAGES, COSTS, AND EXPENSES (INCLUDING BUT NOT LIMITED TO COURT COSTS AND REASONABLE ATTORNEY'S FEES AND EXPENSES), THAT RESULT FROM OR ARISE OUT OF OR IN CONNECTION WITH ANY DESIGN DEFECT. CONSTRUCTION DEFECT, OR SUBSTANDARD WORKMANSHIP IN ANY HOMES OR OTHER IMPROVEMENTS CONSTRUCTED BY GRANTEE ON THE PROPERTY. AND ANY COVENANT, REPRESENTATION, STATEMENT, OR WARRANTY MADE BY GRANTEE OR ANY OF GRANTEE'S AGENTS OR EMPLOYEES TO ANY THIRD PARTY PERTAINING TO THE PROPERTY OR ANY PORTION OF ANY OF SAME. GRANTEE UNDERSTANDS THAT THE DISCLAIMERS OF RELIANCE AND OTHER PROVISIONS CONTAINED HEREIN COULD LIMIT ANY LEGAL RECOURSE OR REMEDY GRANTEE OTHERWISE MIGHT HAVE. GRANTEE ACKNOWLEDGES THAT IT HAS SOUGHT AND HAS RELIED UPON THE ADVICE OF ITS OWN LEGAL COUNSEL CONCERNING THIS PROVISION.

EXCEPT FOR THE EXPRESS REPRESENTATIONS, GRANTOR MAKES NO REPRESENTATIONS AS TO COMPLIANCE WITH LAWS RELATING TO HEALTH, SAFETY OR

THE ENVIRONMENT, AND GRANTOR MAKES NO WARRANTIES OR REPRESENTATIONS WITH RESPECT TO THE SUBSURFACE CONDITION OF THE PROPERTY OR THE PRESENCE OR ABSENCE THEREIN OF ANY TOXIC OR HAZARDOUS WASTES OR MATERIALS OF ANY KIND OR NATURE WHATSOEVER.

TO HAVE AND TO HOLD the above-described premises, together with all and singular the rights and appurtenances thereto in anywise belonging unto said Grantee, its successors and assigns, forever. And Grantor does hereby bind itself and its successors to WARRANT and FOREVER DEFEND all and singular the said premises unto Grantee, its successors, and assigns, against every person whomsoever, lawfully claiming or to claim the same, or any part thereof, by, through, or under Grantor, but not otherwise.

The obligation to pay taxes for the current year and subsequent years is assumed by Grantee.

Grantor expressly reserves the right, until the date which is one hundred twenty (120) days following the date hereof, to dedicate easements for utility purposes over, under, and across the property hereby conveyed; provided, however, that any easement created by Grantor pursuant to this provision shall affect only the portion of such property which is adjacent to a property line and shall not materially adversely affect the ability of Grantee to construct a residence on such property.

[Signatures on following page.]

EXECUTED to be effective this the 21 day of April, 2025.

By: BITTERBLUE 2020 FUND I, LP, a Texas limited partnership its Member-Manager

By: BITTERBLUE 2020 FUND I GP, LLC, a Texas limited liability company its General Partner

By: BITTERBLUE INVESTMENTS, LLC, a Texas limited liability company its Sole Member

By: Scott Texter

Title: Muna 910

STATE OF TEXAS

8 8

COUNTY OF Mex 💉

This instrument was acknowledged before me on April 2.4, 2025, by the MANAGE of of BITTERBLUE INVESTMENTS, LLC, a Texas limited liability company, Sole Member of BITTERBLUE 2020 FUND I GP, LLC, a Texas limited liability company, General Partner of BITTERBLUE 2020 FUND I, LP, a Texas limited partnership, Member-Manager of 2020 FI DIERKS, LLC, a Texas limited liability company, on behalf of said companies and said limited partnership.

[SEAL]

Notary Public

ETHAN KABBE Notary ID #134846274 My Commission Expires April 10, 2028

. Et Sin utbi

EXHIBIT "A"

Legal Description

Lot 44, of Enchanted Bluff-Unit 1 (Enclave), an addition in Comal County, Texas, according to the map or plat thereof recorded in Document 202306004954, Map and Plat Records, Comal County, Texas.




EXHIBIT "B" Permitted Exceptions

- Restrictive covenants of record set forth in Document No. 202306004954, Map and Plat Records, Comal County, Texas and Document Nos. 202306004956, 202306040000, and 202406033764, Official Public Records, Comal County, Texas.
- All leases, grants, exceptions or reservations of coal, lignite, oil, gas and other minerals, together with all rights, privileges, and immunities relating thereto, appearing in the Public Records.
- 3. All leases, grants, exceptions or reservations of the geothermal energy and associated resources below the surface of the Land, together with all rights, privileges, and immunities relating thereto, appearing in the Public Records.
- Building setback line, 25 feet wide, along the front lot line, as shown on the abovementioned plat.
- Public gas, electric, telephone and cable TV easement, 14 feet wide, along the front and side street lot line, as shown on the above-mentioned plat.
- Public gas, electric, telephone and cable TV easement, 12 feet wide, along the rear lot line, as shown on the above-mentioned plat.
- 7. Private street, as shown on the above-mentioned plat.
- Amended and Restated Memorandum of Agreement Regarding Easements, as provided therein, recorded in Document No. 202106017942, Official Public Records, Comal County, Texas.
- Maintenance Agreement, as provided therein, recorded in Document No. 202306004955, Official Public Records, Comal County, Texas.
- Easement(s), as provided therein, recorded in Document No. 202206049137, Official Public Records, Comal County, Texas.
- Assessments, charges and liens as set forth in the document recorded as Document No. 202306004956, Official Public Records, Comal County, Texas.
- 12. That certain Memorandum of Resale Restriction entered into by and between Grantor and Grantee of even date herewith, recorded in the Real Property Records of Comal County, Texas, on or about the date hereof.
- 13. That certain Water and Sewer Notice entered into by and between Grantor and Grantee of even date herewith, recorded in the Real Property Records of Comal County, Texas, on or about the date hereof.

Filed and Recorded
Official Public Records
Bobbie Koepp, County Clerk
Comal County, Texas
. 04/24/2025 03:23:48 PM
TAMMY 6 Pages(s)
202506011887



