staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:		Address:	Address:				
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.	
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)					
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)					
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)					
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)					
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)					
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)					
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)					

**Inspector Notes:** 

N-	December 41	A may	Citotiana	Net	1 at 1	2 m d 1	7 mal 1
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK IsingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
1	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
12							
	PUMP TANK Volume Installed						
1	AEROBIC TREATMENT UNIT Size Installed						
14							
	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
15	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				
18			203.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation	Allowei	Citations	Notes	13t 1113p.	Ziiu iiisp.	Sid ilisp.
	DIST COAL STOTENT DITP ITTIGATION		20E 22(a)(2)(A) (E)				
			285.33(c)(3)(A)-(F)				
19	DISPOSAL SYSTEM Soil						
20	Substitution		285.33(d)(4)				
20	DISPOSAL SYSTEM Pumped						
	Effluent		285.33(a)(4) 285.33(a)(3)				
			285.33(a)(1)				
21			285.33(a)(2)				
	DISPOSAL SYSTEM Gravelless Pipe						
	·		285.33(a)(3)				
			285.33(a)(2)				
			285.33(a)(4)				
22			285.33(a)(1)				
22	DISPOSAL SYSTEM Mound		205 22/ 1/51				
			285.33(a)(3) 285.33(a)(1)				
			285.33(a)(1) 285.33(a)(2)				
23			285.33(a)(4)				
23	DISPOSAL SYSTEM Other						
	(describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24			263.33(C)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC						
	or 4" PVC						
25							
	DRAINFIELD Area Installed						
26	DRAINFIELD Level to within 1 inch						
	per 25 feet and within 3 inches						
	over entire excavation		285.33(b)(1)(A)(v)				
27							
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth						
	DRAINFIELD Excavation Separation						
	DRAINFIELD Depth of Porous Media						
	DRAINFIELD Type of Porous Media						
28	DDAINEIEID E						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
29			(-/\-/\-/				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End						
	Plates w/Splash Plate, Inspection						
	Port & Closed End Plates in Place		285.33(c)(2)				
	(per manufacturers spec.)						
30							
	LOW PRESSURE DISPOSAL						
	SYSTEM Adequate Trench Length						
	& Width, and Adequate Separation Distance between		285.33(d)(1)(C)(i)				
	Trenches						
31							

	B d . ut	•	<b>6</b> 11 - 11		4.11		2.11
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field ( 1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes ( 3/16 - 1/4" dia. Hole Size ) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
34	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
35	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

	·								
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.		
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)						
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)						
	APPLICATION AREA Area Installed								
	PUMP TANK Meets Minimum Reserve Capacity Requirements								
	PUMP TANK Material Type & Manufacturer								
	PUMP TANK Type/Size of Pump Installed								



# Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 119018

Issued This Date: 10/21/2025

This permit is hereby given to: SHIRLEY J. CHARLES E. MAREK, JR, RUSSELL F. & NANCY MILLI

To start construction of a private, on-site sewage facility located at:

1116 TOWHEE TRL

NEW BRAUNFELS, TX 78132

Subdivision: VINTAGE OAKS AT THE VINEYARD

Unit: 26

Lot: 2098

Block: 0

Acreage: 1.2700


#### APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and County requirements.

Call (830) 608-2090 to schedule inspections.



Instructions:

**OSSF Permit** 

Copy of Recorded Deed


Check No.

Surface Application/Aerobic Treatment System

Signature of Applicant

**COMPLETE APPLICATION** 

Receipt No.



## **OSSF DEVELOPMENT APPLICATION**

**CHECKLIST** Staff will complete shaded items 119018 Date Received Initials Permit Number Place a check mark next to all items that apply. For items that do not apply, place "N/A". This OSSF Development Application Checklist must accompany the completed application. Completed Application for Permit for Authorization to Construct an On-Site Sewage Facility and License to Operate Site/Soil Evaluation Completed by a Certified Site Evaluator or a Professional Engineer Planning Materials of the OSSF as Required by the TCEQ Rules for OSSF Chapter 285. Planning Materials shall consist of a scaled design and all system specifications. Required Permit Fee - See Attached Fee Schedule Recorded Certification of OSSF Requiring Maintenance/Affidavit to the Public Signed Maintenance Contract with Effective Date as Issuance of License to Operate I affirm that I have provided all information required for my OSSF Development Application and that this application constitutes a completed OSSF Development Application. 09/11/2025 Date INCOMPLETE APPLICATION

(Missing Items Circled, Application Refeused)

Revised: September 2019





### **ON-SITE SEWAGE FACILITY APPLICATION**

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090

WWW.CCEO.ORG

DateAu	ugust 25, 2025		Permit N	umber11	9018
1. APPLICANT /	AGENT INFORMATION				
Owner Name	CHARLES E. MAREK, JR. & SHIRLEY J. MAREK, RUSSELL F. MILLER & NANCYANN MILLER	Agent Name		GREG JOHNSO	NDE
-	c/o 6581 FM 306	-		170 HOLLOW OAK	
-	NEW BRAUNFELS, TEXAS 78132				
Phone #	830-629-4663	Phone #	NEW BRAUNFELS TEXAS 78132 830-805-2778		
Email -	cherie@summitoakbuilders.com	Email	gregjohnsonpe@yahoo.com		
2. LOCATION	chorre@summicoacounders.com	- Lillali -	51	regjonnsonpeæya	iioo.com
	e VINTAGE OAKS AT THE VINE	EVARD IIn	it 26	Lot 2098	Block
	Abstract Number				Block
	1116 TOWHEE TRAIL				71. 70122
3. TYPE OF DEV		City NEW BRA	UNFELS	_ State _ TX	Zip
Single Fam					
		HOUGE			
	onstruction (House, Mobile, RV, Etc.)	HOUSE			
	Bedrooms 6				
	Ft of Living Area5035				
	Family Residential				
	aterials must show adequate land area for doublin		ed for treatn	nent units and disp	osal area)
Type of Fa					
Offices, Fa	actories, Churches, Schools, Parks, Etc Indi	icate Number Of Occup	oants		
Restaurant	ts, Lounges, Theaters - Indicate Number of S	eats			
	el, Hospital, Nursing Home - Indicate Number	r of Beds			
Travel Trai	ler/RV Parks - Indicate Number of Spaces				
Miscellane	ous				
-					
Estimated Cos	t of Construction: \$1,000,000	(Structure Only)			
Is any portion	of the proposed OSSF located in the United S	States Army Corps of E	ingineers (	USACE) flowage	easement?
	No (If yes, owner must provide approval from USACE		ments within	the USACE flowage	e easement)
Source of Water	er 🔀 Public 🗌 Private Well 🔲 Rainwate	er Collection			
4. SIGNATURE	OF OWNER				
<ul> <li>The completed ap facts. I certify that</li> </ul>	lication, I certify that: oplication and all additional information submitted of t I am the property owner or I possess the appropr	does not contain any false riate land rights necessar	e information y to make th	n and does not con ne permitted impro	nceal any material vements on said
property Authorization is he	ereby given to the permitting authority and designa	ated agents to enter upor	the above	described property	for the purpose of
site/soil evaluation	n and inspection of private sewage facilities				
by the Comal Cou	a permit of authorization to construct will not be is unty Flood Damage Prevention Order.				
- I affirmatively con	sent to the online posting/public release of my e-m	nail address associated w	ith this perm	nit application, as	applicable.
Shirten OFF	rank hanceson meller	8/30	1202	5	
Signature of O	wner	Date	F		Page 1 of



### ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCEO.ORG

Planning Materials & Site	Evaluation as Required Completed By GREG W. J	JOHNSON, P.E
System Description	PROPRIETARY; AEROBIC TREATMENT	AND SURFACE IRRIGATION
Size of Septic System Rec	quired Based on Planning Materials & Soil Evaluation	
Tank Size(s) (Gallons)	SOLAR AIR SAIITX800-1000PT Absorption/Applicat	tion Area (Sq Ft)
Gallons Per Day (As Per (Sites generating more than	TCEQ Table III) 420 5000 gallons per day are required to obtain a permit through	gh TCEQ)
	ver the Edwards Recharge Zone? ☑ Yes ☐ No Is must be completed by a Registered Sanitarian (R.S.) or P	rofessional Engineer (P.E.))
Is there an existing TCEQ	approved WPAP for the property? X Yes No	
(if yes, the R. S. or P. E. shall	Il certify that the OSSF design complies with all provisions of	f the existing WPAP.)
Is there at least one acre per	single family dwelling as per 285.40(c)(1)? 🔀 Yes 📗 No	
If there is no existing WP	PAP, does the proposed development activity require	a TCEQ approved WPAP? Yes No
	all certify that the OSSF design will comply with all provision sed OSSF until the proposed WPAP has been approved by t	
Is the property located ov	ver the Edwards Contributing Zone? Yes No	
Is there an existing TCEC	approval CZP for the property? 🔲 Yes 🛛 No	
(if yes, the P.E. or R.S. shall	Il certify that the OSSF design complies with all provisions o	f the existing CZP)
(if yes, the P.E. or R.S. shall	P, does the proposed development activity require a lill certify that the OSSF design will comply with all provisions osed OSSF until the CZP has been approved by the approved by the approximation.	of the proposed CZP. A Permit to construct will
Is this property within	n an incorporated city? 🗌 Yes 🛛 No	Start X tro.
If yes, indicate the cit	ty:	GREG W. JOHNSON  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587  67587
		FIRM #2585
	above is true and correct to the best of my knowledge.  To online posting/public release of my e-mail address associate	gust 26, 2025
CHARLES OF DESIGNED	Date	raue 2 01 2

#### **AFFIDAVIT**

## THE COUNTY OF COMAL STATE OF TEXAS

#### CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filled in the Deed Records of Comai County, Texas.

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission o The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Bavironmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owner's to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

II

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (insert legal description):

26	UNIT	Brock	2098	_LOT_	VINTAGE OA	KS AT THE	VINEYARD	Subdivision
f not in Subi	Division:	ACREAGI	·					_SURVEY
	erty is owned by L.P. MILLER & N			RM0):_,	CHARLES	e. Marek, Ji	& SHIRLEY	J. MAREK,
the init	SSF must be cov lal two-year servince shall either of lily.	ice policy, the o	wner o	f an acr	obic treatment	system for a s	ingle family	r
trensftri obtaine	ale or transfer of red to the buyer of from the Comal	or new owner. A County Engine	copy or's Off	of the process of the	planning mater	ials for the O	SSF can be	
WITNES X	S-BY HAND(S)	N THIS ZAU	DAY C		ACA TARLES E. MA	,20 <u>2</u> REK. JR &	<u>.                                    </u>	
x Stain	Amare	L	_		IRLEY J. MAR			_
X	WIII T	1-00-		RL	SSBLL F. MILI	ER		_ _
Drong	pm Dril	14		NA	NCY ANN MI	LER		-
Owner(s	) signature(s)			ō	wner (s) Printed no	ms (s)		-
CHARLES B. MA RUSSELJ, P. MTL H.V. O	rek, ir a shirli Ler a nancy an U.C.	ey I. Marek. In Miller & 8W	ORN 1	ina ot	Subscribe)	BEFORE M	e on this	ZO_DAY OF
Notary	Public Sign	,20 <u>25</u>				Courtney Sue My Connection 0/10/20 Notery (D134	Tarabase : T	

Filed and Recorded Official Public Records **Bobbie Koepp, County Clerk** Comal County, Texas 09/11/2025 08:08:06 AM IRENE 1 Pages(s) 202506029303



Maintenance Service Provider 15188 FM 306 Canyon Lake, TX 78133 Office (830)964-2365



VINTAGE OAKS AT THE VINEYARD, UNIT 26, LOT 2098

SERVICE ADDRESS INSTALLER

1116 TOWHEE TRAIL, NEW BRAUNFELS, TX 78132 SCOTT "BOOMA" SCHNEIDER

2 year

#### Routine Maintenance and Inspection Agreement

This Work for Hire Agreement (hereinafter referred to as this "Agreement") is entered into by and between MAREK - MILLER; (referred to as "Client") and Aerobic Services of South Texas (Thomas W. Hampton MP349) (hereinafter referred to as "Contractor") located at 15188 FM 306 Canyon Lake, Texas 78133 (830) 964-2365. By this Agreement the Contractor agrees to render professional service, as described herein, and the Client agrees to fulfill the terms of this Agreement as described herein. This contract will provide for all required inspections, testing and service for your Aerobic Treatment System. The policy will include the following:

- 1. 3 inspections a year/services calls (at least one every 4 months), for a total of 6 over the two year period including inspection, adjustment and servicing of the mechanical, electrical and other applicable component parts to ensure proper function. This includes inspecting the control panel, air pumps, air filters, diffuser operation. Any alarm situation affecting the proper function of the Aerobic process will be addressed within a 48-hour time frame. Repair work on non-warranty parts will include price for parts & labor. The prices will be quoted before work is performed.
- 2. An effluent quality inspection consisting of a visual check for color, turbidity, scum overflow and examination for odors. A test for chlorine residual and pH will be taken and reported as necessary.
- 3. If any improper operation is observed, which cannot be corrected at the time of the service visit, you will be notified immediately in writing of the conditions and estimated date of correction.
- 4. The Property Owner is responsible for the chlorine; it must be filled before or during the service visit.
- 5. Any additional visits, inspections or sample collection required by specific Municipalities, Water/River Authorities, and County Agencies the TCEQ or any other authorized regulatory agency in your jurisdiction will be covered by this policy. BOD and TSS testing is covered by this contract.

The Property Owner Manual must be strictly followed or warranties are subject to invalidation. Pumping of sludge build-up is not covered by this policy and will result in additional charges.

#### ACCESS BY CONTRACTOR

The Contractor or anyone authorized by the Contractor may enter the property at reasonable times without prior notice for the purpose of the above described Services. The contractor may access the System components including the tanks by means of excavation for the purpose of evaluations if necessary. Soil Is to be replaced with the excavated material as best as possible.

#### Termination of Agreement

Either party may terminate this agreement within ten days with a written notice in the event of substantial failure to perform in accordance with its terms by the other party without fault of the terminating party. If this Agreement is so terminated, the Contractor will immediately notify the appropriate health authority of the termination.

#### Limit of Liability

In no event shall the Contractor be liable for indirect, consequential, incidental or punitive damages, whether in contract tort or any other theory. In no event shall the Contractor's liability for direct damages exceed the price for the services described in this Agreement.

#### **Dispute Resolution**

If a dispute between the Client and the Contractor arises that cannot be settled in good faith negotiations then the parties shall choose a mutually acceptable arbitrator and shall share the cost of the arbitration services equally.

#### Entire Agreement

This Agreement contains the entire agreement of the parties, and there are no other promises or conditions in any other agreement either oral or written.

#### Severability

If any provision of this Agreement shall be held to be invalid or unenforceable for any reason, the remaining provisions shall continue to be valid and enforceable. If a court finds that any provision of this agreement is invalid or unenforceable, but that by limiting such provision it would become valid and enforceable, then such provision shall be deemed to be written, construed, and enforced as so limited.

#### Property Owner

#### Name

Shirley J. Marek & Charles E. Marek, Jr & Russell F. Miller & Nancy Ann Miller

Email Shirlmar 712 gmail.com

#### Service Address

1116 TOWEE TRAIL NEW BRAUNFELS, TX 78132

Phone

210-693-2175

GNATURE

EFFECTIVE DATE

EXPIRED DATE

#### SERVICE PROVIDER

Aerobic Services of South Texas LLC.

15188 FM 306 Canyon Lake, TX 786133

(830) 964-2365

5 Come 2. House

Signature of Service Provider and License # [Thomas Hampton, OS0024597 / MP0000349]



<sup>\*</sup>The effective date of this initial maintenance contract shall be the date license to operate is issued.

## Greg W. Johnson, P.E.

170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

August 26, 2025

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RESEPTIC DESIGN
1116 TOWEE TRAIL
VINTAGE OAKS AT THE VINEYARD, UNIT 26, LOT 2098
NEW BRAUNFELS, TX 78132
MAREK / MILLER RESIDENCE

### Brandon /Brenda,

The referenced property is located within the Edwards Aquifer Recharge Zone. This OSSF design will comply with requirements in the WPAP.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40,285.41, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

Greg W. Johnson, P.E. No. 67587 / F#2585

170 Hollow Oak

New Braunfels, Texas 78132 - 830/905-2778

## ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	August 25, 2025	-
Site Location:	VINTAGE OAKS at	he VINEYARD, UNIT 26, LOT 2098
Proposed Excavation Depth:	N/A	
Locations of soil boring	or dug pits must be shown on the s	, at opposite ends of the proposed disposal area. ite drawing. I to a depth of at least two feet below the

proposed excavation depth. For surface disposal, the surface horizon must be evaluated.

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
6"	IV	CLAY	N/A	NONE OBSERVED	LIMESTONE @ 6"	BROWN
3						
4						
5						

so	IL BORING	NUMBER SUR	FACE EVALUAT	ION			
	Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0		SAME		AS		ABOVE	
2							
3							
4							
5							


I certify that the findings of this report are based o	n my field observations and are accurate to
the best of my ability.	•
the best of my ability.	08 125 125

Greg W. Johnson, PLE/67587-F2585, S.E. 11561

Date

### OSSF SOIL EVALUATION REPORT INFORMATION

Date: August 26, 2025	
Applicant Information:	
CHARLES E. MAREK JR. & SHIRLEY J. MAREK with Name: RUSSELL F. MILLER & NANCY ANN MILLER	Site Evaluator Information: Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address: c/o 6581 F.M. 306	Address: 170 Hollow Oak
City: NEW BRAUNFELS State: TEXAS	Address: 170 Hollow Oak City: New Braunfels State: Texas
Zip Code: Phone: (210) 693-2175	Zip Code: 78132 Phone & Fax (830)905-2778
Property Location: VINTAGE OAKS at Lot 2098 Unit 26 Blk Subd. VINEYARD	Name:
Street Address: 1116 TOWHEE TRAIL	Company:
City: NEW BRAUNFELS Zip Code: 7813:	
Additional Info.:	City: State:
	Zip Code: Phone
<b>Topography:</b> Slope within proposed disposal area:	2 to 4 %
Presence of 100 yr. Flood Zone:	YES NO_X_
Existing or proposed water well in nearby area.	YES NO_X_
Presence of adjacent ponds, streams, water impoundments	YES NO_X_
Presence of upper water shed	YESNO_X
Organized sewage service available to lot	YES NO_X_
Design Calculations for Aerobic Treatment with Sp	ray Irrigation:
Commonial	——————————————————————————————————————
Commercial	
Q = GPD GPD	
Residential Water conserving fixtures to be utilized? Y	
Number of Bedrooms the septic system is sized for:	
Q gal/day = (Bedrooms +1) * 75 GPD - (20% reduction $Q = (6 + 1)*75-(20\%) = 420$	i for water conserving fixtures)
Trash Tank Size 461 Gal. TCEO Approved Aerobic Plant Size 800	
	G.P.D.
	.064 = 6563 sq. ft.
Application Area Utilized = 6842 sq. ft.	1' 1 (0.5 ITP 10.0 P.) (
Pump Requirement 12 Gpm @ 41 Psi (Re	rajacket U.5 HP 18 G.P.M. series or equivalent)
Dosing Cycle: ON DEMAND or X	
-	al/inch.
Reserve Requirement = 140 Gal. 1/3 day fl	
Alarms: Audible & Visual High Water Alarm & Visual	l Air Pump malfunction
With Chlorinator NSF/TCEQ APPROVED	
SCH-40 or SDR-26 3" or 4" sewer line to tank	
Two way cleanout Pop-up rotary sprinkler heads w/ purple non-potable lids	
1" Sch-40 PVC discharge manifold	
APPLICATION AREA SHOULD BE SEEDED AND	MAINTAINED WITH VEGETATION
EXPOSED ROCK WILL BE COVERED WITH SOIL	
I HAVE PERFORMED A THOROUGH INVESTIGATION	
AND SITE EVALUATOR IN ACCORDANCE WITH CHA	
(REGARDING RECHARGE FEATURES), TEXAS CO	
(EFFECTIVE DECEMBER 29, 2016)	OF A
, ,	ATE WILET
Aa Aa	126/25 \$
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	D. ADDEC W. JOHNSON
GREG W. JOHNSON, P.E. F#002585 - S.E. 11561	DATE GREG W. JOHNSON
	A Promoter Will
	FIRM #2585
	ONAL



OWNER: CHARLES E. MAREK JR. & SHIRLEY J. MAREK with RUSSELL F. MILLER & NANCY ANN MILLER

STREET ADDRESS: 1116 TOWHEE TRAIL

LEGAL DESC: VINTAGE OAKS at the VINEYARD UNIT/SECTION/PHASE: 26 BLOCK:


PREPARED BY: GREG W. JOHNSON, P.E. F#002585 SCALE: 1"=50' DATE: 8/26/2025

EJS III

2098

REVISED:

GREG W. JOHNSON




### **TANK NOTES:**

Tanks must be set to allow a minimum of 1/8" per foot fall from the residence.

Tightlines to the tank shall be SCH-40 PVC.

A two way sanitary tee is required between residence and tank.

A minimum of 4" of sand, sandy loam, clay loam free of rock shall be placed under and around tanks




TYPICAL PUMP TANK CONFIGURATION 1000 GAL PUMP TANK - SAIITX-800 1000 PT



# Environmental Series Pumps

### **Thermoplastic Performance**

Nozzie	PSI	Radius	<b>GPM</b>
#1	30	22'	1.5
	40	24'	1.7
	50	26'	1.8
	60	28'	2.0
#3	30	29'	3.0
	40	32'	3.1
	50	35'	3.5
	60	37'	3.8
#4	30	31'	3.4
	40	34'	3.9
	50	37'	4.4
	60	38*	4.7
#6	40	38*	6.5
	50	40'	7.3
	60	42'	8.0
	70	44'	8.6



### **Thermoplastic Units Ordering Information**

1/2 - 1.5 HP Single-Phase Units							
Order No.	Model	GPM	HP	Volt	Wire	Wt.	
94741005	10FE05P4-2W115	10	1/2	115	2	24	
94741010	10FE05P4-2W230	10	1/2	230	2	24	
94741015	10FE07P4-2W230	10	3/4	230	2	28	
94741020	10FE1P4-2W230	10	1	230	2	31	
94741025	10FE15P4-2W230	10	1.5	230	2	46	
94742005	20FE05P4-2W115	20	1/2	115	2	25	
94742010	20FE05P4-2W230	20	1/2	230	2	25	
94742015	20FE07P4-2W230	20	3/4	230	2	28	
94742020	20FE1P4-2W230	20	1	230	2	31	
94742025	20FE15P4-2W230	20	1.5	230	2	40	

Thermoplastic 1/2 - 2 HP Pump Ends						
Order No.	Model	GPM	HP	Volt	Wire	Wt.
94751005	10FE05P4-PE	10	1/2	N/A	N/A	6
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7
94751015	10FE1P4-PE .	10	12000	N/A	N/A	8
94751020 94752005	10FE15P4-PE 20FE05P4-PE	10 20	1.5 1/2	N/A N/A	N/A N/A	12 6
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7
94752015	20FE1P4-PE	20	1	N/A	N/A	8
94752020	20FE15P4-PE	. 20	1.5	N/A	N/A	10
94752025	20FE2P4-PE	20	2	N/A	N/A	11

GROWN NF

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS:
YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

#### SPECIAL WARRANTY DEED

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF COMAL

8

THAT LORI M. MILLER, not joined herein by my spouse, if any, because the herein conveyed property forms no part of any property claimed as homestead, hereinafter called Grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) cash and other good and valuable consideration in hand paid by CHARLES E. MAREK, JR. and SHIRLEY J. MAREK, RUSSELL F. MILLER and NANCYANN MILLER, hereinafter called Grantee, the receipt and sufficiency of which is hereby acknowledged:

HAS GRANTED, SOLD and CONVEYED, and by these presents does GRANT, SELL and CONVEY unto the said Grantees all of my undivided interest in and to the following described property, to-wit:

Lot 2098 of VINTAGE OAKS AT THE VINEYARD, UNIT 26, a subdivision in Comal County, Texas, according to plat recorded in Document No. 201908028631 amended in Document No. 201906034218, Map and Plat Records of Comal County, Texas.

This conveyance is made subject to, all and singular, the restrictions, mortgages, conditions, easements and covenants, if any, applicable to and enforceable against the above described property as reflected by the records of the County Clerk of Comal County, Texas.

TO HAVE AND TO HOLD the above described premises, together with, all and singular, the rights and appurtenances thereto in anywise belonging unto the said Grantee, Grantee's heirs, executors, administrators, successors, or assigns forever.

Grantor does hereby bind Grantor, Grantor's heirs, executors, administrators, and successors to warrant and forever defend, all and singular, the said premises unto the said Grantee, Grantee's heirs, executors, administrators, successors, and assigns against any person whomsoever claiming or to claim the same or any part thereof by through or under Grantor but not otherwise.

DATED this the AD day of July 2025.

TORI M. MILLER

STATE OF TEXAS PACKET

2025, by LORI M. MILLER.

This instrument was acknowledged before me on this the <u>A7</u> day of <u>June</u>,


x Q J U M K Notary Public, State of Texas

**GRANTEE'S MAILING ADDRESS:** 

194 Nuecrs Trail

Aledo Tx 76008

1033B.deeds Old Republic Title (NF) GF#1597SG



Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 06/30/2025 11:32:48 AM MARY 2 Pages(s) 202506019861



