staller Name:	OSSF Installer #:	
1st Inspection Date:	2nd Inspection Date:	3rd Inspection Date:
Inspector Name:	Inspector Name:	Inspector Name:

Perm	it#:		Address:				
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
1	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Site and Soil Conditions Consistent with Submitted Planning Materials		285.31(a) 285.30(b)(1)(A)(iv) 285.30(b)(1)(A)(v) 285.30(b)(1)(A)(iii) 285.30(b)(1)(A)(ii) 285.30(b)(1)(A)(i)				
2	SITE AND SOIL CONDITIONS & SETBACK DISTANCES Setback Distances Meet Minimum Standards		285.91(10) 285.30(b)(4) 285.31(d)				
3	SEWER PIPE Proper Type Pipe from Structure to Disposal System (Cast Iron, Ductile Iron, Sch. 40, SDR 26)		285.32(a)(1)				
4	SEWER PIPE Slope from the Sewer to the Tank at least 1/8 Inch Per Foot		285.32(a)(3)				
5	SEWER PIPE Two Way Sanitary - Type Cleanout Properly Installed (Add. C/O Every 100' &/or 90 degree bends)		285.32(a)(5)				
6	PRETREATMENT Installed (if required) TCEQ Approved List PRETREATMENT Septic Tank(s) Meet Minimum Requirements		285.32(b)(1)(G) 285.32(b)(1)(E)(iii) 285.32(b)(1)(E)(iv) 285.32(b)(1)(F) 285.32(b)(1)(B) 285.32(b)(1)(C)(i) 285.32(b)(1)(C)(ii) 285.32(b)(1)(D) 285.32(b)(1)(E) 285.32(b)(1)(A) 285.32(b)(1)(E) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II) 285.32(b)(1)(E)(ii)(II)				
7	PRETREATMENT Grease Interceptors if required for commercial		285.34(d)				

Inspector Notes:

N-	December 41	A may	Citotiana	Net	1 at 1	2 m d 1	7 mal 1
No.	Description SEPTIC TANK Tank(s) Clearly	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
8	Marked SEPTIC TANK IsingleTank, 2Compartments Provided withBaffle SEPTIC TANK Inlet Flowline Greater than3" and "T" Provided on Inlet and OutletSEPTIC TANK Septic Tank(s) MeetMinimum Requirements		285.32(b)(1) (E)285.91(2)285.32(b)(1) (F)285.32(b)(1)(E) (iii)285.32(b)(1)(E)(ii) (I)285.32(b)(1)(E) (i)285.32(b)(1)(E) (i)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1)(C) (ii)285.32(b)(1) (B)285.32(b)(1) (A)285.32(b)(1)(E)(iv)				
1	ALL TANKS Installed on 4" Sand Cushion/ Proper Backfill Used		285.32(b)(1)(F) 285.32(b)(1)(G) 285.34(b)				
	SEPTIC TANK Inspection / Clean Out Port & Risers Provided on Tanks Buried Greater than 12" Sealed and Capped		285.38(d)				
	SEPTIC TANK Secondary restraint system providedSEPTIC TANK Riser permanently fastened to lid or cast into tank SEPTIC TANK Riser cap protected against unauthorized intrusions		285.38(d) 285.38(e)				
	SEPTIC TANK Tank Volume Installed						
12							
	PUMP TANK Volume Installed						
1	AEROBIC TREATMENT UNIT Size Installed						
14							
	AEROBIC TREATMENT UNIT Manufacturer AEROBIC TREATMENT UNIT Model Number						
15	DISPOSAL SYSTEM Absorptive		285.33(a)(4) 285.33(a)(1) 285.33(a)(2) 285.33(a)(3)				
17	DISPOSAL SYSTEM Leaching Chamber		285.33(a)(1) 285.33(a)(3) 285.33(a)(4) 285.33(a)(2)				
18	DISPOSAL SYSTEM Evapo- transpirative		285.33(a)(3) 285.33(a)(4) 285.33(a)(1) 285.33(a)(2)				
18			203.33(a)(2)				

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	DISPOSAL SYSTEM Drip Irrigation	Allowei	Citations	Notes	13t 1113p.	Ziiu iiisp.	Sid ilisp.
	DIST COAL STOTENT DITP ITTIGATION		20E 22(a)(2)(A) (E)				
			285.33(c)(3)(A)-(F)				
19	DISPOSAL SYSTEM Soil						
20	Substitution		285.33(d)(4)				
20	DISPOSAL SYSTEM Pumped						
	Effluent		285.33(a)(4) 285.33(a)(3)				
			285.33(a)(1)				
21			285.33(a)(2)				
	DISPOSAL SYSTEM Gravelless Pipe						
	·		285.33(a)(3)				
			285.33(a)(2)				
			285.33(a)(4)				
22			285.33(a)(1)				
22	DISPOSAL SYSTEM Mound		205 22/ 1/51				
			285.33(a)(3) 285.33(a)(1)				
			285.33(a)(1) 285.33(a)(2)				
23			285.33(a)(4)				
23	DISPOSAL SYSTEM Other						
	(describe) (Approved Design)		285.33(d)(6) 285.33(c)(4)				
24			263.33(C)(4)				
	DRAINFIELD Absorptive Drainline 3" PVC						
	or 4" PVC						
25							
	DRAINFIELD Area Installed						
26	DRAINFIELD Level to within 1 inch						
	per 25 feet and within 3 inches						
	over entire excavation		285.33(b)(1)(A)(v)				
27							
	DRAINFIELD Excavation Width DRAINFIELD Excavation Depth						
	DRAINFIELD Excavation Separation						
	DRAINFIELD Depth of Porous Media						
	DRAINFIELD Type of Porous Media						
28	DDAINEIEID E						
	DRAINFIELD Pipe and Gravel - Geotextile Fabric in Place		285.33(b)(1)(E)				
29			(-/\-/\-/				
	DRAINFIELD Leaching Chambers DRAINFIELD Chambers - Open End						
	Plates w/Splash Plate, Inspection						
	Port & Closed End Plates in Place		285.33(c)(2)				
	(per manufacturers spec.)						
30							
	LOW PRESSURE DISPOSAL						
	SYSTEM Adequate Trench Length						
	& Width, and Adequate Separation Distance between		285.33(d)(1)(C)(i)				
	Trenches						
31							

	B		6 11.11		4.11	2.11	0.11
No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
32	EFFLUENT DISPOSAL SYSTEM Utilized Only by Single Family Dwelling EFFLUENT DISPOSAL SYSTEM Topographic Slopes < 2.0% EFFLUENT DISPOSAL SYSTEM Adequate Length of Drain Field (1000 Linear ft. for 2 bedrooms or Less & an additional 400 ft. for each additional bedroom) EFFLUENT DISPOSAL SYSTEM Lateral Depth of 18 inches to 3 ft. & Vertical Separation of 1ft on bottom and 2 ft. to restrictive horizon and ground water respectfully EFFLUENT DISPOSAL SYSTEM Lateral Drain Pipe (1.25 - 1.5" dia.) & Pipe Holes (3/16 - 1/4" dia. Hole Size) 5 ft. Apart		285.33(b)(3)(A) 285.33(b)(3)(A) 285.33(b)(3) (B)285.91(13) 285.33(b)(3)(D) 285.33(b)(3)(F)				
	AEROBIC TREATMENT UNIT IS Aerobic Unit Installed According to Approved Guidelines.		285.32(c)(1)				
	AEROBIC TREATMENT UNIT Inspection/Clean Out Port & Risers Provided AEROBIC TREATMENT UNIT Secondary restraint system provided AEROBIC TREATMENT UNIT Riser permanently fastened to lid or cast into tank AEROBIC TREATMENT UNIT Riser cap protected against unauthorized intrusions						
	AEROBIC TREATMENT UNIT Chlorinator Properly Installed with Chlorine Tablets in Place.						
36	PUMP TANK Is the Pump Tank an approved concrete tank or other acceptable materials & construction PUMP TANK Sampling Port Provided in the Treated Effluent Line PUMP TANK Check Valve and/or Anti- Siphon Device Present When Required PUMP TANK Audible and Visual High Water Alarm Installed on Separate Circuit From Pump						
	PUMP TANK Inspection/Clean Out Port & Risers Provided PUMP TANK Secondary restraint system provided PUMP TANK Riser permanently fastened to lid or cast into tank PUMP TANK Riser cap protected against unauthorized intrusions						
38	PUMP TANK Secondary restraint system provided						
	PUMP TANK Electrical Connections in Approved Junction Boxes / Wiring Buried						

No.	Description	Answer	Citations	Notes	1st Insp.	2nd Insp.	3rd Insp.
	APPLICATION AREA Distribution Pipe, Fitting, Sprinkler Heads & Valve Covers Color Coded Purple?		285.33(d)(2)(G)(iii)(II) 285.33(d)(2)(G)(iii)(III) 285.33(d)(2)(G)(v) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iv) 285.33(d)(2)(G)(i) 285.33(d)(2)(G)(iii) 285.33(d)(2)(G)(iii)(I)				
	APPLICATION AREA Low Angle Nozzles Used / Pressure is as required APPLICATION AREA Acceptable Area, nothing within 10 ft of sprinkler heads? APPLICATION AREA The Landscape Plan is as Designed		285.33(d)(2)(G) (i)285.33(d)(2) (A)285.33(d)(2)(F)				
	APPLICATION AREA Area Installed						
	PUMP TANK Meets Minimum Reserve Capacity Requirements						
	PUMP TANK Material Type & Manufacturer						
	PUMP TANK Type/Size of Pump Installed						



Permit of Authorization to Construct an On-Site Sewage Facility Permit Valid For One Year From Date Issued

Permit Number: 119072

Issued This Date: 11/07/2025

This permit is hereby given to: ANDREW PETERSON & NEIL JOHNSON

To start construction of a private, on-site sewage facility located at:

767 BANFIELD PASS AVE CITY OF BULVERDE, TX 78163

Subdivision: CENTENNIAL RIDGE

1

Unit: 3 Lot: 36

Block:

Acreage: 5.9400

APPROVED MINIMUM SIZES AS PER ATTACHED DESIGN

Type of System: Aerobic

Surface Irrigation

This permit gives permission for the construction of the above referenced on-site facility to commence. Installation must be completed by an installer holding a valid registration card from the Texas Commission on Environmental Quality (TCEQ). Installation and inspection must comply with current TCEQ and County requirements.

Call (830) 608-2090 to schedule inspections.

Revised

11/07/2025 12:03:27 PM



ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090 WWW.CCTO ORG

-	DateJai	nuary 10, 2024			His man was a second	-	1100=		
1	1. APPLICANT / AGENT INFORMATION				Permit Nu	ımber	11907	2	
f F E	Owner Name Mailing Address City, State, Zip Phone # Email LOCATION	ANDREW PETERSON & NE 12934 COUNTRY R BULVERDE TEXAS 210-298-7135 apeterson@catto.co	1DGE 78163 om	Agent Name Agent Address City, State, Zip Phone # Email	NEW I	170 HOL BRAUNF 830-9 egjohnson	LOW (ELS TE 05-277 pe@yal	DAK EXAS 7813 8 100.com	
S	lubdivision Nam	e CENTEN	NIAL RIDGE		U-4				
S	urvey Name / A	bstract Number_			Unit 3	_ Lot	36	_ Block_	1
A	ddress	767 BANFIELD PASS AVE	ENUE C	ilia principal		Acr	eage _		
3.	TYPE OF DEV	ELOPMENT	No. of the last of	BUL\	VERDE	State	TX	Zip78	163
	Single Fami	ly Residential							
	Indicate Sq	Ft of Living Area 4214+1300				Norman,			
	(Planning ma	terials must show adequate land illty	area for doubling the	femired land					
	Type of Fac	ility		reduien isua use	ded for treatme	nt units an	d dispo	sal area)	
	Offices, Fac	stories, Churches, Schools, Pa , Lounges, Theaters - Indicate	rks. Etc Indicate	Alumbar Os o	-				
	Restaurants	, Lounges, Theaters - Indicate , Hospital, Nursing Home - Ind	Number of Seats	Maintel Of Occi	upants	-			Tratique
	Hotel, Motel	, Hospital, Nursing Home - Inc	dicate Mumbas of D						Materia
	Travel Traile	or/RV Parks - Indicate Number	of Spaces	103			Nagadjurah Laborator		
	Miscellaneou		The state of the s	-					
-	Estimated Cost of	of Construction: \$ 1.00	0.000						
1	o any portion of	the proposed OSSF located in	the United States	Λ					
	Yes X No	O (If yes, owner must provide approv	al from USACE for prop	oned Occur	ingineers (US	ACE) flov	vage ea	asement?	
S			Rainwater Colle	ction osed OSSF IMPloye	ements within the	USACE flo)wage es	sement)	
40. 6	MANINKE OF	OWNER		90911					
fa	cts. I certify that I	ation, I certify that: ication and all additional informati am the property owner or I posse by given to the permitting author and inspection of private sewage f	on submitted does no	nt contain any falso nd rights necessar	e information an y to make the p	id does no ermitted in	t conces	al any mate tents on sa	erial lid
bv	the Comet County	nd inspection of private sewage form to authorization to construct permit of authorization to construct price of the specific position public retering to the specific position public retering to the specific position pro	a will not be issued ith	the Elecatedate	A				se of uired
)	associated w	ith this permit a	pplication,	as appl	icable.	
Si	gnature of Owne	ir Huly	+	Date //3/ /2	1/1/2025			Page Rovised Janua	

Revised July 2018

* * * COMAL COUNTY OFFICE OF ENVIRONMENTAL HEALTH * * *

APPLICATION FOR PERMIT FOR AUTHORIZATION TO CONSTRUCT AN ON-SITE SEWAGE FACILITY AND LICENSE TO OPERATE

Planning Materials & Site Evaluation as Required Completed By GREG W. JOHNSON, P.E.				
System Description PROPRIETARY; AEROBIC TI	REATMENT AND SURFACE IRRIGATION			
Size of Septic System Required Based on Planning Materials & Soi	l Evaluation			
Tank Size(s) (Gallons)AERIES D840Absorpt	ion/Application Area (Sq Ft)			
Gallons Per Day (As Per TCEQ Table III)480 (Sites generating more than 5000 gallons per day are required to obtain a	permit through TCEQ)			
Is the property located over the Edwards Recharge Zone? Yes (If yes, the planning materials must be completed by a Registered Sanitaria				
Is there an existing TCEQ approved WPAP for the property? Ye (if yes, the R. S. or P. E. shall certify that the OSSF design complies with all				
If there is no existing WPAP, does the proposed development active (If yes, the R.S. or P. E. shall certify that the OSSF design will comply with not be issued for the proposed OSSF until the proposed WPAP has been a	all provisions of the proposed WPAP. A Permit to Construct will			
Is the property located over the Edwards Contributing Zone? 🛛 Ye	s 🗌 No			
Is there an existing TCEQ approval CZP for the property? X Yes (if yes, the P.E. or R.S. shall certify that the OSSF design complies with all	☐ No provisions of the existing CZP)			
If there is no existing CZP, does the proposed development activity (if yes, the P.E. or R.S. shall certify that the OSSF design will comply with all not be issued for the proposed OSSF until the CZP has been approved	provisions of the proposed CZP. A Permit to construct will)			
Is this property within an incorporated city? 🛛 Yes 🔲 N	TE OF TEL			
If yes, indicate the city:BULVERDE	GREG W. JOHNSON 67587 G/STERE G/STER			
	FIRM #2585			
By signing this application, I certify that: - The information provided above is true and correct to the best of my knowle - I affirmatively consent to the online posting/public release of my e-mail addre				
Signature of Designer	January 12, 2024 Date Page 2 of 2			
· / / · · /	· · · · · · · · · · · · · · · · · · ·			

195 David Jonas Dr., New Braunfels, Texas 78132-3760 (830) 608-2090 Fax (830) 608-2078

AFFIDAVIT

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF OSSF REQUIRING MAINTENANCE

According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities (OSSF's), this document is filed in the Deed Records of Comal County, Texas.

1

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), § 5.012 and § 5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety code, requires owners to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

Ħ

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as (Insert legal description):

3 UNIT/PHASE/SECTION 1 BLOCK 36	LOTCENTENN	IAL RIDGE	_subdivision
IF NOT IN SUBDIVISION: ACREAGE			_ SURVEY
The property is owned by (insert owner's full nam	ae):ANDREW PE	TERSON & NEIL JOI	HINSON
This OSSF must be covered by a continuous main the initial two-year service policy, the owner of an residence shall either obtain a maintenance contre personally.	aerobic treatment system i	or a single family	
Upon sale or transfer of the above-described prop transferred to the buyer or new owner. A copy of obtained from the Comal County Engineer's Office	the planning materials for	SF shall be the OSSF can be	
witness by hand(s) on this 🤔 day of	JANUARY	,20_24_	
X	ANDREW PETERSON		
X Nil Ash	NEIL JOHNSON		_
Owner(s) signaturé(s)	Owner (s) Printed name (s)		
ANDREW PETERSON & NEIL JOHNSON SWORN TO	O AND SUBSCRIBED BEF	ORE ME ON THIS	30 DAY OF
January 20 24			<u> </u>
2 5th Chy	Filed and	Recorded	
Galindo Justham	Official P	ublic Records	
Notary Public Signature	Bobbie Ko	epp, County (Clerk
<u> </u>	Comal Co	unty, Texas	
EARLINDA LEYTHAM Notary Public, State of Texas	02/05/2024	4 08:14:46 AN	1
8 CD My Comm. Exp. 06-11-2027 8	CHRISTY	1 Pages(s)	
iD No. 12614353-7	202406003	330	
	B	bbie Koep	p

THE COUNTY OF COMAL STATE OF TEXAS

CERTIFICATION OF SINGLE FAMILY DWELLING

According to Texas Commission of Environmental Quality Rules for On-Site Sewage Facilities, this document is filed in the Deed Records of COMAL COUNTY, TEXAS.

ANDREW	PETERS	ON	
Before me this day appeared & NEIL	JOHNSO	, being the owners of the	e referenced property at
707 DAMAR LELLU L'ASS AVENUE		They further state that the Residen	ce and any additional
living space on this property will be occupied on	ly by a singl	e family.	
An OSSF requiring a Certification of Single Fan	nily Dwellin	g, will be installed on the property	described as:
3 UNIT 1 BLOCK 36	_LOT_	CENTENNIAL RIDGE	SUBDIVISION
TE NOT IN CUIDDIVICION.			
IF NOT IN SUBDIVISION: ACREAGE			SURVEY
The property is owned byAN	IDREW PI	ETERSON & NEIL JOHNSON	V
_			
WITNESS MY HAND ON THIS 30 OF DA	Y OF	Annan , 20 24 .	
VI TOTAL		1011	
OWNIED CHOW	X	Tulffin	
OWNER (SIGNATURE)		ER (SIGNATURE)	
SWORN TO AND SUBSCRIBED BEFORE M	E ON THIS	30 DAVOE January	/ 20 24 DV
THE STATE OF THE S	E OIT IIID	DAT OF GATTLAND	, 20 <u>24</u> BY
ANDREW PETERSON		NEIL JOHNSON	
OWNER NAME (PRINTED)		OWNER NAME (PRINTED)	
Earland Loubann			
Notary Public Signature			

EARLINDA LEYTHAM 8
Notary Public, State of Texas 8
My Comm. Exp. 06-11-2027 8
iD No. 12614353-7

EARLINDA LEYTHAM Notary Public, State of Texas My Comm. Exp. 06-11-2027 ID No. 12614353-7



Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1328 W Borgfeld Dr. San Antonio, TX 78260

(210) 875-3625

info@mjseptic.com

Property Owner(s): Andrew Peterson & Neil Johns	onAgreement Dates:	
Property Address: 767 Banfield Pass Avenue	City & Zip: Bulverde, 78163	
Subdivision: Centennial Ridge	Section, Lot, Block:	
Permitting Authority: Comal County	Permit Number:	

The Texas Commission on Environmental Quality (TCEQ) mandates regular inspections and maintenance of all Aerobic Treatment Units (ATUs). These checks must occur every four months throughout the unit's lifespan (some permitting authorities may adjust this requirement after the first two years of installation; contact your county/permitting authority for more information).

MJ Septic will inspect and service your ATU every four months for 24 months (2 years). For new installations, the contract's effective date aligns with the issuance of the License to Operate (LTO), as required by state guidelines established on June 13, 2001. Laboratory testing for parameters like coliform, TSS, and BOD are not included, and the associated fees are the owner's responsibility.

Renewal Prior to the conclusion of the contract, MJ Septic provides a seamless continuation option for routine maintenance and comprehensive reporting. To ensure uninterrupted service, electronic renewal reminders are promptly and automatically sent, keeping customers informed and allowing for timely action. It is important that you notify the office of any email address and/or phone number changes to avoid missing renewal notices.

Inspections It is crucial that we have full access to your system, including gate codes and combination locks, to conduct inspections effectively. We conduct inspections every four months (three times per year) to ensure the proper functioning of mechanical, electrical, and other applicable components. The annual fee covers the inspections but does not include parts, cleaning/pumping, chlorine/bleach (tablets or liquid), additional service calls, or additional testing required by any regulating authority. Property owner(s) or tenant(s) are not required to be present at time of inspection.

Inspection Notifications Upon scheduling your upcoming inspection, an automated electronic booking confirmation will be sent to the email address(es) and/or mobile number(s) you provided during enrollment. Throughout the duration of your agreement, you are required to reach out to our office and provide any necessary updates to your information. As a reminder, a notification will be sent the day before your scheduled inspection. While there will not be a specific time frame for the inspection, you will receive a notification when the technician is on their way to your property on the day of the scheduled inspection. Property owner(s) or tenant(s) are not required to be present at time of inspection.

Reinspections If we are unable to access your property or system at any time due to circumstances beyond our control, you have the following options:

- → Reschedule the inspection when our regular septic inspection technicians are scheduled to be back in your area again. This option is free of charge. (could be up to 45+ days)
- → Reschedule the inspection with a repair technician for a specific date between Tuesday and Thursday. A service call fee of \$75 will be charged at the time of booking.
- → Decline the inspection altogether. Please note that this option is not recommended, as there will be an 8-month or greater gap between inspections. You will not be notified of any potential issues, sludge readings, etc. No refunds will be given for declined inspections.



Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1328 W Borgfeld Dr. San Antonio, TX 78260

(210) 875-3625

info@mjseptic.com

Credit/Debit Card and Payment Terms

- a) The full cost of the agreement is to be paid in full at time of enrollment or renewal. If this agreement is part of a new system installation, it was paid in full at that time.
- b) To ensure prompt scheduling for all service calls, repairs, and pumping, we require a credit/debit card to be on file with our office upon booking. Please note that this is a mandatory requirement, and no exceptions will be made. Our technicians are not equipped to accept alternative payment methods in the field. Payment will be processed to the card on file immediately upon completion of repairs or service calls, unless otherwise noted.

System Alarms Don't panic if your aerobic septic system's audio or visual alarm activates. It's usually not an emergency. First, silence the alarm using the switch or button on the control panel to avoid disturbing your household or neighbors. During this time, it is important that you reduce all non-essential water usage in the event your system is overfull. Please refer to your OSSF Troubleshooting Guide for helpful information until we can schedule your service call.

- a) Contact us for service: It's crucial to notify our office as soon as possible to schedule a service call. If we're closed, leave a voicemail or text us at (210) 875-3625. Alternatively, send an email request to info@mjseptic.com.
- b) Scheduling response times: MJ Septic is committed to addressing all major concerns and complaints promptly. Excluding weekends and holidays, we aim to respond within 72 hours from the initial contact with the homeowner(s). Please check our website or Google for our updated hours of operation.
- c) System power: To avoid costly complications, it is crucial that you refrain from turning off the main power breaker to shut down the system under any circumstances, even in the occurrence of a system alarm.

Service Calls Outside of regular inspections, a \$75 service call fee (excluding parts, cleaning, and pumping) will be charged for service calls requested by homeowners or renters. At the company's discretion, this fee may be credited toward or even waived for an on-site repair. Some examples of service calls that may be encountered include, but are not limited to, responding to audio or visual system alarms, overflowing systems, backed up or clogged systems, chlorinator checks, odor complaints, sludge level rechecks, disconnected airlines, timer adjustments, spray head adjustments, and system power failures.

New Installation Warranty For ATU's under the initial installation warranty (2 years from the initial installation date), if a warrantied part requires replacement within 60 days of the LTO being issued, parts will be replaced free of charge. After 60 days, a \$75 warranty credit fee will be assessed for all part replacements or repairs. MJ Septic will only honor warrantied items when there is a valid maintenance contract in place.

Customer Purchased Parts MJ Septic will not install or work on parts purchased and provided by the customer. The use of unauthorized parts may compromise the system's performance and integrity. No exceptions will be made.

Unauthorized Repairs This only applies to systems under the original system installation maintenance contract and/or systems under any type of warranty with MJ Septic. Using a company other than MJ Septic for repairs will void all warranties associated with the maintenance contract. Unauthorized repairs are considered a breach of the maintenance contract and may have legal consequences.



Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1323 W Borgfeld Dr. San Antonio, TX 78260 (210) 875-3625 info@mjseptic.com

Repairs I During routine inspections or service calls, if the technician discovers parts in need of repair or replacement, we will try to contact the homeowner for on-site repair approval. If on-site repair/replacement is not possible, the customer will be notified by email or the postal service if we do not have an email address on file. All major part replacements include a 2-year warranty (refer to the notes below). There will be a \$75 warranty credit fee for all parts if replacement is required during the warranty period. Warranties will only be honored if there is an active maintenance agreement with MJ Septic. If the contract is not current, all warranties are void.

Repairs II Owning an aerobic system comes with the expectation of part replacements and septic tank cleaning needs. Regardless of how meticulously the system is maintained or how responsible your household usage is certain components will inevitably require replacement. Some of these components, such as diffuser bars (not used by all brands), filters, sprinkler heads, airline, float switches, timers, and audio and visual alarms, are relatively inexpensive and commonly replaced. Septic tank cleaning and other components, such as sprinkler pumps, air compressors, and control panels, can be pricier than smaller parts. The longevity of your system's components varies based on several factors, including the number of users, water usage, dietary choices, medications taken, household cleaning chemicals used, items flushed down the commode, and the typical lifespan of each functional part.

Cost Expectations with Aerobic Septic System Maintenance

- Regular maintenance is essential for the proper function of your aerobic septic system. Even with proper maintenance, optimal design, and controlled household usage, certain components of your aerobic system will inevitably require replacement.
- More common and less expensive parts include, but are not limited to, airline replacement, audio and visual alarms, diffuser bars (only if applicable to your system), filters, float switches, sprinkler heads, and timers.
- Less common and more expensive parts that may need replacing include effluent (spray) pumps air compressors, and control panels. Septic tank cleaning (pumping) is another service that you should expect to pay for.
- The lifespan of your septic system's components is influenced by various factors. These include but are not limited to the number of users, water consumption, dietary habits, medication usage, household cleaning products, and what is flushed into the system. Additionally, each component has its own expected lifespan.
- The lifespan of components within your system will vary. Routine inspections assess these components to determine whether they need to be replaced or repaired. These components may include, but are not limited to, the following: air compressor (aerator), filter pads, diffuser bars, sprinkler pumps (effluent/irrigation pumps), control panels, electrical circuit boards, float switches, timers, audio alarms, visual alarms, airline, photocell, toggle switches, wiring, junction boxes, risers and/or lids, sprinkler heads, and chlorinators.



Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1323 W Borgfeld Dr. San Antonio, TX 78260

(210) 875-3625

info@mjseptic.com

Septic Tank Cleaning (Pumping) & Sludge Readings Since aerobic septic systems are a "treatment unit", the rise of sludge in the pump tank will depend on how the system is being used and if the treatment process is taking place as the system is designed for.

- An aerobic system should never be treated like a city sewer.
- Sludge readings are taken at each routine inspection, or in the event a technician deems it necessary upon other scheduled services.
- Accurate sludge readings cannot be taken in the event the system has had a power failure or the system has been turned off causing the system to overflow.
- Septic tank cleaning (pumping) will be recommended once your sludge levels have reached anywhere between 10-12" inches of sludge in the pump tank chamber of your aerobic system.
- Septic tank cleaning (pumping) may also be recommended for other various reasons, such as, but not limited to, the trash tank chamber being full of solids.
- Sludge readings can increase due to many factors, and the accumulation of sludge within the pump tank may not occur at a consistent or gradual rate.
- The accumulation of sludge in your septic system is influenced by various factors. These include but are not limited to water consumption and usage within the household, the materials entering the system, consecutive laundry loads, simultaneous use of laundry, dishwasher, and showers/baths, hosting gatherings, and internal water leaks such as a running toilet.
- Hydraulic overload can be caused by surges of water entering the system. This throws off the bacterial balance, which prevents proper waste breakdown and leads to faster sludge accumulation in the pump tank. The result is more frequent pumping.
- The items that are flushed down toilets or poured down drains need to be treated by the septic system, they do not just disappear.
- Aerobic systems are designed to treat domestic wastewater and most toilet paper (read labels). Note that even if these items are labeled as "flushable" or "septic safe," they may still harm your system.

Damage and additional expenses for repairs and pumping can be caused by the following items entering the system (this list is not exhaustive):

- Excessive use of the garbage disposal (if necessary, dishes should be scraped into the trash and wiped with a paper towel prior to washing)
- Egg shells, coffee grounds, fruit and vegetables, fruit and vegetable peels
- Fats, grease, and oils
- Too many harsh household cleaners, excessive use of laundry detergent, fabric softener, and/or bleach
- Drain cleaners and automatic toilet bowl cleaners
- Wipes of any type (feminine, baby, facial, cleaning), feminine products and feminine product applicators, paper towels, condoms, and cotton swabs
- Hair combings, dental floss, any type of diapers, gauze bandages, and unused medications
- Paint, paint thinners, and varnishes
- Pet hair, kitty litter, cigarette butts, e-cigarettes, any type of plastics



Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1328 W Borgfeld Dr. San Antonio, TX 78260

(210) 875-3625

info@mjseptic.com

Additional Terms and Conditions, Warranty Violations

Power to the System

- Power to the System: Never turn off the power to your system, even in the event of a system alarm or any other issues. This is not permissible and can cause further complications or damage(s) to the system.
- Alarms: Disconnecting the audio or visual alarms, which serve as critical system alerts for potential septic system issues, can prevent you from being informed about these problems until it's too late. Both audio and visual alarms are essential features that should not be disabled.
- Maintaining proper airflow in the air compressor: In a septic system, the air compressor plays a pivotal role in facilitating the breakdown of waste. Restricting airflow to the air compressor can have detrimental consequences. This restriction can lead to damage to the compressor itself and subsequently disrupt the proper functioning of the entire septic system.

System Alterations or Modifications

- Do not build or construct anything over any part of the aerobic system.
- There are setback requirements for surface improvements near the septic, and failure to meet them could result in expenses to bring the system back into compliance. Please reach out to us if you plan on making surface improvements and we can help you ensure you remain in compliance with code requirements.
- Surface application lines, drip irrigation lines, spray heads or any other components of your aerobic system should never be modified, replaced or tampered with by other contractors. This includes but is not limited to landscaping companies, irrigation companies, or pool companies.
- MJ Septic, LLC must be contacted by property owners prior to any alterations on their property. This includes, but is not limited to, the addition of swimming pools, outdoor kitchens, decks, patios, sport courts, and irrigation systems, to ensure that the necessary measures are taken.
- Some modifications will require obtaining a new permit from the respective county, having a septic designer redesign the system, and having a licensed septic installation company make the appropriate changes onsite.
- If modifications are made without the appropriate permitting approval, property owners will be responsible for any and all associated costs to repair the system to bring it back into compliance. Additionally, any warranties (if applicable) will be voided.
- The discharge from septic system surface application heads (septic spray heads) is restricted to areas with natural vegetation.
- Unless otherwise noted, the spray heads should only spray between midnight and 5am.



Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1328 W Borgfeld Dr. San Antonio, TX 78260 (210) 875-3625

info@mjseptic.com

Additional Terms and Conditions, Warranty Violations, Continued

Irrigation Systems, Landscaping, & Ants

- ❖ Avoid installing or allowing your irrigation system to discharge/spray in the same area as your septic spray areas, as it can lead to oversaturation and violates state/county code.
- Ant mounds must not be allowed to form near any part of the aerobic system. If ant mounds appear, they can be treated with ant killer. Any electrical component damage resulting from ants will void all applicable warranties.
- No landscaping elements, including trees, plants, and flowers, should be planted on or over any part of the aerobic system.
- Vegetation, including that around spray heads and the spray area, must be kept mowed and trimmed to allow for safe access and inspection by technicians. Failure to do so may result in a rescheduling fee or dismissal of the inspection.

Liquid Bleach Chlorination Systems (most common in newer systems/homes and buildings) - Never tamper or alter your chlorinator system. This will void any warranties (if applicable).

- Regular household bleach (6-10% Sodium Hypochlorite) is used for liquid chlorinators.
- Warning! Never use low splash, splashless, or scented bleach. This will cause complications or damages to the chlorination system and void any warranties (if applicable).
- Chlorine consumption for the typical household is up to one gallon per person per month, add an additional gallon if you have a water softener, but it will only use that much if each person in the house is using 100 gallons a day or more. Some households use more bleach, some less, it depends on water usage. You don't want to use more than 3-4 gallons at a time, so if you have more than 3-4 people in the home and a water softener you might be adding on a bi-weekly basis.
- ❖ We recommend checking your chlorine consumption every other week for a couple of months so that you can get a good idea of what your household will use, after which point you can set yourself up on a regular schedule. If you ever have guests over or a period of higher water usage inside of the home you will need to add more during those times.

Tablet Chlorination Systems Never tamper or alter your chlorinator system. This will void any warranties (if applicable).

- Calcium Hypochlorite tablets are available at your local Home Depot or Lowe's. MJ Septic does not carry this product for resale.
- Warning! Never use swimming pool chlorine tablets or solutions for your septic system. Mixing pool tablets with wastewater tablets could cause a dangerous volatile reaction.
- Warning! Always store your septic chlorine tablets in a cool, dry and well-ventilated area. Warning! Do not store your septic chlorine tablets near water heaters, water heater closets, near gas fixtures or electricity.

When the chlorinator is completely empty, do not add more than 4-5 tablets at a time to prevent the chlorinator canister from clogging. If the canister is clogged, use a water hose to rinse and completely clean and clear the canister before adding fresh tablets.



Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1328 W Borgfeld Dr. San Antonio, TX 78260 (210) 875-3625 info@mjseptic.com

- Exceeding your septic system's rated daily capacity I: The septic system is engineered to manage a specific quantity of waste and water on a daily basis. Surpassing this limit can lead to several detrimental effects, such as the accelerated accumulation of sludge and premature failure of system components.
- Exceeding your septic system's rated daily capacity II: To ensure the proper functioning of your aerobic system, it's crucial not to overload it. Conserving water can help prevent this issue. Be vigilant about fixing leaky faucets and running commodes to avoid unnecessary water usage Distribute your laundry throughout the week, aiming for one to two loads daily. Avoid doing all your laundry on the same day, as this can create a sudden surge of water entering the system This hydraulic overload can disrupt the balance of bacteria, hindering the proper breakdown of waste and leading to a faster accumulation of sludge in your pump tank. The result may be a need for more frequent pumping.
- Septic Tank Cleaning & Part Replacement: Regular cleaning and pumping of the septic system are crucial for its optimal functioning. Ignoring recommendations to clean and pump the system can lead to malfunctions and potential issues. Failure to replace necessary parts as needed can exacerbate the situation, further compromising the system's performance.

Homeowner Responsibilities

- a) Yard Work/Landscaping: Keep grass, weeds, and plants trimmed and clear of tank access points the control panel, air compressor, etc. Grass, weeds, and plants can block access to the septid system and its components. This can be potentially damaging to the system if grass/weeds grow into the pipes and lines. Overgrown grass around the aerator can restrict proper airflow. Avoid spraying your irrigation system in the same areas as your septic spray areas which will lead to oversaturation and is against code compliance.
- b) Pest Control: To assist in maintaining the longevity and safety of our technicians, regular treatment for ants in the surrounding area is essential. Ants have the potential to form mounds within the electronic components of the system, leading to damage and premature failure Additionally, treating the septic tank area and components for wasps, hornets, bees, and other insects is crucial to ensure the safety of all individuals involved.
- c) Permitting: Obtain approval from a septic designer and permitting authority before making any additions or modifications to your septic system: Any changes to your septic system must be approved by a septic designer and the permitting authority. Failure to obtain approval can result in fines and penalties. See section entitled Alterations and Modifications to the System.
- d) Chlorination Supply: This does not apply to drip irrigation systems. You are responsible for maintaining your own chlorine supply. TCEQ regulation requires proper chlorination for all surface application septic systems. For liquid chlorinators, homeowners are to add 2-3 gallons of 6-10% Sodium Hypochlorite (Household Bleach) per month. Chlorine consumption will vary depending on water usage. For tablet chlorinators, homeowners can purchase Calcium Hypochlorite tablets at a local Home Depot or Lowe's. Warning! Do not use pool tablets, as it poses a significant safety risk. The combination of pool tablets and certain chemicals can result in a hazardous and volatile reaction.
- e) Drip Irrigation Systems: This does not apply to surface application systems. It is the homeowners responsibility to clean the drip irrigation disc filter anywhere between weekly to monthly depending on build up. Build up frequency is directly related to individual usage. The drip irrigation filter will be cleaned during routine inspections.

SEPTIC

OSSF RESIDENTIAL MAINTENANCE AGREEMENT

Michael J. Long, TCEQ License #MP0001294 Exp. Aug 31 2028

1328 W Borgfeld Dr. San Antonio, TX 78260 (210) 875-3625 info@mjseptic.com

Liability Disclaimer

- a) MJ Septic will not be liable for any damage, malfunction, or issues resulting from unauthorized alterations or modifications to the septic system.
- b) The property owner bears full responsibility for ensuring compliance with county codes and regulations.

Electronic Acceptance of Maintenance Agreement

- a) The agreed-upon price, terms, and conditions are found acceptable and are thus accepted. MJ Septic is granted permission to access the property for the purpose of conducting routing maintenance inspections, as well as for carrying out service calls and repairs, as requested and agreed upon.
- b) By reviewing this agreement in its entirety, I acknowledge that I have read and accepted the maintenance agreement guidelines above. I understand that I have the right to terminate my contract within 14 business days of reviewing this agreement and receive a full refund, excluding any initial or routine inspections conducted during that period.
 - c) MJ Septic maintains the sole authority to modify this document whenever deemed necessary.

MJ Septic will not sign or approve this agreement without a prior electronic approval for septic installation. This applies to all builders, general contractors, and/or property owners acting as the builder or general contractor of record.

Having thoroughly reviewed the terms of this agreement, I understand that upon receiving the License to Operate from my Permitting Authority, I am responsible for contacting MJ Septic to begin the enrollment or transfer process for this agreement and warranty. Following completion of this process, MJ Septic will electronically transmit all OSSF closing documents for my records.

Property Owner(s): Andrew Pe	terson & Neil Johnson
Property Address: 767 Banfield	Pass Avenuecity & zip: Bulverde, 78163
Property Owner(s) Signature(s):	Andrew Peterson (Oct 2, 2025 09:38:38 CDT)
Property Owner(s) Signature(s):	Andrew Peterson (Oct 2, 2025 09:38:38 CDT)
Date of Property Owner(s) Signa	Oct 2, 2025
Authorized MJ Septic Representa	ntive Signature: Brainna Perez
Date of MJ Septic Signature:	10/02/2025

Greg W. Johnson, P.E. 170 Hollow Oak New Braunfels, Texas 78132 830/905-2778

January 12, 2024

Comal County Office of Environmental Health 195 David Jonas Drive New Braunfels, Texas 78132-3760

RE- SEPTIC DESIGN
767 BANFIELD PASS AVE
CENTENNIAL RIDGE, UNIT 3, BLOCK 1, LOT 36
BULVERDE, TX 78163
PETERSON / JOHNSON RESIDENCE

Brandon/Brenda,

The referenced property is located within the Edwards Aquifer Contributing Zone. This OSSF design will comply with requirements in the CZP.

Temporary erosion and sedimentation controls should be utilized as necessary prior to construction. If any sensitive feature (caves, solution cavities, sink holes, etc.) is discovered during construction, activities must be suspended immediately and the applicant or his agent must immediately notify the TCEQ Regional Office. After that operations can only proceed after the Executive Director approves required additional engineered impact plans.

Designed in accordance with Chapter 285, Subchapter D, §285.40,285.41, & 285.42, Texas Commission on Environmental Quality (Effective December 29, 2016).

Greg W. Johnson, P.E.

No. 67587 / F#258:

170 Hollow Oak

New Braunfels, Texas 78132 - 830/905-2778

ON-SITE SEWERAGE FACILITY SOIL EVALUATION REPORT INFORMATION

Date Soil Survey Performed:	January 11, 2024	
Site Location:	CENTENNIAL RIDGE, UNIT 3, BLOCK 1,	LOT 36
Proposed Excavation Depth:	N/A	
Requirements:		
At least two soil excavation	ons must be performed on the site, at opposite ends of the proj	posed disposal area.
Locations of soil boring o	r dug pits must be shown on the site drawing.	
For subsurface disposal, s	oil evaluations must be performed to a depth of at least two fe	eet below the
proposed excavation depti	n. For surface disposal, the surface horizon must be evaluated	

Describe each soil horizon and identify any restrictive features on the form. Indicate depths where features appear.

Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
8"	ш	CLAY LOAM	N/A	NONE OBSERVED	LIMESTONE @ 8"	BROWN
2						
3						
4						
5						

SOIL BORING	NUMBER SURI	FACE EVALUAT	ION			
Depth (Feet)	Texture Class	Soil Texture	Gravel Analysis	Drainage (Mottles/ Water Table)	Restrictive Horizon	Observations
0	SAME		AS		ABOVE	
2						
3						
4						
5						


I certify that the findings of this report are based on my field observations and are accurate to the best of my ability.


Greg W. Johnson, P.E. 67587-F2585, S.E. 11561

Date


OSSF SOIL EVALUATION REPORT INFORMATION


Date: January 12, 2024	
Applicant Information:	
	ite Evaluator Information:
	Name: Greg W. Johnson, P.E., R.S., S.E. 11561
Address: 12934 COUNTRY RIDGE	Address: 170 Hollow Oak City: New Braunfels State: Texas
City: BULVERDE State: TEXAS	City: New Brauntels State: Texas 7:- Codo: 79122 Phone & Foy (920)005 2779
Zip Code: 78163 Phone: (210) 298-7135	Zip Code: 78132 Phone & Fax (830)905-2778
Property Location: Lot 36 Unit 3 Blk 1 Subd. CENTENNIAL RIDGE Street Address: 767 BANFIELD PASS AVENUE	Installer Information: Name: Company:
City: BULVERDE Zip Code: 78163	Address:
Additional Info.:	
64-44-44-44-44-44-44-44-44-44-44-44-44-4	Zip Code: Phone
Topography: Slope within proposed disposal area:	4 to 6 %
Presence of 100 yr. Flood Zone: Existing or proposed water well in nearby area. Presence of adjacent ponds, streams, water impoundments Presence of upper water shed Organized sewage service available to lot	YES NO_X YES NO_X YES NO_X YES NO_X YES NO_X
Design Calculations for Aerobic Treatment with Spra	y Irrigation:
Application Area Utilized = 8482 sq. ft. Pump Requirement 12 Gpm @ 41 Psi (Redj Dosing Cycle: ON DEMAND or X TI	Total sq. ft. living area 5+2 for water conserving fixtures) NOTE: 5 BDRM RES. + 2 BDRM DETACHED LIVING @ 480 GPD P.D. 4 = 7500 sq. ft. acket 0.5 HP 18 G.P.M. series or equivalent) MED TO DOSE IN PREDAWN HOURS /inch. Air Pump malfunction MAINTAINED WITH VEGETATION. BEING A REGISTERED PROFESSIONAL ENGINEER PTER 285, SUBCHAPTER D, §285.30, & §285.40















SIDE SECTION VIEW


SCALE: 1' = 3/8 "



2 - 250 mm Max flow per diffuser = 55 liters/minute

END SECTION VIEW

SCALE: 1' = 3/8 "



Title:

Model D-840 Night Time Pumping Company Name:

Aeris Aerobics


Date:

5-8-2014

Environmental Series Pumps

Thermoplastic Performance


Nozzie	PSI	Radius	GPM	
#1	30	22'	1.5	- KRA Pro-f
	40	24'	1.7	111-1-1
	50	26'	1.8	Dan D
	60	28'	2.0	1110 - 1
#3	30	29'	3.0	
-	40	32'	3.1	*
	50	35'	3.5	
	60	37'	3.8	
#4	30	31'	3.4	111 2
	40	34'	3.9	
	50	37'	4.4	
	60	38*	4.7	
#6	40	38'	6.5	-
	50	40'	7.3	
	60	42'	8.0	
	70	44'	8.6	



Thermoplastic Units Ordering Information

	1/2 - 1.5 H	P Single-Phase	Units			
Order No.	Model	GPM	HP	Volt	Wire	Wt
94741005	10FE05P4-2W115	10	1/2	115	2	24
94741010	10FE05P4-2W230	10	1/2	230	2	24
94741015	10FE07P4-2W230	10	3/4	230	2	28
94741020	10FE1P4-2W230	10	1	230	2	31
94741025	10FE15P4-2W230	10	1.5	230	2	46
94742005	20FE05P4-2W115	20	1/2	115	2	25
94742010	20FE05P4-2W230	20	1/2	230	2	25
94742015	20FE07P4-2W230	20	3/4	230	2	28
94742020	20FE1P4-2W230	20	1	230	2	31
94742025	20FE15P4-2W230	20	1.5	230	2	40

	Thermoplas	tic 1/2 - 2 HP Pu	mp Ends			
Order No.	Model	GPM	HP	Volt	Wire	Wt.
94751005	10FE05P4-PE	10	1/2	N/A	N/A	6
94751010	10FE07P4-PE	10	3/4	N/A	N/A	7
94751015	10FE1P4-PE .	10	1	N/A	N/A	8
94751020	10FE15P4-PE	10	1.5	N/A	N/A	12
94752005	20FE05P4-PE	20	1/2	N/A	N/A	6
94752010	20FE07P4-PE	20	3/4	N/A	N/A	7
94752015	20FE1P4-PE	20	1	N/A	N/A	8
94752020	20FE15P4-PE	20	1.5	N/A	N/A	10
94752025	20FE2P4-PE	20	2	N/A	N/A	11



195 David Jonas Dr, New Braunfels, Texas 78132 (830)608-2090

Address:	 	 	
Legal Description: _	 	 	

Dear Property Owner & Agent,

Thank you for your submission. We have reviewed the planning materials for the referenced permit application, and unfortunately, they are insufficient. To proceed with processing this permit, we require the following:

119072.pdf Markup Summary 11-5-2025

Group (1)



Subject: Group Page Label: 1

Checkmark: Unchecked Author: Brandon Mark Olvera Date: 11/5/2025 1:19:34 PM



Per note, indicate in the planning materials that all pool equipment will need to be 10 ft away from all OSSF components per 285.91(10)

Olvera, Brandon

From: Greg Johnson <gregjohnsonpe@yahoo.com>

Sent: Tuesday, November 4, 2025 9:56 AM

To: Installs Coordinator; Andrew Peterson; Olvera, Brandon

Cc: Stephanie Perez

Subject: Re: Septic Permit 119072 - 767 Banfield Pass Avenue

Attachments: 767 Banfield app permit.pdf

THIS EMAIL ORIGINATED OUTSIDE THE ORGANIZATION.

Do not click links or open attachments unless you recognize the sender or know the content is safe. Comal IT

Brandon

See attached for application and building permit - both should have been sent to county

Note - the pool is possible future

Please send Permit to Construct

Thanks

Steve

Per note, indicate in the planning materials that all pool equipment will need to be 10 ft away from all OSSF components per 285.91(10)


Send for Greg W. Johnson, P.E., R.S.)

170 Hollow Oak

New Braunfels, TX 78132


Office/Fax (830) 905-2778

Email: gregjohnsonpe@yahoo.com





ANDREW PETERSON & NEIL JOHNSON							EJS III	
STREET ADDRESS: 767 BANFIELD PASS AVENUE								-
LEGAL DESC: CENTENNIAL RIDGE	UNIT/SECT	TION/PHASE:	3	BLOCK:	1	LOT:	36	-
PREPARED BY: GREG W. JOHNSON, P.E. F#002585	1"=80'	DATE: 1/	12/2	024	RE	VISED:		



195 David Jonas Dr, New Braunfels, Texas 78132 (830)608-2090

Address: 767 BANFIELD PASS AVE

Legal Description: CENTENNIAL RIDGE 3 LOT 36 BLOCK 1

Dear Property Owner & Agent,

Thank you for your submission. We have reviewed the planning materials for the referenced permit application, and unfortunately, they are insufficient. To proceed with processing this permit, we require the following:

119072.pdf Markup Summary 10-30-2025

Brandon Mark Olvera (3)



Subject: Group Page Label: 2

Checkmark: Unchecked Author: Brandon Mark Olvera Date: 10/30/2025 12:29:11 PM



Both owners shown on the deed need to sign the applicaation



Subject: Group Page Label: 3

Checkmark: Unchecked Author: Brandon Mark Olvera Date: 10/30/2025 12:12:42 PM



Submit a copy of the approved building permit or written verification from the City of Bulverde stating that the improvements on the referenced

improvements on the referenced property do not require a building





Subject: Group Page Label: 18

Checkmark: Unchecked Author: Brandon Mark Olvera Date: 10/30/2025 12:25:29 PM



Are there any pool lines that will be within the setbacks of the OSSF

components





ON-SITE SEWAGE FACILITY APPLICATION

195 DAVID JONAS DR NEW BRAUNFELS, TX 78132 (830) 608-2090

WWW.ccto.org 119072 January 10, 2024 Date **Permit Number** 1. APPLICANT / AGENT INFORMATION Owner Name ANDREW PETERSON & NEIL JOHNSON **Agent Name** GREG JOHNSON, P.E. Mailing Address 12934 COUNT KRIDGE Agent Address 170 HOLLOW OAK City, State, Zip BULVERDE TEXAS 78163 City, State, Zip **NEW BRAUNFELS TEXAS 78132** Phone # 210-298-7135 Phone # 830-905-2778 **Email** apeterson@catto.com **Email** gregjohnsonpe@yahoo.com 2. LOCATION Subdivision No. y Name / Abstract Number State TX Zip TYPE OF DEVELOPMENT Type of Cons Non-Single Fa Offices, Factori hes, Schools ate Nu Restaurants, Lounges, Theaters - Indicate Number of Seats Hotel, Motel, Hospital, Nursing Home - Indicate Number of Beds Travel Trailer/RV Parks - Indicate Number of Spaces Estimated Cost of Construction: \$ 1,000,000 (Structure Only) Is any portion of the proposed OSSF located in the United States Army Corps of Engineers (USACE) flowage easement? Yes No (If yes, owner must provide approval from USACE for proposed OSSF improvement) within the USACE flowage easement) Source of Water Public Private Well Rainwater Collection 4. SIGNATURE OF OWNER By signing this application, I certify that: - The completed application and all additional information submitted does not contain any false information and does not conceal any material facts. I certify that I am the property owner or I possess the appropriate land rights necessary to make the permitted improvements on said properly. Authorization is hereby given to the permitting authority and designated agents to enter upon the above described property for the purpose of site/soil evaluation and inspection of private sewage facilities... - I understand that a permit of authorization to construct will not be issued until the Floodplain Administrator has performed the reviews required by the Comal County Flood Damage Prevention Order. I affirmatively consent to the enline posting/public release of my e-mail address associated with this permit application, as applicable. 1/31/2014 Signature of Owner Date Both owners shown on the deed need to

sign the applicaation



CITY OF BULVERDE New Single Family (Residential) Permit

PERMIT# 2024-237

PROJECT ADDRESS: 767 Banfield Pass Avenue Bulverde, TX 78163

LOCATION NAME: NSFR

SUBDIVISION: Centennial Ridge

OWNER: Andrew Peterson

CONTRACTOR: Built Green Custom Homes - Andrew Peterson

ADDRESS: 12934 Country Ridge

CITY, STATE, ZIP: San Antonio, 78216

PHONE: (830) 456-8691

EMAIL ADDRESS: 767banfield@gmail.com

CONTACT NAME: Andrew Peterson

ALT PHONE: (830) 456-8691

SQ FT: 0.00

PROJECT VALUATION: 0.00

PLAN REVIEW BY:

DATE ISSUED

8/9/2024

NOTES: Electrical per 2023 NEC. Review requirements for kitchen island with electrician.

Electrical layout per NEC 210.52/IRC3901.

Form survey to be provided prior to or at plumbing rough in.

No work may be covered without an approved inspection report.

-BB 2708

Note: Accessory structure shown on site plan to be separate permit.

PERMIT TYPE

New Single-Family Residential

TOTAL PAID:

\$3604.00

NOTES: Schedule by 2pm for next day inspections

NOTICE

THIS PERMIT BECOMES NULL AND VOID IF WORK OR CONSTRUCTION AUTHORIZED IS NOT COMMENCED WITHIN 180 DAYS, OR IF CONSTRUCTION OR WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AT ANY TIME AFTER WORK IS STARTED. SEPARATE PERMITS FOR ELECTRICAL, PLUMBING, MECHANICAL, AND PAVING ARE REQUIRED. ALL PERMITS REQUIRE FINAL INSPECTION.

I HEREBY CERTIFY THAT I HAVE READ AND EXAMINED THIS DOCUMENT AND KNOW THE SAME TO BE TRUE AND CORRECT. ALL PROVISIONS OF LAWS AND ORDINANCES GOVERNING THIS TYPE OF WORK WILL BE COMPLIED WITH WHETHER SPECIFIED HEREIN OR NOT. GRANTING OF A PERMIT DOES NOT PRESUME TO GIVE AUTHORITY TO VIOLATE OR CANCEL THE PROVISION OF ANY OTHER STATE OR LOCAL LAW REGULATING CONSTRUCTION OR THE PERFORMANCE OF CONSTRUCTION.

(SIGNATURE OF CONTRACTOR OR AUTHORIZED AGENT)

PRINTED NAME

Andrew

Built Green Custom Homes

built dieen custom nomes

ISSUED BY
CITY OF BULVERDE

30360 Cougar Bend, Bulverde Texas 78163 830.438.3612 / 830.980.8832 metro / 830.438.4339 fax www.bulverdetx.gov ndependence Title/GF#233899CRSA

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER

WARRANTY DEED WITH VENDOR'S LIEN

Date

ugust 30.2023

Grantor:

Kimberly Cornelius and Aaron Ray Cornelius

Grantor's Malling Address: 1371 De op Worfer Dr. (Including county) Spring Banch Comal County, TX 78070

Grantee:

Andrew Peterson and Neil Johnson

Grantee's Mailing Address: 12934 Country Ridge

(including county)

San Antonio, Bexar County, TX 78216

Consideration: TEN AND NO/100 DOLLARS (\$10.00) and other valuable consideration and a note of even date in the principal amount of Two Hundred Twenty-Eight Thousand and no/100 DOLLARS (\$228,000.00) executed by Grantee payable to the order of RANDOLPII-BROOKS FEDERAL CREDIT UNION. The note is secured by a vendor's lien retained in favor of RANDOLPII-BROOKS FEDERAL CREDIT UNION in this deed and by a deed of trust of even date from Grantee to Morton W. Baird II, Trustee.

Property (including any improvements):

Lot 36, Block 1, CENTENNIAL RIDGE UNIT 3, a subdivision in Cornel, Texas, according to the map or plat thereof, recorded in Document No. 202006046126, Map and Plat Records, Cornal County, Texas.

Reservations from and Exceptions to Conveyance and Warranty:

This conveyance is made subject to any easements, conditions, mandatory homeowners assessments and/or restrictions of record affecting the title to the bereinbefore described property.

Grantor, for the consideration and subject to the reservations from and exceptions to conveyance and warranty, grants, sells, and conveys to Grantee the property, together with all and singular the rights and appurtenances thereto in any wise belonging, to have and hold it to Grantee, Grantee's heirs, executors, administrators, successors, or assigns forever. Grantor hereby binds Grantor and Grantor's heirs, executors, administrators, and successors to warrant and forever defend all and singular the property to Grantee and Grantee's heirs, executors, administrators, successors and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof, except as to the reservations from and exceptions to conveyance and warranty.

The vendor's lien against and superior title to the property are retained until each note described is fully paid according to its terms, at which time this deed shall become absolute.

RANDOLPH-BROOKS FEDERAL CREDIT UNION, at Gramee's request, has paid in cash to Grantor that portion of the purchase price of the property that is evidenced by the note described above. The vendor's lien and superior title to the property are retained for the benefit of RANDOLPH-BROOKS FEDERAL CREDIT UNION and are transferred to that party without recourse on Grantor.

Revised 10-85

(5-92)

When the context requires, singular nouns and pronouns include	the plurat
V L C L	(Na Colombia)
Kimberty Cornellus	aron Ray Cornelius
THE STATE OF TEXAS	(Acknowledgment)
COUNTY OF BEREIN	
This instrument was acknowledged before me on the 3 D day of	<u>Ougust 20 23</u> .
by Kimberly Cornelius	
Notary Public: check the appropriate box - and only one box - as appli	
This notarial act is a traditional notarization. The person(s) acknow. This notarial act is an online notarization. The person(s) acknowledges	rledging is/are physically appearing before me. Identify its/are appearing before me by an interactive two-way audio and
video communication that meets the online notarization requirement adopted under that subchapter.	ats under Subchapter C, Chapter 406, TX Government Code, and rules
0.1	1
Elida Elida	trause_ 6.3.24
Notary Public, State of Texas Notary's Name (pri	Notary's commission expires
	ELIDA KRAUSE
THE STATE OF TEXAS	My Notary ID 4 124945961
COUNTY OF BOOKER	Expres June 3, 2021
This instrument was acknowledged before me on the	<u> august 20,23</u>
by Aaron Ray Cornelius	•
Notary Public: check the appropriate box - and only one box - as appli	
This notarial act is a traditional notarization. The person(s) acknow	tedging is/are physically appearing before me. stging is/are appearing before me by an interactive two-way audio and
video communication that meets the online notarization requireme adopted under that subchapter.	signing is are appearing before me by an interactive two-way sixtio and ints under Subchapter C, Chapter 406, TX Government Code, and rules
900 Dicht	Vauce 6.3.24
Notary Public, State of Texas Notary's Name (pri	ted) Notary's commission expires
	ELIDA KRAUSE My Notary ID & 124945961 Expires June 3, 2024

(5-92)

Filed and Recorded Official Public Records Bobbie Koepp, County Clerk Comal County, Texas 08/31/2023 02:19:23 PM MARY 2 Pages(s) 202306028028







OSSF DEVELOPMENT APPLICATION CHECKLIST

Staff will complete shaded items

			119072
	Date Received	Initials	Permit Number
nstructions:		- 481/A# Thi-	OCCE Development Application
Place a check mark next to all items that apply. For items Checklist <u>must</u> accompany the completed application.	s tnat do not apply, plac	e "N/A". Inis	OSSF Development Application
DSSF Permit			
Completed Application for Permit for Authorization to	o Construct an On-Site	Sewage Fac	ility and License to Operate
Site/Soil Evaluation Completed by a Certified Site E	valuator or a Profession	nal Engineer	
Planning Materials of the OSSF as Required by the of a scaled design and all system specifications.	TCEQ Rules for OSSF	Chapter 285	. Planning Materials shall consist
Required Permit Fee - See Attached Fee Schedule			
Copy of Recorded Deed			
Surface Application/Aerobic Treatment System			
Recorded Certification of OSSF Requiring Ma	intenance/Affidavit to t	ne Public	
Signed Maintenance Contract with Effective D	ate as Issuance of Lice	ense to Opera	ate
affirm that I have provided all information required f	ios mu OSSE Dovolom	mant Annlias	stion and that this application
constitutes a completed OSSF Development Applicat		пент Арриса	nion and mat this application
	10	0/02/2	025
Signature of Applicant			Date
COMPLETE APPLICATION			ETE APPLICATION
Check No Receipt No	(Mis	ssing Items Ci	rcled, Application Refeused)
		•.	Revised: September 2019